View NSN Online: https://aerobasegroup.kr/nsn/1377-01-297-5283

DU PONT E I DE NEMOURS & CO -- SPECIALTY ELECTRIC DETONATORS - "S" PRODUCT -- 4210-01-297-5283

Product ID:SPECIALTY ELECTRIC DETONATORS - "S" PRODUCT MSDS Date:11/03/1985 FSC:4210 NIIN:01-297-5283 MSDS Number: BQDSF === Responsible Party === Company Name: DU PONT E I DE NEMOURS & CO Address:1007 MARKET ST City:WILMINGTON State:DE ZIP:19899 Country:US Info Phone Nu m:800-441-3637 (MEDICAL) Emergency Phone Num:800-441-7515 800-424-9300(CHEMTREC) Preparer's Name: PROD.MGR., EP, F&FP CAGE:0BA38 === Contractor Identification === Company Name: DU PONT E I DE NEMOURS AND CO INC CHEM Address: DELLE DONNE CORPORATE CTR City:WILMINGTON State:DE ZIP:19880-0800 Country:US Phone:800-441-7515 CAGE:0BA38 Company Name: DUPONT E I DE NEMOURS AND CO INC, POLYMER PRODUCT-TEFLON CO. Address:1007 MARKET ST Box:City:WILMINGTON State:DE ZIP:19898 Country:US Phone:800-523-0372/34

6-4748 CAGE:9V583

Ingred Name:LEAD DINITROORTHOCRESYLATE CAS:79357-62-3 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.15 MG/M3 AS LEAD ACGIH TLV:0.15 MG/M3 AS LEAD

Ingred Name:POTASSIUM PERCHLORATE CAS:7778-74-7 RTECS #:SC9700000 Other REC Limits:NONE RECOMMENDED

Ingred Name:BARIUM PEROXIDE CAS:1304-29-6 RTECS #:CR0175000 Other REC Limits:NONE RECOMMENDED

Ingred Name:SMOKELESS POWDER Other REC Limits:NONE RECOMMENDED

Ingre d Name:BLACK POWDER Other REC Limits:NONE RECOMMENDED

Ingred Name:BASIC LEAD PHOSPHITE CAS:12141-20-7 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.15 MG/M3 AS LEAD ACGIH TLV:0.15 MG/M3 AS LEAD

Ingred Name:BORON CAS:7440-42-8 RTECS #:ED7350000 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 (AS OXIDE) ACGIH TLV:10 MG/M3 (AS OXIDE)

Ingred Name:MAGNESIUM CAS:7439-95-4 RTECS #:OM2100000 Other REC Limits:NONE RECOMMENDED

Ingred Name:SELENIUM (SARA III) CAS:7782-49-2 RTECS #:VS7700000 Other R EC Limits:NONE RECOMMENDED OSHA PEL:0.2 MG/M3 ACGIH TLV:0.2 MG/M3; 9293 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name: ALUMINUM (SARA III) CAS:7429-90-5 RTECS #:BD0330000 Other REC Limits:NONE RECOMMENDED OSHA PEL:15MG/M3 DUST/5 FUME ACGIH TLV:10MG/M3 DUST: 9293 Ingred Name: BRONZE, COMMERCIAL Other REC Limits:NONE RECOMMENDED LD50 LC50 Mixture:TLV=0.15MG/M3(AS PB);PEL=50UG/M3(AS PB) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: THIS MATERIEL CAN CAUSE INJURY OR FATALITY.LEAD CAN DAMAGE BLOOD FORMING ORGANS, NERVOUS, REPRODUCTIVE AND URINARY SYSTEMS.NITROGEN OXIDES ARE SKIN, EYE AND RESPIRATORY IRRITANTS.CHRONIC EXPOSURE CAUSES LUNG DAMAGE; ACUTE OVEREXOSURE CAN CAUSELUNG DAMAGE OR SUFFOCATION. Explanation of Carcinogenicity:NITROGEN OXIDES DO SHOW EMBRYOTOXIC AND **REPRODUCTIVE EFFECTS.** Effects of Overex posure:LEAD POISONING:LOSS OF APPETITE, ANEMIA, SLEEP DISTURBANCE, FATIGUE.NITROGEN OXIDES:BRONCHITIS, EMPHYSEMA, BRONCHOPNEUMONIA, METHEMOGLOBINEMIA. Medical Cond Aggravated by Exposure:NOT REPORTED.

First Aid:NOT REPORTED.REFER TO MANUFACTURER'S "DO'S AND DON'TS" INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

Flash Point:NOT REPORTE

D Extinguishing Media:MANUFACTURER STATES NONE. Fire Fighting Procedures:DO NOT FIGHT FIRE;EVACUATE AREA. Unusual Fire/Explosion Hazard:PRODUCES SHRAPNEL.

Spill Release Procedures:USE PROTECTIVE EQUIPMENT.REMOVE PERSONNEL.ELIMINATE IGNITION SOURCES(FRICTION,IMPACT,RF AND ELECTROSTATIC ENERGY,ELECTRIC CURRENT).REFER TO MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNING SUP PLIED WITH EACH PRODUCT SHIPMENT.

Handling and Storage Precautions:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

Other Precautions:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT REPORTED

Ventilation:NOT REPORTED

Protective Glov

es:NOT REPORTED

Eye Protection:NOT REPORTED

Other Protective Equipment:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

Work Hygienic Practices:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

Supplemental Safety and Health

REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

======= Physical/

Chemical Properties =================

HCC:E2

Solubility in Water:NOT REPORTED Appearance and Odor:ALUMINUM OR BRONZE SHELLS WITH ATTACHED INSULATED COPPER LEG WIRES.

Stability Indicator/Materials to Avoid:NO
ACIDS,ALKALI.
Stability Condition to Avoid:HEAT,FRICTION,IMPACT,LOW LEVEL ELECTRIC CURRENT,ELECTROSTATIC OR RF ENERGY
Hazardous Decomposition Products:SHRAPNEL,LEAD FUMES,OXIDES OF NITROGEN,BORON AND SELENIU
M COMPOUNDS.

Waste Disposal Methods:CONSULT THE MANUFACTURER.DISPOSAL MUST COMPLY WITH 40CFR, PARTS 260-271.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.