View NSN Online: https://aerobasegroup.kr/nsn/6810-01-031-9530

GENERAL CHEMICAL CORPORATION -- ACETONE -- 6810-01-031-9530

Product ID:ACETONE MSDS Date:10/01/1989 FSC:6810 NIIN:01-031-9530 MSDS Number: BQFCB === Responsible Party === Company Name: GENERAL CHEMICAL CORPORATION Address:90 E HALSEY RD Box:395 City:PARSIPPANY State:NJ ZIP:07054 Country:US Info Phone Num:201-515-1840 Emergency Phone Num:800-631-8050 Preparer's Nam e:DIRECTOR CAGE:0AU44 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: GENERAL CHEMICAL CORPORATION Address:90 EAST HALSEY ROAD Box:City:PARSIPPANY State:NJ ZIP:07054 Country:US Phone:973-515-1840 CAGE:0AU44

Ingred Name:ACETONE (SARA III) CAS:67-64-1 RTECS #:AL3150000 Ot her REC Limits:NONE RECOMMENDED OSHA PEL:1000PPM ACGIH TLV:750PPM/1000STEL;9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 9750 MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE- EYE: WILL INJURE EYE IF NOT REMOVED PROMPTLY. SKIN: SLIGHT DERMATITIS. INHALE: MAY CAUSE GENERAL INTOXIC ATION INCLUDING INCOORDINATION, COMA, RESPIRATORY DEPRESSION & NARCOTIC EFFECTS ON CNS. ORAL :MAY CAUSE INTOXICATION SIMILAR TO INHALATION. CHRONIC- DRYNESS, DEFATTING OF SKIN AND DERMATITIS. Explanation of Carcinogenicity: THIS CHEMICAL IS NOT LISTED BY IARC, NTP, OR OSHA AS A SUSPECTED OR CONFIRMED CARCINOGEN. Effects of Overexposure: IRRITANT/NARCOTIC. HEADACHE, DIZZINESS, DROWSINESS, NAUSEA, VOMITING, ANOREXIA, RESTLESSNESS, DYSPNEA, DRYING, CRACKING & DEFATTING OF SKIN, EY **E IRRITATION, A FRUITY ODOR** OF THE BREATH, KETOSIS (MAY B E FATAL), FLUSHED CHEEKS, SHALLOW RESPIRATION, GLUCOSURIA, RESTLESSNESS, VOMITING, GASTROINTESTINAL **IRRITATION** Medical Cond Aggravated by Exposure: PERSONS WITH CHRONIC RESPIRATORY OR SKIN DISEASES MAY BE AT AN INCREASED RISK FROM EXPOSURE.

First Aid:GET PROMPT MEDICAL ATTENTION IN ALL CASES. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED.

EYES: IMMEDIATELY FLUSH

WITH WATER FOR 15-20 MINUTES HOLDING EYELIDS OPEN. SKIN:WASH WELL WITH SOAP & WATER. ORAL: IF CONSCIOUS, DRINK 2-4 GLASSES OF WATER & INDUCE VOMITING. GET MEDICAL HELP IMMEDIATELY.

Flash Point Method:CC Flash Point:0F,-18C Autoignition Temp:Autoignition Temp Text:465C Lower Limits:2.6 Upper Limits:12.3 Extinguishing Media:DRY CHEMICAL, CO2, ALCOHOL FOAM, HALON/WATER. USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR NIOSH-APPROVED+PRESSURE SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE.KEEP UPWIND.EXTINGUISH ONLY IF FLOW CAN BE STOPPED(UNMANNED HOSE)/LET BURN. Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE TOXIC OXIDES OF CARBON. Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. ELIMINATE SOURCES OF IGNITION. STOP LE AK IF POSSIBLE. NOTIFY AUTHORITIES IF NEEDED. CONTAIN LIQUID WITH SAND/EARTH. RECOVER BY PUMPING (EXPLOSION PROOF)/NON- FLAMMABLE ABSORBENT MATERIALS. Neutralizing Agent:NOT RELEVANT Handling and Storage Precautions: STORE IN ACCORDANCE WITH 29 CFR 1910.106. STORE AWAY FROM INCOMPATIBLE SUBSTANCES. Other Precautions: AVOID BREATHING VAPOR/MIST. AVOID CONTACT WITH EYES & SKIN. STORE WITH ADEQUATE VENTILATION. SHOU LD BE STORED IN CONTAINERS WHICH MEET THE GROUNDING & BONDING GUIDELINES SPECIFIED IN NFPA 77-1983. CON TAINER MAY EXPLODE IN HEAT OF FIRE. Respiratory Protection: NIOSH APPROVED CHEMICAL CARTRIDGE RESPIRATOR/POWERED AIR-PURIFYING RESPIRATOR. FOR EMERGENCY USE SELF-CONTAINED BREATHING APPARATUS/SUPPLIED-AIR RESPIRATOR WITH FULL FACEPIECE OPERATED IN POSITIVE PRE SSURE MODE. Ventilation: MECHANICAL (GENERAL AN D/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves:NATURAL RUBBER, BUTYL Eye Protection: CHEMICAL SAFETY GOGGLES/FACE SHIELD Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING, APRON, AND BOOTS IF SPILLS OR SPLASHING CAN OCCUR. Work Hygienic Practices: WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health **KEEP OUT O**

F REACH OF CHILDREN.

HCC:F2 Boiling Pt:B.P. Text:133F,56C Melt/Freeze Pt:M.P/F.P Text:-127F,-89C Vapor Pres:33 Vapor Density:2.1 Spec Gravity:0.785 Evaporation Rate & amp; Reference:7.7 (N-BUTYL ACETATE=1) Solubility in Water:VERY SOLUBLE Appearance and Odor:CLEAR, COLORLESS, VOLATILE LIQUID WITH A CHARACTERISTIC ODOR Percent Volatiles by Volume:100

Stab

ility Indicator/Materials to Avoid:YES

ACETALDEHYDE, CHLORINE, ETHYLENE OXIDE, OLEUM, HYPOCHLOROUS ACID, ISOCYANATES, STRONG OXIDIZING AGENTS IN GENERAL Stability Condition to Avoid:HIGH HEAT, SPARKS, STATIC ELECTRICITY, HOT SURFACES, OPEN FLAMES AND OTHER SOURCES OF IGNITION Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE TOXIC OXIDES OF CARBON AND ALDEHYDES.

Waste Disposal Methods:CONS

ULT AN EXPERT ON DISPOSAL OF RECOVERED

MATERIAL AND ENSURE CONFORMITY TO LOCAL, STATE AND FEDERAL DISPOSAL REGULATIONS. RUN-OFF TO SEWER MAY CREATE FIRE OR EXPLOSION HAZARD. EPA "HAZARDOUS WASTE" (IGNITIBLE), IF DISCARDED D001.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.