

OLD WORLD INDUSTRIES INC -- SAFEWAY KA -- 6850-01-341-9855

===== Product Identification =====

Product ID:SAFEWAY KA

MSDS Date:12/01/1991

FSC:6850

NIIN:01-341-9855

MSDS Number: BQFGK

=== Responsible Party ===

Company Name:OLD WORLD INDUSTRIES INC

Address:4065 COMMERCIAL AVE

City:NORTHBROOK

State:IL

ZIP:60062-1851

Country:US

Info Phone Num:847-559-2000

Emergency Phone Num:847-559-2000

CAGE:0U3B1

===

Contractor Identification ===

Company Name:DAVIS PETROLEUM SERVICES, INC

Address:3517 ASHER AVE

Box:24864

City:LITTLE ROCK

State:AR

ZIP:72204

Country:US

Phone:501-663-0003

CAGE:0VTU2

Company Name:MARCI ENTERPRISES

Address:5271 W JEFFERSON BOULEVARD

Box:City:LOS ANGELES

State:CA

ZIP:90016

Country:US

Phone:213-937-5050

CAGE:0K5L3

Company Name:OLD WORLD INDUSTRIES INC

Address:4065 COMMERCIAL AVE

Box:City:NORTHBROOK

State:IL

ZIP:60062-1851

Country:US

Phone:847-559-2000/2116/FAX: 847-559-2173

CAGE:0

U3B1  
Company Name:PAKOHIO INC (614-876-6311)  
Box:UNKNOWN  
CAGE:67423  
Company Name:WESTERN DRUM INC  
Box:UNKNOWN  
CAGE:67243

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACETIC ACID,POTASSIUM SALT/POTASSIUM ACETATE  
CAS:127-08-2  
RTECS #:AJ3325000  
Fraction by Wt: 50.6%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 49.4%  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE- EYES:SLIGHT IRRITATION. MAY  
CAUSE PAIN, TEARS, SWELLING, REDNESS & BLURRED VISION. SKIN:NOT  
EXPECTED TO CAUSE PROLONGED/SIGNIFICANT IRRITATION. INHALATION:NO  
INHALATION HAZARD. INGESTION:MAY CAUSE IRRITATION OF DIGESTIVE  
TRACT WHICHMAY RESULT IN NAUSEA, VOMITING & DIARRHEA. CHRONIC- NONE  
KNOWN.

Effects of Overexposure:  
SLIGHT EYE IRRITATION. MAY CAUSE PAIN, TEARS,  
SWELLING, REDNESS & BLURRED VISION. NOT EXPECTED TO CAUSE  
PROLONGED/SIGNIFICANT SKIN IRRITATION. NO INHALATION HAZARD.  
INGESTION MAY CAUSE IRRITATION OF D IGESTIVE TRACT WHICH MAY RESULT  
IN NAUSEA, VOMITING & DIARRHEA.

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH  
SOAP & WATER. REMOVE CONTAMINATED CLOTHING. EYE:FLUSH WITH WATER  
FOR 15

MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR,  
IF NECESSARY. ORAL:IF CONSCIOUS, DRINK MILK/WATER& CALL PHYSICIAN.  
DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY MEDICAL  
PERSONNEL.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE

Extinguishing Media:NON-FLAMMABLE. AFTER WATER EVAPORATES, REMAINING  
MATERIAL WILL BURN. USE FOAMS (STANDARD/ALCOHOL), CO2 OR DRY  
CHEMICALS.

Fire Fighting Procedures:WEAR FIRE FIGHTING  
PROTECTIVE EQUIPMENT AND

NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE  
EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:DEHYDRATED MATERIAL WILL BURN. NORMAL  
COMBUSTION FORMS CARBON DIOXIDE.

===== Accidental Release Measures =====

Spill Release Procedures:THIS MATERIAL IS NOT EXPECTED TO PRESENT ANY  
ENVIRONMENTAL PROBLEM.

===== Handling and Storage =====

Handling and Storage Precau  
tions:STORAGE- STORE AWAY FROM STRONG  
OXIDIZING AGENTS AND STRONG ACIDS.

Other Precautions:WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH  
EYES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NO SPECIAL VENTILATION IS NECESSARY.

Protective Gloves:RUBBER OR PLASTIC RECOMMENDED

Eye Protection:SAFETY GOGGLES/GLASSES RECOMMENDED

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, IMPERVIOUS  
CLOTH

ING IF NEEDED

Work Hygienic Practices:PRACTICE GOOD HYGIENIC PROCEDURE. WASH  
THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:B.P. Text: 241F,116C

Melt/Freeze Pt:M.P/F.P Text: