

PRATT & LAMBERT, INC; INDUSTRIAL COATINGS DIVISION -- LACQUER CAMOUFLAGE DARK GULL  
GRAY 36231 ID -- 8010-00-515-1568

=====  
Product Identification  
=====

Product ID:LACQUER CAMOUFLAGE DARK GULL GRAY 36231 ID

MSDS Date:08/11/1992

FSC:8010

NIIN:00-515-1568

MSDS Number: BQGNH

=== Responsible Party ===

Company Name:PRATT & LAMBERT, INC; INDUSTRIAL COATINGS DIVISION

Box:2153

City:WICHITA

State:KS

ZIP:67

201

Country:US

Info Phone Num:316-733-1361

Emergency Phone Num:716-873-6000/DOT: 800-255-3924

Preparer's Name:W A ELLISON

CAGE:FO127

=== Contractor Identification ===

Company Name:PRATT & LAMBERT, INC/BUFFALO, NY 14240

Box:22

CAGE:FO127

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOBUTYL ACETATE (SARA III) (SOLVENT) (LFL 2.0;  
UFL 11.0)

CAS:110-19-0

RTECS #:AI4025000

Fraction by Wt: 20%

Other REC Limits:NONE SPECIFIED

OSHA PEL:150 PPM; 700 MG/M3

ACGIH TLV:150 PPM; 700 MG/M3

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III) (SOLVENT) (LFL 3.0; LFL 13.0)  
(VAPOR PRESSURE 33 MM HG @ 20C)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:400 PPM/STEL 500 PPM

ACGIH TLV:400 PPM/STEL 500 PPM

Ingred Name:NITROCELLULOSE (RESIN)

#:QW9700000  
Fraction by Wt: 5%  
Other REC Limits:NONE SPECIFIED

Ingred Name:ISOBUTYL ALCOHOL (SARA III) (SOLVENT) (LFL 1.0; UFL 11.0)  
(VAPOR PRESSURE 10 MM HG @ 20C)

CAS:78-83-1  
RTECS #:NP9625000  
Fraction by Wt: 5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TITANIUM DIOXIDE (PIGMENT)

CAS:13463-67-7  
RTECS #:XR2275000  
Fraction by Wt: 10%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M  
3 TDUST; 9293

Ingred Name:TOLUENE (SOLVENT) (SARA III) (VAPOR PRESSURE 22 MM HG @  
20C) (LFL 1.7; UFL 7.1)

CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 15%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENE (SOLVENT) (SARA III) (VAPOR PRESSURE 5 MM HG @ 20C)  
(LFL 1.0; UFL 7.0)

CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM/STEL 150 PPM  
ACGIH

TLV:100 PPM/STEL 150 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SILICA, CRYSTALLINE - CRISTOBALITE (PIGMENT)

CAS:14464-46-1

RTECS #:VV7325000

Fraction by Wt: