

CLAYTON CHEMICAL CO. -- 1072 FIXER HARDENER PART B 176-060C/T -- 6750-00-965-4846

=====
Product Identification
=====

Product ID:1072 FIXER HARDENER PART B 176-060C/T

MSDS Date:06/15/1987

FSC:6750

NIIN:00-965-4846

Kit Part:Y

MSDS Number: BQKQM

=== Responsible Party ===

Company Name:CLAYTON CHEMICAL CO.

Address:13310 FIGUEROA STREET

City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Info Phone Num:310-5

38-9530

Emergency Phone Num:310-538-9530

Preparer's Name:JOHN B. TAYLOR

CAGE:61803

=== Contractor Identification ===

Company Name:CLAYTON CHEMICAL CO.

Address:13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA

ZIP:90061

Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

=====
Composition/Information on Ingredients
=====

Ingred Name:ALUMINUM SULFATE (SARA III)

CAS:10043-01-3

RTECS #:BD1700000

Fraction by Wt: 41% %

Other REC Limits:NONE SPECIFIED

OSHA PEL:2 MG/

M3
ACGIH TLV:2 MG/M3; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MATERIAL IS A CORROSIVE ACID SOLUTION
AND WILL CAUSE IRRITATION AND BURNS TO EYES, SKIN, RESPIRATORY
TRACT AND GASTROINTESTINAL TRACT. INGESTION WILL RESULT IN BURNS TO
THE MOUTH, THROAT, AND GASTROINTESTINAL TRACT. CHRONIC: PROLONGED
EXPOSURE MAY LEAD TO DELAYED EFFECTS INCLUDING SCARRING AND
INFECTION OF LIVER/KIDNEY
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS
LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYE AND SKIN BURNS DEVELOP IMMEDIATELY.
INGESTION MAY CAUSE ABDOMINAL PAIN, NAUSEA, VOMITING, HEMORRAGING,
AND PERFORATION OF ORGANS.
Medical Conditions Aggravated by Exposure:PERSONS WITH A HISTORY OF SKIN AND
RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
First Aid Measures
=====

First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.
GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH
AFFECTED AREA WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR.
GIVE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION
IF VICTIM IS NOT BREATHING. INGESTION: DO NOT INDUCE VOMITING. GIVE
VICTIM LARGE AMOUNTS
OF WATER TO DILUTE MATERIAL. GET MEDICAL
ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:NONFLAMMABLE
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL AS APPROPRIATE FOR SURROUNDINGS.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF

F FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT, ELIMINATE SOURCES OF IGNITION, AND VENTILATE AREA AS REQUIRED. ABSORB SMALL SPILL WITH INERT MATERIAL (SAW DUST, SAND, OIL DRY ETC.) PLACE WASTE IN DOT APPROVED CONTAINER FOR DISPOSAL.

Neutralizing Agent:SODA ASH OR SODIUM BICARBONATE (SMALL SPILLS)

===== Handling and Storage =
=====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM PHYSICAL DAMAGE.

Other Precautions:CORROSIVE MATERIAL - AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. AVOID BREATHING VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE.

Protective Gloves:ACID RESISTANT GLOVES

Eye Protection:CHEMICAL SPLASH GOGGLES OR FACE SHIELD

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE

EATING OR DRINKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health
CORROSIVE MATERIAL - AVOID CONTACT.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:NO DATA

Vapor Pres:NO DATA

Vapor Density:NO DATA

Spec Gravity:2.5

pH:1.8

Evaporation Rate & Reference:NO DATA

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, COLORLESS, NO ODOR

===== Stability and Reacti

vity Data =====

Stability Indicator/Materials to Avoid: YES
NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This informatio

n is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.