

J T BAKER INC -- SODIUM CHLORIDE, 3624 -- 6810-01-014-5616

=====
Product Identification
=====

Product ID:SODIUM CHLORIDE, 3624

MSDS Date:03/09/1992

FSC:6810

NIIN:01-014-5616

MSDS Number: BQMHX

=== Responsible Party ===

Company Name:J T BAKER INC

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:800-582-2537

Emergency Phone Num:908-859-2151;800-424-9300

(CHEMTREC)

CAGE:DO803

=== Contractor Identification ===

Company Name:J T BAKER INC

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:1-800-582-2537

CAGE:DO803

Company Name:MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:800-582-2537

CAGE:70829

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM CHLORIDE

CAS:7647-14-5

RTECS #:VZ4725000

Fraction by Wt: 99-100%

=====

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:LD50 (ORAL,RAT): 3000 MG/M3.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION: IRRITATION OF UPPER
RESPIRATORY TRACT. SKIN: IRRITATION. EYE: IRRITATION. SKIN
ABSORPTION: NONE IDENTIFIED. INGESTION: INGESTION OF LARGE
QUANTITIES MAY CAUSE GASTROINTESTINAL IRRITATION. CHRONIC: HIGH
BLOOD P

RESSURE, RAPID INEFFECTIVE BREATHING. TARGET ORGANS: EYES,
SKIN, (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: RESPIRATORY SYSTEM, MUCOUS MEMBRANES.

Medical Cond Aggravated by Exposure:HIGH BLOOD PRESSURE.

=====
===== First Aid Measures =====
=====

First Aid:INGESTION: IF PERSON IS CONSCIOUS, IMMEDIATELY GIVE LARGE
AMOUNTS OF WATER. GET MEDICAL ATTENTION. INHALATION: MOVE EXPOSED
PERSON TO FRESH AIR. SKIN:

IMMEDIATELY WASH SKIN WITH PLENTY OF

SOAP AND WATER FOR AT LEAST 15 MINUTES. EYE: IMMEDIATELY FLUSH
WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

=====
===== Fire Fighting Measures =====
=====

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING
FIRE.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE IDENTIFIED.

=====
===== Accidental Release Measures ====
=====

Spill Release Procedures:WEAR SUITABLE PROTECTIVE CLOTHING. CAREFULLY
SWEEP UP AND REMOVE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED.
SUITABLE FOR ANY GENERAL CHEMICAL STORAGE AREA.

Other Precautions:MAY CAUSE IRRITATION. MAY BE HARMFUL IF SWALLOWED IN
LARGE QUANTITIES. DURING USE AVOID CONTACT WITH EYES, SKIN,
CLOTHING. WA

SH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, USE A NIOSH/MSHA APPROVED APPROPRIATE RESPIRATOR OR DUST MASK.
Ventilation:USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:DURING USE AVOID CONTACT WITH EYES, SKIN, CLOTHING. WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:2575F,1413C
Melt/Freeze Pt:M.P/F.P Text:1474F,801C
Vapor Pres:10%)
Appearance and Odor:WHITE CRYSTALLINE SOLID. ODORLESS.
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, LITHIUM, INTER-HALOGENS (EX. BROMINE TRIFLUORIDE), IRON, CEMENT.
Stability Condition to Avoid:NONE DOCUMENTED.
Hazardous Decomposition Products:HYDROGEN CHLORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this informatio

n by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.