

VERSATEC A XEROX CO -- CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU

=====  
MSDS Safety Information  
=====

FSC: 6850  
NIIN: 01-331-0629  
MSDS Date: 02/26/1992  
MSDS Num: BQMMJ  
Product ID: CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU  
MFN: 01  
Responsible Party  
Cage: IO271  
Name: VERSATEC A XEROX CO  
Address: 2710 WALSH AVE  
City: SAN  
TA CLARA CA 95051  
Info Phone Number: 800-828-6571  
Emergency Phone Number: 716-422-2177; 716-422-1230  
Proprietary Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: IO271  
Name: VERSATEC A XEROX CO  
Address: 2710 WALSH AVE  
City: SANTA CLARA CA 95051-0905  
Phone: 800-828-6571; 408-988-2800  
Cage: 50804  
Name: VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)  
Address: 2710 WALSH AVE.  
City: SANTA CL  
ARA CA 95051-0905  
Phone: 716-422-2177 (XEROX CORP, NY)

=====  
Item Description Information  
=====

Item Name: TONER,INDIRECT ELECTROSTATIC PROCESSING  
=====

Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards

Data

LD50 LC50 Mixture: LD50:(ORAL,RAT) >10 G/KG.

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INGESTION POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, AS WELL AS CENTRAL NERVOUS DEPRESSION. INTENTIONAL INHALATION MAY RESULT IN ABNORMAL HEART RHYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM TOXICITY. MAY CAUSE IRRITATION & DERMATITIS W/PROLONGED OR REPEATED CONTACT.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

First Aid: EYES:FLUSH THORO W/WATER FOR AT LST 15 MINS. SKIN:REMOVE CONTAM CLTHG. WASH THORO W/SOAP & WATER. INHAL:REMOVE FROM EXPOS. OBSERVE FOR ANY DIFFICULTY IN BRTHG. INGEST:DILUTE STOMACH CONTENTS W/SEVERAL GLASSES OF WATER. DO NOT INDUCE VOMIT. ADDNL INFO:CALL MD. FURTHER INFO ON FILE IN POISINDEX.

Handling and Disposal

Spill Release Procedures: REMOVE IGNITION SOURCES. RECOVER FREE LIQUID USING AN ABSORBENT MATERIAL (VERMICULITE, FIRE RETARDANT, SAWDUST, ETC).

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: THE WASTE TONER MAY BE CLASSIFIED AS AN IGNITABLE HAZARDOUS WASTE UNDER FEDERAL & STATE REGULATIONS & SHOULD BE DISPOSED AT AN APPROVED DISPOSAL SITE OR FACILITY I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP CONTAINER CLOSED. AVOID HANDLING NEAR HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS.

Other Precautions: AVOID BREATHING VAPORS. AVOID PROLONGED OR REPEATED SKIN CONTACT.

Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point Text: >102F,>39C

Lower Limits: 0.8%

Upper Limits: 7%

Extinguishing Media: FOAM, DRY CHEMICAL, CO\*2, WATER FOG.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). COOL EXPOSED CONTAINERS W/WATER SPRAY. AVOID BREATHING VAPOR OR FUMES.

Unusual Fire/Explosion Hazard: DO NOT MIX OR STORE W/STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

Control Measures

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). NONE REQUIRED WHEN USED AS INTENDED W/VERSATEX (XEROX) PRODUCTS.

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: NEOPRENE/NITRILE GLOVES.

Eye Protection: NONE REQD WHEN USED AS INTENDED (SUPDAT)

Other Protective Equipment: NONE REQUIRED WHEN USED AS INTENDED W/VERSATEC (XEROX) PRODUCTS.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: MFR'S TRADE NAME/PART NO:CE3224, CE3236, CE3244, CE3424, CE3436, CE3444, VPC, CE3200, CE3400 AND 8900; STARTER & REPLENISHER 8900 SERIES, 6003. EYE PROT:W/VERSATEC (XEROX) PRODUCTS.

Physical/Chemical Properties

B.P. Text: >320F,>160C

Vapor Pres: 1 @ 20C

Vapor Density: 5

Spec Gravity:

0.77 (H\*2O=1)

Evaporation Rate & Reference: 0.3 (N-BUTYL ACETATE=1)

Solubility in Water: IMMISCIBLE

Appearance and Odor: MAGENTA LIQUID; SLIGHT ODOR.

Percent Volatiles by Volume: 100

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: STRONG OXIDANTS SUCH AS LIQUID CHLORINE, CONCENTRATED OXYGEN, SODIUM OR CA

LCIUM HYPOCHLORITE.

Hazardous Decomposition Products: FUMES, SMOKE & CARBON MONOXIDE IN THE CASE OF INCOMPLETE COMBUSTION.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

=====  
Responsible Party Cage: IO271

Trans ID NO: 125986

Product ID: CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU

MSDS Prepared Date: 02/26/1992

Review Date: 04/28/1993

MFN: 1

Multiple KIT Number: 0

Review IND: Y  
=====

Detail DOT Information  
=====

DOT PSN Code: GJL

Symbols: G

DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.

Hazard Class: 3

UN ID Num: UN1993

DOT Packa

ging Group: III  
Label: FLAMMABLE LIQUID  
Special Provision: B1,B52,T7,T30  
Packaging Exception: 150  
Non Bulk Pack: 203  
Bulk Pack: 242  
Max Qty Pass: 60 L  
Max Qty Cargo: 220 L  
Vessel Stow Req: A

=====  
Detail IMO Information  
=====

IMO PSN Code: HIA  
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o  
IMDG Page Number: 3345  
UN Number: 1993  
UN Hazard Class: 3.3  
IMO Packaging Group: III  
Subsidiary Risk L  
Label: -  
EMS Number: 3-07  
MED First Aid Guide NUM: T

=====  
Detail IATA Information  
=====

IATA PSN CA  
IATA UN ID Num: 1993  
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. \*  
IATA UN Class: 3  
IATA Label: FLAMMABLE LIQUID  
UN Packing Group: III  
Packing Note Passenger: 309  
Max Quant Pass: 60L  
Max Quant Cargo: 220L  
Packaging Note Cargo: 310

=====  
Detail AFI Information  
=====

AFI PSN CA  
AFI Symbols: \*  
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.  
AFI Hazard Class: 3  
AFI UN ID NUM: UN1993  
AFI Packing Group: III  
Special Provisions: P5  
Back Pack Reference: A7.3

=====  
HAZCOM Label  
=====

Product ID: CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU  
Cage: IO271  
Assigned IND: Y  
Company Name: VERSATEC

A XEROX CO  
Street: 2710 WALSH AVE  
City: SANTA CLARA CA  
Zipcode: 95051-0905  
Health Emergency Phone: 716-422-2177; 716-422-1230  
Label Required IND: Y  
Date Of Label Review: 11/10/1992  
Status Code: C  
Label Date: 11/10/1992  
Origination Code: G  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: WARNING  
Respiratory Protection IND: YES  
Health Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Moderate  
Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE LIQUID! AVOID HANDLING NEAR HEAT, STRONG

LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS. ACUTE:INGESTION POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, AS WELL AS CENTRAL NERVOUS DEPRESSION. INTENTIONAL INHALATION MAY RESULT IN ABNORMAL HEART RHYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM TOXICITY. CHRONIC: MAY CAUSE IRRITATION & DERMATITIS W/PROLONGED OR REPEATED CONTACT.

=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.