View NSN Online: https://aerobasegroup.kr/nsn/5970-00-520-8129

Product ID:KIT82-A1 (SCOTCHCAST 4), PART A MSDS Date:04/25/1989 FSC:5970 NIIN:00-520-8129 Kit Part:Y MSDS Number: BQQMF === Responsible Party === Company Name: MINNESOTA MINING & MFG CO Address:3M CTR 224-2S-25 City:ST. PAUL State:MN ZIP:55144-1000 Country:US Info Phone Num:612-733-11 10 Emergency Phone Num:612-733-1110 CAGE:76381 === Contractor Identification === Company Name: MINNESOTA MINING AND MFG CO, DBA 3M Address:3M CENTER BLDG 224-5S-04 Box:City:SAINT PAUL State:MN ZIP:55144-1000 Country:US Phone:866-556 5712 / 612-733-1110 CAGE:76381

Ingred Name:EPOXY RESIN CAS:25068-38-6 RTECS #:KC2100000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

====== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE-IRRITATING TO EYES ON DIRECT CONTACT. SKIN-IRRITATING TO SKIN ON DIRECT CONTACT. INHALATION-VAPORS MAY BE IRRITATING TO RESPIRATORY SYSTEM. INGESTION-IS PRATICALLY NON-TOXIC ORALLY. Explanation of Carcinogenicity:NOT A CARCINOGEN. Effects of Overexposure:NONE SPECIFIED BY M ANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE-IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER & CONTINUE FOR AT LEAST 10 MIN. CALL A PHYSICIAN. SKIN-WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER. INHALATION-PROVIDE FRESH AIR. IF COUGHIN G, WHEEZING OR SHORTNESS OF BREATH, DEVELOPS, CALL A PHYSICIAN. INGESTION-GIVE ONE TO TWO GLASSES OF WATER & IMMEDIATELY INDUCE VOMITING. CALL A PHYSICIAN.

Flash Point Method:CC Flash Point:>230F,>110C Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL. Fire Fighting Procedures:FIREFIGHTERS SHOULD BE EQUIPPED WITHSELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: OBSERVE PRECAUTIONARY INFORMATION FROM OTHER SECTION

S. USE ABSORBENT MATERIAL AS NEEDED AND SWEEP UP.

Handling and Storage Precautions:STORE AWAY FROM HEAT. Other Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: AVOID INHALATION OF VAPORS. SELECT ONE OF THE FOLLOWING NIOSH APPROVED RESPIRATORS BASED ON AIRBORNE CONCENTRATIONS OF CONTAMINATS: HALF MASK ORGANIC VAPOR RESPIRATOR, FULL-FACE ORGANIC VAPOR RESPI RAT OR.
Ventilation: USE WITH APPROPRIATE LOCAL EXHAUST VENTILATION. PROVIDE APPROPIATE LOCAL EXHAUST FOR HEATING CURING.
Protective Gloves: WEAR APPROPIATE GLOVES WHEN HANDLING.
Eye Protection: WEAR UNVENTED GOGGLES DURING OPERATIONS.
Other Protective Equipment: WEAR ONE OR MORE OF THE FOLLOWING PERSONAL PROTECTION ITEMS AS NECESSARY TO PREVENT SKIN CONTACT: APRON, COVERALLS.
Work Hygienic Practices: WASH AFTER USING.
Supplemental Safety and Health THIS IS PART A OF A TWO PART KIT.

====

HCC:N1 Spec Gravity:1.14 Viscosity:5000 CPS Solubility in Water:NIL Appearance and Odor:CLEAR AMBER LIQUID. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES
NONE.
Stability Condition to Avoid:NONE.
Hazardous Decomposition Products:MAY INCLUDE CARBON MONOXIDE, CARBON DIOXIDE & OXIDES OF NITROGEN.
Conditions to Avoid Polymerization:WILL
NOT OCCUR.

Waste Disposal Methods:DISPOSE BY INCINERATION OR SEND FULLY ABSORBED MATERIAL FOR LANDFILL IN ACCORDANCE WITH LOCAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accu

## rate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.