View NSN Online: https://aerobasegroup.kr/nsn/9150-00-235-5591

MORAINE OIL CO INC -- H-D PLUS AGMA 7,8 LUBRICATING OIL, GEAR -- 9150-00-235-5591

============ Product Identification ==============

Product ID:H-D PLUS AGMA 7,8 LUBRICATING OIL, GEAR

MSDS Date:09/01/1992

FSC:9150

NIIN:00-235-5591

MSDS Number: BQSDC === Responsible Party ===

Company Name: MORAINE OIL CO INC

Address:1212 W 2ND ST

Box:678

City:OCONOMOWOC

State:WI ZIP:53066 Country:US

Info Phone Num:414-567-7523

Emerge

ncy Phone Num:414-567-7523

CAGE:2K440

=== Contractor Identification ===

Company Name: MORAINE OIL CO INC

Address:1212 W 2ND ST

Box:678

City:OCONOMOWOC

State:WI ZIP:53066 Country:US

Phone:414-567-7523

CAGE:2K440

======= Composition/Information on Ingredients ========

Ingred Name:PETROLEUM LUBRICATING MINERAL OIL. (PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC)

CAS:64742-65-0 RTECS #:PY8038500 Fraction by Wt: 95-99.9%

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:5 MG/M3

(OIL MIST)
Ingred Name:ADDITIVE (PROPRIETARY) Other REC Limits:NONE RECOMMENDED
=========== Hazards Identification ============
LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5000 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: NOT EXPECTED TO CAUSE EYE IRRITATION. SKIN: NOT EXPECTED TO CAUSE IRRITATION. INHALATION: NO INFORMATION GIVEN. INGESTION: TOXICITY IS GREATER THA N 5000 MG/KG IN RATS.
Effects of Overexposure:EYES: NOT EXPECTED TO CAUSE IRRITATION. SKIN: NOT EXPECTED TO CAUSE IRRITATION. INHALATION: NO INFORMATION GIVEN. INGESTION: TOXICITY IS GREATER THAN 5000 MG/KG IN RATS. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. INHALATION:
MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSISTS. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.
======================================
Flash Point:330F,166C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY, WATER FOG. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE. Unusual Fire/Explosion Hazard:NONE.
======================================
Spill Release Procedures:PREVENT ENTRY INTO SEWERS AND WATERWAYS. PICK UP FREE LIQUID FOR RECYCLE/DISPOSAL. ABSORB SMALL AMOUNTS ON INERT MATERIAL FOR DISPOSAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection =======
Respiratory Protecti

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: OXIDES OF CARBON.

Conditions to Avoid Polymerization: WILL NO OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATI
ONS. THIS MATERIAL IS BELIEVED TO BE
NON-HAZARDOUS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the sui tability of this information to their particular situation.