View NSN Online: https://aerobasegroup.kr/nsn/6830-00-495-8614 CHEMTRONICS INC -- ULTRAJET -- 6830-00-495-8614 Product ID:ULTRAJET MSDS Date:01/01/1991 FSC:6830 NIIN:00-495-8614 MSDS Number: BQSWX === Responsible Party === Company Name: CHEMTRONICS INC Address:681 OLD WILLETS PATH City:HAUPPAUGE State:NY ZIP:11788 Country:US Info Phone Num:516-582-3322 Emergency Phone Num:516-582-3322 Preparer's Name: M. WATKINS CAGE:2M589 === Contractor Identification === Company Name: CHEMTRONICS INC Address:8125 COBB CENTER DRIVE Box:City:KENNESAW State:GA ZIP:30152 Country:US Phone:770-424-4888/800-645-5244 CAGE:21267 Company Name: CHEMTRONICS INC (CANCELLED USE 21267) City:HAUPPAUGE State:NY ZIP:11760 Country:US CAGE:2M589 Company Name: FIBER INSTRUMENT SALES Address:24 CLEAR RD Box:City:ORISKANY

State:NY ZIP:13424 Country:US

Phone:315-736-2206

CAGE:0CKD9

======= Composition/Information on Ingredients =========

Ingred

Name: CHLORODIFLUOROMETHANE CAS:75-45-6 RTECS #:PA6390000 Fraction by Wt: 100% OSHA PEL:1000 PPM ACGIH TLV:1000PPM; 9192 Ozone Depleting Chemical:2 ========== Hazards Identification =============== LD50 LC50 Mixture:LC50 RAT = 300,000 PPM / 2 HR. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION-VAPOR IS HEAVIER THAN AIR & CAN CAUSE SUFFOCATION BY REDUCING OXYGEN AVAILA BLE FOR BREATHING. EYE-LIQUID CONTACT CAN CAUSE FROSTBITE. ORAL-ALTHOUGH ORAL TOXICITY IS LOW, INGESTION OF ULTRAJ ET IS TO BE AVOIDED. SKIN-LIQUID CONTACT CAN CAUSE FROSTBITE. Explanation of Carcinogenicity: THIS PRODUCT IS NOT LISTED BY NTP, IARC, OR OSHA. Effects of Overexposure: INHALATION-BREATHING HIGH CONCENTRATIONS OF VAPOR CAN CAUSE LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, POSSIBLE NARCOSIS, POSSIBLE CARDIAC IRREGULARITIESS, UNCONSCIOUSNESS, DEATH. SKI N-IRRITATI ON OR REDDENING MAY OCCUR. INGESTION-MAY CAUSE NAUSEA & VOMITING, WITH IRRITATION TO MOUTH & GI TRACT. EYE-DISCOMFORT. Medical Cond Aggravated by Exposure: CARDIOVASCULAR DISEASE. SEE HEALTH HAZARDS, INHALATION SECTION. First Aid:INHALE-REMOVE TO FRESH AIR & CALL PHYSICIAN. IF NOT BREATHING, PERFORM CPR, PREFERRABLE MOUTH-TO-MOUTH. IF BREATHING IS HARD, GIVE OXYGEN. DO NOT GIVE EPINEPHRINE/SIMILA SKIN-FLUSH WITH WATER. INGESTION-NO SPECIFIC INTERVENTION IS

R DRUGS.

INDICATED AS THE COMPOUND IS NOT LIKELY TO BE HAZARDOUS. HOWEVER. DO NOT INDUCE VOMITING. EYE-IMMEDIATELY FLUSH WITH WATER FOR 15 MIN. SEEK MEDICAL ATTENTION.

Flash Point Method:TOC

Flash Point:NONE

Lower Limits: NONFLAMMABLE Upper Limits: NONFLAMMABLE

Extinguishing Media: NONFLAMMABLE

Fire Fighting Procedures: OTHER BURNING MATERIAL MAY CAUSE

Handling and Storage Precautions:DO NOT STORE NEAR SOURCES OF HEAT, IN DIRECT SUNLIGHT OR WHERE TEMPERATURES EXCEED 120F. ROTATE STOCK. Other Precautions:NOTE TO PHYSICIAN: BECAUSE OF POSSIBLE INCREASED RISK OF ELICITING CARDIAC DYSRYTHMIAS, CATECHOLINAMINE DRUGS, SUCH AS EPINEPHRINE, SHOULD BE USED ONLY AS A LAST RESORT IN LIFE THREATENING EMERGENCIES.

======

MATERIAL AND

===== Exposure Controls/Personal Protection ========

PLACE IN CLOSED STEEL DRUMS FOR PROPER DISPOSAL.

Respiratory Protection: NO. GOOD VENTILATION/H.C. RESPIRATOR.

Ventilation: NO. AS NEEDED TO COMPLY WITH TLV.

Protective Gloves: YES, BUTYL GLOVES.

Eye Protection: YES. CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NORMAL VENTILATION FOR STANDARD PROCEDURES.

LOCAL EXHAUST FOR WHEN LARGE AMOUNTS ARE RELEASED. MECHANICAL FOR LOW PLACES

Supplemental Safety and Health

CONTAI

NS CHEMICALS LISTED ON THE TSCA INVENTORY LIST: YES.

======== Physical/Chemical Properties ==========

HCC:G3

Boiling Pt:B.P. Text:-41F,-41C

Vapor Pres:138 PSIG Vapor Density:2.98 Spec Gravity:1.19

Evaporation Rate & Deference: