

EAST PENN MFG CO INC -- BATTERY ELECTRIC STORAGE, DRY -- 6140-00-643-0495

=====
Product Identification
=====

Product ID: BATTERY ELECTRIC STORAGE, DRY

MSDS Date: 12/01/1996

FSC: 6140

NIIN: 00-643-0495

MSDS Number: BRGKJ

=== Responsible Party ===

Company Name: EAST PENN MFG CO INC

Address: DEKA RD

City: LYON STATION

State: PA

ZIP: 19536

Country: US

Info Phone Num: 610-682-6361

Emergency Phone Num: 610-682-6361/

800-424-9300 (CHEMTREC)

CAGE: 04055

=== Contractor Identification ===

Company Name: EAST PENN MFG CO INC

Address: DEKA RD

Box: City: LYON STATION

State: PA

ZIP: 19536

Country: US

Phone: 610-682-6361

CAGE: 04055

=====
Composition/Information on Ingredients
=====

Ingred Name: LEAD (SARA 313) (CERCLA) AND LEAD COMPONENTS

CAS: 7439-92-1

RTECS #: OF7525000

Fraction by Wt: 97%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: SEE 1910.1025

ACGIH TLV: 0.05MG/M3, A3; 9596

EPA Rpt Qty: 1 LB

DOT Rpt Qty: 1 LB

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ROUTE(S) OF ENTRY:NOT APPLICABLE UNDER
NORMAL USE. INTERNAL COMPO CONTAIN LEAD.REP/PROL EXPO TO LEAD CAN
RESULT IN LEAD POISONING.LEAD ACCUMULATES IN BONE & BODY ORGANS &
IS ELIMINATED FROM BODY SLOWLY.(REF:29CFR1910.1025).
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:NA.IARC:GROUP
2B CARC;OSHA REG:29CFR1910.1025.
Effects of Overexposure:LEAD-SHORT TERM:SKIN/EYE
IRRIT,HEADACHE,NAUSEA,VOMITING,ABDOMINAL SPASMS,FATIGUE,WEIGHT
LOSS,ANEMIA,PAIN IN LEGS/ARMS/JOINTS.LONG TERM:CNS DMG,KIDNEY
DISFUNCTIONS,POTENTIAL REPRODUCTIVE HAZARD.SYMPTOMS OF LEAD EXPO
CAN BE CONFIRMED BY PRESENCE OF ELEVATED LEVELS OF LEAD IN BLOOD.
Medical Cond Aggravated by Exposure:PREGNANT WOMEN AND CHILDREN MUST BE

PROTECTED FROM LEAD EXPOSURE.

=====
===== First Aid Measures =====

First Aid:NOT APPLICABLE UNDER NORMAL USE.IF LEAD EXPOSURE IS SUSPECTED
SEEK MED ATTN.

=====
===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR FOAM.
Fire Fighting Procedures:NA
Unusual Fire/Explosion Hazard:NA

=====
===== Accidental Release Measures =====

Spill Release Procedures:AVOID CONTACT W/INTERNAL COMPONENTS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:NA
Other Precautions:NA

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR SPECIFIC INFORMATION SEE 29CFR1910.1025,
LEAD EXPOSURE.
Work Hygienic Practices:ALWAYS PRACTICE GO

OD PERSONAL HYGIENE HABITS &
SAFE WORK PRACTICES.

Supplemental Safety and Health

THIS ARTICLE IS NOT APPLICABLE TO 49CFR 172.101 HAZARDOUS MATERIALS AND
ARE NOT SUBJECT TO PART 170-189 OF THIS SUBCHAPTER.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:NA

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NA

Solubility in Water:NA

Ap

pearance and Odor:NA, ARTICLE

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NA

Stability Condition to Avoid:NA

Hazardous Decomposition Products:NA

===== Disposal Considerations =====

Waste Disposal Methods:LEAD ACID BATTERIES ARE COMPLETELY
RECYCLABLE.FOR INFO ON RETURNING BATTERIES TO EAST PENN FOR RECYCLE
CONTACT YOUR EAST PENN REP.

Dis

claimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.