View NSN Online: https://aerobasegroup.kr/nsn/6505-00-782-3959

FISONS CORP -- ATHLETIC STRENGTH DESENEX ANTIFUNGAL SPRAY -- 6505-00-782-3959

============ Product Identification ==============

Product ID:ATHLETIC STRENGTH DESENEX ANTIFUNGAL SPRAY

MSDS Date:10/11/1991

FSC:6505

NIIN:00-782-3959

MSDS Number: BRGKS
=== Responsible Party ===
Company Name:FISONS CORP
Address:755 JEFFERSON RD

Box:1766

City:ROCHESTER

State:NY ZIP:14603 Country:US

Info Phone Num:716-475-9000

Preparer'

s Name: PETER J. NORRIS

CAGE:58827

=== Contractor Identification === Company Name:FISONS CORP Address:755 JEFFERSON RD

Box:1766

City:ROCHESTER

State:NY ZIP:14603 Country:US CAGE:58827

======= Composition/Information on Ingredients ========

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL

CAS:128-37-0

RTECS #:GO7875000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3; 9293

Ingred Name:FRAGRANCE (PROPRIETARY BLEND)

Other REC Limits: NONE RECOMMENDED

Ingred Name: ISOBUTANE

CAS:75-28-5

RTECS #:TZ4300000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name:POLYALKYLENE GLYCOL Other REC Limits:NONE RECOMMENDED

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9293

Ingred Name: TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6

RTECS #:WW2710000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3 RDUST

ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:TOLNAFTATE

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ===============

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:YES

Health Hazards Acute and Chronic:MAY CAUSE ACUTE IRRITATION TO SKIN,

EYES AND RESPIRATORY TRACT BASED ON TALC, TELNAFTATE, BUTYLATED HYDROXYTOLUENE, ETHYL ALCOHOL HEALTH INFORMATION. UNKNOWN FOR PRODUCT.

Explanation of Car

cinogenicity:MANUFACTURER STATE OSHA REGULATED FOR

ETHYL ALCOHOL AND TALC ONLY.

Effects of Overexposure: UNKNOWN FOR PRODUCT

Medical Cond Aggravated by Exposure: UNKNOWN FOR PRODUCT

First Aid:EYE CONTACT: FLUSH WITH WATER. IF IRRITATION PERSISTS, CALL A PHYSICIAN. INHALATION: IF BREATHING IS DIFFICULT GIVE OXYGEN AND CALL A PHYSICIAN.

============ Fire Fighting Measures ==============

Flash Point

Method:COC Flash Point:-120F,-84C Lower Limits:1.8
Upper Limits: 1.8 Upper Limits: 8.4 Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, MIST OR WATER SPRAY Fire Fighting Procedures: CONFINE FIRE TO IMMEDIATE AREA, DISPERSE LIQUID OR VAPOR IF SPILL OR LEAK OCCURS. Unusual Fire/Explosion Hazard: EXPLOSION HAZARD-BASED ON ETHYL ALCOHOL AND ISOBUTANE (PROPELLANT) PHYSICIAL PROPERTIES.
========== Accidental Release Measures ==========
Spill Release Procedures:REMOVE ALL IGNITION SOURCES. VEN TILATE ROOM AND LOW LYING AREAS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:NO SPECIAL HANDLING. AVOID PUNCTURE OF AEROSOL CANS. STORE IN CONTROLLED TEMPERATURE AND PRESSURE ENVIRONMENTS Other Precautions:NONE REQUIRED
===== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED Ventilation:NONE REQUIRED Protective Gloves:NONE RE QUIRED Eye Protection:NONE REQUIRED Other Protective Equipment:NONE REQUIRED Work Hygienic Practices:NONE REQUIRED Supplemental Safety and Health THIS ITEM IS A FLAMMABLE AEROSOL PRODUCT.
========= Physical/Chemical Properties =========
HCC:N1 Vapor Pres:45.09 @70F Vapor Density:2.010 Spec Gravity:0.5631 Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE TO OFF WHITE POWDER WITH FRAGRANCE
========= Stability and Reactivity Data =========
Stability

Indicator/Materials to Avoid:YES
REACT VIGOROUSLY WITH OXIDIZING AGENTS-ISOBUTANE
Stability Condition to Avoid:ELEVATED TEMPERATURE AND PRESSURE
Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

====== Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE REMAINING CONTENTS IN WELL VENTILATED AREA WITHOUT IGNITION SOURCES. DISPOSE OF AS GENERAL REFUSE IN ACCORDANCE WITH FEDERAL. STATE AND LOCAL LAWS.

Disclaimer (provided with

this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.