View NSN Online: https://aerobasegroup.com/nsn/8030-01-364-7366

COURTAULDS AEROSPACE INC -- PR-1775 CLASS B PART B -- 8030-01-364-7366

Product ID:PR-1775 CLASS B PART B MSDS Date:12/22/1988 FSC:8030 NIIN:01-364-7366 Kit Part:Y MSDS Number: BRGQH === Responsible Party === Company Name: COURTAULDS AEROSPACE INC Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-549-7586 Emerge ncy Phone Num:818-549-7586 Preparer's Name: JCS CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574

Ingred Name:TOLUENE CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: < 5% Other REC Limits:NONE SPECIFIED OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL FORMALDEHYDE RESIN CAS:9003-35-4 Fraction by Wt: < 5% Other REC Limits:NONE SPECIFIED

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: < 5% Other REC Limits:NONE SPECIFIED OSHA PEL:200 PPM/STEL 300 PPM ACGIH TLV:200 PPM/STEL 300 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:VOC: 64 GM/L RTECS #:9999999VO Other REC Limits:NONE SPECIFIED

================= Hazards Identification

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: LOCAL

IRRITATION. MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: IRRITATION TO NOSE AND THROAT. PROLONGED EXPOSURE ABOVE TLV MAY CAUSE HEADACHE, FATIGUE, C ONFUSION, DIZZINESS, DROWSINESS, NUMBNESS, UNCONSCIOUSIOUSNESS. INGESTION: MAY CAUSE NAUSEA, VOMITING, LIVER/KID

NEY DAM.

Effects of Overexposure: PROLONGED EXPOSURE CAN CAUSE LIVER AND KIDNEY DAMAGE.

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR . IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

====== Fire F

Flash Point Method:SCC Flash Point:160F,71C Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

Other Precautions: THIS PRODUCT CONTAI NS A TOXIC CHEMICAL OR CHEMICALS SUBJECT TO THE REPORTING REQUIRMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372

======= Exposure Controls/Personal Protection ==========

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPOR BELOW TL. Protective Gloves:SOLVENT RESISTANT GLOVES. Eye Protection:SAFETY GLASSES. Supplemental Safety and Health THIS PRODUCT CONTAINS TOLUENE WHICH IS KNOWN BY THE STATE OF CALIFORNIA

TO CAUSE REPRODUCTIVE TOXICITY.

HCC:V4 Spec Gravity:1.48 Solubility in Water:NEGLIGIBLE

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Hazardous Decomposition Products:OXIDES OF CARBON, SO2, TRACES OF H2S.

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA R

EGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsib ility for the suitability of this information to their

particular situation.