

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3204, PART B -- 8030-00-080-1549

=====  
Product Identification  
=====

Product ID:CS 3204, PART B

MSDS Date:06/15/1990

FSC:8030

NIIN:00-080-1549

Kit Part:Y

MSDS Number: BRJZK

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Ph

one Num:800-424-9300 CHEMTREC

Preparer's Name:HERBERT MOORE

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MANGANESE DIOXIDE (DUST) (EXPOSURE LIMITS BASED ON DUST  
PARTICLES. IN MANGANESE DIOXIDE PARTICLES ARE WETTED OUT)

CAS:1313-13-9

RTECS #:OP0350000

Fra

ction by Wt: 65%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3

Ingred Name:VOC: 1 GRAM/LITER  
RTECS #:9999999VO  
Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:IMPAIRMENT OF CENTRAL NERVOUS SYSTEM.  
Effects of Overexposure:SLUGGISHNESS, SLEEPLESSNESS AND/OR WEAKNESS IN  
THE LEGS,  
WHEN EXCESSIVE INHALATION EXPOSURE TO DUST OCCURS. TARGET  
ORGANS: CENTRAL NERVOUS SYSTEM, BLOOD, KIDNEYS.  
Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONTACT PHYSICIAN.  
SKIN: WASH WITH SOAP AND WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:NOT FLAMMABLE  
Extinguishing Media:DRY CHEMICAL, CO2, FOAM WATER  
Fire Fighting Procedures:IN CONFINED AREAS WEAR SELF-CONTAINED  
BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:EXPLOSION HAZARD IF HEATED WITH  
OXIDIZABLE MATERIALS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SCOOP UP AND TRANSFER TO SAFETY CONTAINER,  
WASH SURFACE WITH SOAP AND WATER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. WASH HANDS  
BEFORE EATING, DRINKIN

G OR SMOKING AFTER HANDLING THIS PRODUCT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:APPROPRIATE TO PREVENT PROLONGED CONTACT WITH SKIN.

Work Hygienic Practices:TRAIN PERSONNEL IN SAFE HANDLING OF THIS PRODUCT.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:

LIQ@RM TEMP

Spec Gravity:2.0 (WATER=1)

pH:9.0

Viscosity:1000 POISES

Evaporation Rate & Reference:NIL

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK PASTE, OILY ODOR

Percent Volatiles by Volume:2.0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

REDUCING AGENTS AND COMBUSTIBLE, H2S, POTASSIUM AZIDE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CO2, CO, NO, NO2, DUST

=====  
===== Disposal

Considerations =====

Waste Disposal Methods:REACT WITH BASE COMPONENT AND DISPOSE AS SOLID WASTE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person ut

ilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.