

SAF-T-LOK CHEMICAL CORPORATION -- SEALING COMPOUND -- 8030-00-823-7917

===== Product Identification =====

Product ID:SEALING COMPOUND

MSDS Date:05/01/1993

FSC:8030

NIIN:00-823-7917

MSDS Number: BRKHL

=== Responsible Party ===

Company Name:SAF-T-LOK CHEMICAL CORPORATION

Address:300 EISENHOWER LANE NORTH

City:LOMBARD

State:IL

ZIP:60148

Country:US

Info Phone Num:708-971-2001

Emergency Phone Num:708-

971-2001

Preparer's Name:ENVIRON. HEALTH & SAFETY

CAGE:4Z400

=== Contractor Identification ===

Company Name:SAF-T-LOK CHEMICAL CORPORATION

Address:300 EISENHOWER LANE NORTH

City:LOMBARD

State:IL

ZIP:60148

Country:US

Phone:708-971-2001

CAGE:4Z400

===== Composition/Information on Ingredients =====

Ingred Name:"NOT HAZARDOUS"

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Inges

tion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ORGANIC PEROXIDE HAS BEEN REPORTED TO CAUSE TUMORS IN EXPERIMENTAL ANIMALS WHEN INJECTED UNDER THE SKIN. THE LOW CONCENTRATION (5%) CONTAINED IN THE PRODUCT SHOULD PRESENT NO DANGER WHEN USED PROPERLY UNDER NORMAL CONDITIONS.

Effects of Overexposure:PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS IN SENSITIVE INDIVIDUALS.

=====  
=

First Aid:SKIN AND EYE CONTACT: FLUSH WITH WATER. INGESTION: KEEP CALM, REMOVE TO FRESH AIR. DO NOT INDUCE VOMITING. OBTAIN MEDICAL ASSISTANCE.

=====  
=

Flash Point Method:TCC  
Flash Point:>250F,>121C  
Autoignition Temp:Autoignition Temp Text:> 350F  
Extinguishing Media:CO2, FOAM, DRY CHEMICALS  
Fire Fighting Procedures:AIR MASK AND PROCEDURES FOR FIGHTING CHEMICAL FIRES.  
Unusual Fire/Explosion Hazard:CONTAINS ORGANIC PEROXIDE

=====  
=

Spill Release Procedures:PROVIDE GOOD VENTILATION. AVOID EYE AND SKIN CONTACT. SOAK UP SPILL WITH EARTH, SAND, OR ABSORBENT PRODUCT (ZORBAL). RECOVER IN CONTAINER.

=====  
=

Handling and Storage Precautions:STORE BELOW 80F FOR PROLONGED SHELF LIFE. STORE IN ORIGINAL CONTAINER.  
Other Precautions:AVOID PROLONGED SKIN CONTACT.

=====  
=

trols/Personal Protection =====

Respiratory Protection:NOT NORMALLY NECESSARY, BUT PRODUCT SHOULD BE USED IN AREAS OF GOOD VENTILATION.

Ventilation:LOCAL EXHAUST

Protective Gloves:RECOMMENDED

Eye Protection:RECOMMENDED

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>300F,>149C

Decomp Temp:Decomp Text:>350F,>177C

Vapor Pres:< 5 @ 30 F

Spec Gravi

ty:1.1

Solubility in Water:PARTIAL

Appearance and Odor:BLUE LIQUID, LOW ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AND REDUCING AGENTS

Hazardous Decomposition Products:CO, CO2, NITROUS OXIDES

Conditions to Avoid Polymerization:TEMPERATURES OVER 120F

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE & FEDERAL ANTI-POLLUTION AND WASTE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to t

heir  
particular situation.