

FLAMEMASTER CORP; THE CHEM SEAL DIVISION -- CS 3204, PART A -- 8030-00-850-0758

=====  
Product Identification  
=====

Product ID:CS 3204, PART A

MSDS Date:06/15/1990

FSC:8030

NIIN:00-850-0758

MSDS Number: BRKHR

=== Responsible Party ===

Company Name:FLAMEMASTER CORP; THE CHEM SEAL DIVISION

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Ph

one Num:800-424-9300 CHEMTREC

Preparer's Name:HERBERT MOORE

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LIQUID POLYSULFIDE POLYMER

CAS:68611-50-7

Other REC Limits:NONE SPECIFIED

Ingred Name:VOC: 9 GRAMS/LITER

RTECS #:9999999VO

Other REC Limits:NONE SPECIFI

ED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NOT ESTABLISHED. POSSIBLE SKIN  
IRRITATION AFTER PROLONGED CONTACT WITH RESULTING DERMATITIS. NOT  
CONSIDERED TO BE A PRIMARY SKIN IRRITANT.  
Effects of Overexposure:SKIN OR EYE IRRITATION. TARGET ORGANS: CENTRAL  
NERVOUS SYSTEM, LIVER, KIDNEY.  
Medical Cond Aggravated by Exposu  
re:NONE KNOWN

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.  
SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING, CONSULT  
PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>200F,>93C  
Extinguishing Media:DRY CHEMICAL, FOAM, WATER, CO2  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR  
REACTION WITH CURING AGENT. CLEAN UP RESIDUE WITH 1,1,1  
TRICHLOROETHANE THEN WITH SOAP AND WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM  
STRONG ACIDS. HARMFUL IF SWALLOWED. CAUSES EYE & SKIN IRRITATION.  
USE SUITABLE EYE PROTECTION. AVOID BREATHING VAPOR.  
Other Precautions:WASH

HANDS BEFORE EATING, SMOKING OR DRINKING AFTER  
HANDLING THIS PRODUCT. WASH CLOTHING BEFORE REUSE. DO NOT REUSE  
CONTAINER. AVOID CONTACT WITH EYES, SKIN AND CLOTHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED  
Ventilation:LOCAL EXHAUST: AIR. MECHANICAL (GENERAL): FAN.  
Protective Gloves:RUBBER  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.  
Work Hygienic Practices:TRAIN EMPLOYEES  
IN SAFE HANDLING OF THIS  
PRODUCT.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Melt/Freeze Pt:M.P/F.P Text:LIQ@RM TEMP  
Vapor Pres:NIL  
Vapor Density:NIL  
Spec Gravity:1.52 (WATER=1)  
pH:8.5  
Viscosity:12,000 POISES  
Evaporation Rate & Reference:NIL  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR  
Percent Volatiles by Volume:3.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS  
Stability Condition to Avoid:OPEN FLAME  
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS SOLID  
WASTE PER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elemen

ts of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.