

TRUETECH INC -- AMPOULE ASSEMBLY, SUBSTRATE (COMPONENT OF M -- 6665-01-133-4964  
===== Product Identification =====

Product ID:AMPOULE ASSEMBLY, SUBSTRATE (COMPONENT OF M

MSDS Date:02/01/1992

FSC:6665

NIIN:01-133-4964

Kit Part:Y

MSDS Number: BRLZY

=== Responsible Party ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Info Phone Num:516-727-8600

Emergency Phone Num:516-727-8600

CAGE:06421

=== Contractor Identification ===

Company Name:TRUETECH INC

Address:680 ELTON AVE

Box:City:RIVERHEAD

State:NY

ZIP:11901-2555

Country:US

Phone:516-727-8600

CAGE:06421

===== Composition/Information on Ingredients =====

Ingred Name:VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:OI6180000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:300 PPM/400 STEL

ACGIH TLV:300 PPM; 9293

Ingred Name:TETRAHYDROFURAN (SARA III)

CAS:109-99-9

RTECS #:LU595

0000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM/250 STEL  
ACGIH TLV:200 PPM/250STEL;9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:INDOXYL ACETATE  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EXPOSURE TO VAPOR ABOVE PEL MAY BE IRRITATING TO EYES AND SKIN. VAPOR IRRITATING TO UPPER RESPIRATORY PASSAGES. MAY CAUSE NARCOSIS IN HIGH CONCENTRATIONS.  
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.  
Effects of Overexposure:EXPOSURE TO VAPOR ABOVE PEL MAY BE IRRITATING TO SKIN OR EYES. INHALATION MAY CAUSE HEADACHE, DIZZINESS, NAUSEA, ANESTHESIA, DIFFICULTY BREATHING AND CHEST PAINS.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =  
=====

First Aid:EYES: FLUSH WITH PLENTY OF WATER, CONTACT A PHYSICIAN. SKIN: FLUSH WITH PLENTY OF WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITTING, CONTACT A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:20.0F,-6.7C  
Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.  
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL AND IGNITE FAR FROM SOURCE. EMITS TOXIC FUMES OF NITROGEN OXIDES, CARBON MONOXIDE AND CARBON DIOXIDE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. ABSORB SPILLED MATERIAL WITH VERMICULITE OR OTHER SUITABLE ABSORBENT AND PLACE IN IMPERVIOUS CONTAINER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Ha

Handling and Storage Precautions:STORE IN CLOSED CONTAINER AWAY FROM HEAT, SPARKS, AND OPEN FLAME.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:LOCAL EXHAUST, MECHANICAL (GENERAL).

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYEBATH AND SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplement

al Safety and Health

KEY 1:F3. THIS ITEM IS PN IND S OF A KIT. IT IS A UPDATE OF PN IND C WITH CHANGE IN INGREDIENTS. REFER TO THIS NSN AND CAGE FOR ADDITIONAL INFORMATION OF OTHER COMPONENTS OF THE KIT.

===== Physical/Chemical Properties =====

HCC:F2

Spec Gravity:0.749

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID, ETHER LIKE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:

YES

ACIDS, BASES, OXIDIZERS

Stability Condition to Avoid:HEAT, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN A FURNACE WHERE PERMITTED UNDER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.