View NSN Online: https://aerobasegroup.kr/nsn/6850-01-268-6719

Product ID:FLUORO-CHEK E-41 EMULSIFIER MSDS Date:09/13/1991 FSC:6850 NIIN:01-268-6719 MSDS Number: BRMGW === Responsible Party === Company Name: TURCO PRODUCTS INC SUB ELF ATOCHEM NORTH AMERICA Address:7300 BOLSA AVE City:WESTMINSTER State:CA ZIP:92684-3600 Country: US Info Phone Num:714-890-3600 Emergency Phone Num:614-387-6200 Preparer's Name: FRANK FANTOZZI CAGE:61102 === Contractor Identification === Company Name: TURCO PRODUCTS, INC. DIVISON OF ELF ATOCHEM NORTH AMERICA Address:2000 MARKET ST Box:City:PHILADELPHIA State:PA ZIP:19103-3222 Country:US Phone:215-419-7890 CAGE:61102

Ingred Name:NONYLPHENOL POLYETHOXATE CAS:9016-45-9 RTECS #:MD0900000 Fraction by Wt: 35% Other REC Limits:NO

NE RECOMMENDED

Ingred Name:GLYCOLS, POLYETHYLENE, MONO(P-(1,1,3,3-TETRAMETHYL BUTYL)PHENYL) ETHER (TRITON X) CAS:9002-93-1 RTECS #:MD0907700 Fraction by Wt: 15% Other REC Limits:NONE RECOMMENDED

Ingred Name:DIETHYLENE GLYCOL MONOBUTYL ETHER CAS:112-34-5 RTECS #:KJ9100000 Fraction by Wt: 50% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IAR C:NO OSHA:NO

- Health Hazards Acute and Chronic:ACUTE: INHALATION MAY CAUSE IRRITATION OF RESPIRATORY SYSTEM. CONTACT WITH SKIN AND EYES MAY CAUSE IRRITATION. INGESTION MAY CAUSE GI TRACT IRRITATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER.
- Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
- Effects of Overexposure:INHALED: COUGHING, SNEEZING, SHORTNESS OF BREATH, TIGHTNESS IN CHEST, CHEST PAIN, S

ORE THROAT. EYES: REDNESS,

TEARING, BURNING SENSATION OR PAIN, BLURRED VISION. SKIN: REDNESS, BURNING SENSATION, DISC OMFORT. INGESTED: NAUSEA, VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid:INHALED: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING DIFFICULT. SEE DOCTOR IF SYMPTOMS PERSIST. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: REMOVE CONTAMINATED C

LOTHES. WASH WIT H SOAP AND WATER. INGESTED: DO NOT INDUCE VOMITING EXCEPT ON ADVICE OF MEDICAL PERSONNEL. IF CONSCIOUS, GIVE LARGE AMOUNT WATER OR MILK. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point Method:PMCC Flash Point:230F,110C Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: CONFINE SPILL. STOP LEAK IF CAN BE DONE AT NO PERSONAL RISK. ABSORB WITH INERT MATERIAL AND PLACE IN A CONTAINER FOR LATER DISPOSAL. FLSH RESIDUE TO SEWER IF LOCAL REGULATIONS PERMIT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN A COOL, DRY, PROTECTED PLACE AWAY FROM STRONG OXI

DIZING AGENTS, STRONG MINERAL ACIDS, AND STRONG ALKALIS.

Other Precautions: MIXING: CAREFULLY ADD TO WATER WHILE MIXING, TAKING CARE TO AVOD SPLASHING. USE APPROPRIATE SAFETY EQUIPMENT TO ELIMINATE POSSIBILTY OF SKIN OR EYE CONTACT. MAKE ADDITIONS TO IN-USE TANKS SLOWLY AND C AUTIOUSLY.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: IF ENGINEERING OR ADMINISTRATIVE CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSH

A APPROVED

RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION TO MAINTAIN EXPOSURE BELOW TLV/PEL.

Protective Gloves: NONE SPECIFIED BY MANUFACTURER.

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING,

DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REU

SE. Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:450F,232C Vapor Pres:1 MM HG Vapor Density:>1(AIR=1) Spec Gravity:1.01 (WATER=1) Evaporation Rate & amp; Reference: