

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1826, A-1/2 BLACK, PART B --
8030-01-330-6568

===== Product Identification =====

Product ID:PR-1826, A-1/2 BLACK, PART B

MSDS Date:07/22/1988

FSC:8030

NIIN:01-330-6568

Kit Part:Y

MSDS Number: BRNXM

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

C

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635/ 818-240-2060

Preparer's Name:DJ

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Com

position/Information on Ingredients =====

Ingred Name:2-BUTANONE (METHYL ETHYL KETONE) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:200 PPM

ACGIH TLV:200 PPM;STEL 300 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:VOC: 155 G/L (MIXED)

RTECS #:9999999VO

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports

of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: LOCAL

IRRITATION. SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION:

IRRITATION TO NOSE AND THROAT. PROLONGED EXPOSURE ABOVE PEL MAY

CAUSE HEADACHE, DIZZINESS AND UNCONSCIOUSNESS . INGESTION: MAY

CAUSE NAUSEA, VOMITING, LIVER AND KIDNEY DAMAGE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKEWARM WATER FOR 15 MINUTES. IF SYMPTOM

S

PERSIST, CONSULT PHYSICAN. SKIN: WASH THOROUGHLY WITH SOAP AND

WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE

TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN.

INGESTION: CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:25.0F,-3.9C

Lower Limits:1.8

Upper Limits:11 (MEK)

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures:USE AIR SUPPLIED RESP

IRATOR. USE WATER TO COOL
HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE
BUILDUP IN CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR-SUPPLIED
RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBENT.
SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

===== Handling and Storage =====
=====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND
BEFORE SMOKING OR EATING. AVOID INGESTION.
Other Precautions:THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS
SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III
OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40
CFR PART 372.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN SPRAYING, APPLYING IN CONFINED AREAS, OR IN
OTH
ER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENT IN
EXCESS OF PEL, USE AN ORGANIC VAPOR CARTRIDGE RESPIRATOR OR AIR
SUPPLIED RESPIRATOR .

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPOR BELOW PEL.

Protective Gloves:SOLVENT RESISTANT GLOVES

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density:2.5 (MEK)

Spec Gravity:1.32

Evaporation Rate & Reference:3.2 (MEK)

Solubility in Water:

SLIGHT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:OXIDES OF CARBON, SO2, TRACES OF H2S

===== Disposal Considerations =====

Waste Disposal Methods:EPA WASTE NO. D-001 AND D-035. DISPOSE OF
SPILLAGE IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This informati

on is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.