

TEXACO INC -- 01657 RANDO OIL HD 32 -- 4470-01-068-9991

===== Product Identification =====

Product ID:01657 RANDO OIL HD 32
MSDS Date:09/07/1989
FSC:4470
NIIN:01-068-9991
MSDS Number: BRPGD
=== Responsible Party ===
Company Name:TEXACO INC
Box:509
City:BEACON
State:NY
ZIP:12508
Info Phone Num:914-831-3400 EXT 204
Emergency Phone Num:914-831-3400 EXT 204
Preparer's Name:M.J. VON ALLMEN
CAGE:7B131

=
== Contractor Identification ==

Company Name:TEXACO INC
Box:509
City:BEACON
State:NY
ZIP:12508-0509
Country:US
Phone:914-831-3400
CAGE:7B131

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038500
Fraction by Wt: 95-99.9%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50

Mixture:NONE SPECIFIED BY MANUFACTURER.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: CAUSES MINIMAL EYE IRRITATION.

TRANSIENT MINOR IRRITATION MAY BE NOTED FOLLOWING INITIAL CONTACT.

SKIN: SLIGHTLY IRRITATING WITH POSSIBLE REDNESS, EDEMA, OR DRYING OF THE SKIN. INHALATION: VAPOR S OR MIST IN EXCESS OF PERMISSIBLE CONCENTRATIONS MAY CAUSE IRRITATION (NOSE/THROAT), HEADACHE, NAUSEA, DROWSINESS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SEE HEALTH HAZARDS

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: AS WITH MOST FOREIGN MATERIALS, SHOULD EYE CONTACT OCCUR, FLUSH EYES WITH PLENTY OF WATER. SKIN: WASH EXPOSED AREAS WITH SOAP AND WATER. INHALATION: IF IRRITATION OR DROWSINESS OCCURS, REMOVE TO FRESH AIR. INGESTION: NONE CONSIDERED NECESSARY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:385F,196C

Extinguishing Media:USE WATER SPRAY,DRY CHEMICAL,FOAM,OR CARBON DIOXIDE.

Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING.USE WATER TO COOL FIRE-EXPOSED CONTAINERS. IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPORS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPI
LL IF POSSIBLE. WIPE UP OR ABSORB
ON SUITABLE MATERIAL AND SHOVEL UP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED.PERIODS OF EXPOSURE TO HIGH TEMPS SHOULD BE MINIMIZED. WATER CONTAMINATION BE AVOIDED.

Other Precautions:EMPTY CONTAINERS CAN BE HAZARDOUS IF USED TO STORE TOXIC,FLAMMABLE, OR REACTIVE MATERIALS. CUTT

ING/WELDING OF EMPTY
CONTAINERS MIGHT CAUSE FIRE, EXPLOSION,OR TOXIC FUMES FROM
RESIDUES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPOR, MIST OR DUST IS GENERATED IN EXCESS OF
PERMISSIBLE CONCENTRATIONS USE RESPIRATOR APPROVED BY MSHA OR
NIOSH.

Ventilation:ADEQUATE TO MEET COMPONENT PERMISSIBLE CONCENTRATIONS.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:CHEMICAL TYPE GOGGLES

Other Protective Equipment:NO

NE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH EXPOSED SKIN AREAS SEVERAL TIMES DAILY
WITH SOAP AND WATER.

Supplemental Safety and Health

WASTE CLASSIFICATION: PRODUCT HAS BEEN EVALUATED FOR RCRA
CHARACTERISTICS AND DOES NOT MEET CRITERIA OF A HAZARDOUS WASTE IF
DISCARDED IN ITS PURCHASED FORM.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:0.8681(WATER=1)

Appearance and Odor:PALE LIQUID

===== Stability and Reactiv
ity Data =====

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE,CARBON
DIOXIDE,ALDEHYDES AND KETONES,COMBUSTION PRODUCTS OF NITROGEN,
ZINC, PHOSPHORUS,CALCIUM,& SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER
OF PRODUCTS TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER PRODUCT
MEETS RCRA CR

ITERIA FOR HAZARDOUS WASTE. THIS IS BECAUSE PRODUCT USES, TRANSFORMATIO NS, MIXTURE, ETC. MAY RENDER MATERIAL HAZARDOUS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.