View NSN Online: https://aerobasegroup.kr/nsn/6840-00-145-0016

Product ID:ALUMINUM PHOSPHIDE, PHOSTOXIN MSDS Date:09/01/1986 FSC:6840 NIIN:00-145-0016 MSDS Number: BRQBM === Responsible Party === Company Name: DEGESCH AMERICA INC Address:275 TRIANGLE DR Box:116 **City:WEYERS CAVE** State:VA ZIP:24486 Country:US Info Phone Num:703-234-9281 **Emergency Phone Num:7** 03-234-9281/800-424-9300(CHEMTREC) CAGE:59471 === Contractor Identification === Company Name: DEGESCH AMERICA INC Address:275 TRIANGLE DR Box:116 City:WEYERS CAVE State:VA ZIP:24486 Country:US Phone:703-234-9281 CAGE:59471

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

LD50 LC50 Mixture:ORAL LD50 IS 11.5 MG/KG. Routes of Entry: Inhalation:YES Sk in:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE & CHRONIC-ALUMINUM PHOSPHIDE TABLETS, PELLETS OR DUST REACTS WITH AIR MOISTURE,ACIDS & MANY OTHER LIQUIDS TO RELEASE HYDROGEN PHOSPHIDE GAS.INHALING GAS MAY CAUSE MALAISE,RINGING IN EARS,FATIGUE

,NAUSEA,VOMITING,DIARRHEA,WEAKNESS,PAINJUST ABOVE STOMACH, CHEST PAIN,DYSPNEA,PULMONARY EDEMA,DIZZINESS,COMA & DEATH.

Explanation of Carcinogenicity: PRODUCT CONTAINS NO MAT

ERIALS CURRENTLY

CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure: ALUMINUM PHOSPHIDE TABLETS, PELLETS OR DUST REACTS WITH AIR MOISTURE, ACIDS & MANY OTHER LIQUIDS TO RELEASE HYDROGEN PHOSPHIDE GAS. INHALING GAS MAY CAUSE MALAISE, RINGING IN EARS, FATIGUE, NAUSEA, VO MITING, DIARRHEA, WEAKNESS, PAIN JUST ABOVE STOMACH, CHEST PAIN, DYSPNEA, PULMONARY EDEMA, DIZZINESS, COMA & DEATH.

Medical Cond Aggravated by Exposure: PERSONS WITH IMPAIRED RESPIRATORY

FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THE SUBSTANCE.

First Aid:CALL A DOCTOR IN ALL CASES. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:IF CONSC IOUS, DRINK 1-2 GLASSES OF WATER & INDUCE VOMITING. CALL A PHYSICIAN/ POISON CONTROL CENTER IMMEDIATELY.

======= Fi

Flash Point:NONE

Extinguishing Media:SUFFOCATE FLAMES WITH SAND, CARBON DIOXIDE OR DRY EXTINGUISHING CHEMICALS. DO NOT POUR WATER ON ALUMINUM PHOSPHIDE. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard:READILY REACTS WITH WATER TO PRODUCE

HYDROGEN PHOSPHIDE GAS WHICH MAY IGNITE SPONTANEO

USLY IN AIR AT CONCENTRATIONS ABOVE ITS LEL OF 1.8%.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS.VENTILATE AREA. RECOVER IF FRESHLY SPILLED & NOT CONTAMINATED.SMALL AMOUNTS(9-18LBS)MAY BE SPREAD OUT IN AN OPEN AREA TO BE DEACTIVATED.LARGE SPILLS SHOULD BE DEACTIVATED US ING A 2% DETERGENT SOLUTION.ABOUT 45-50LBS/15 GAL Neutralizing Agent:WATER

============

Handling and Storage Precautions:STORAGE-STORE IN A LOCKED, DRY, WELL VENTILATED AREA AWAY FROM HEAT.POST AS A PESTICIDE STORAGE ANIMALS.DO NOT STORE IN BUILDING INHABITED BY MAN/ANIMAL
Other Precautions:ALWAYS OPEN CONTAINERS IN OPEN AIR BECAUSE UNDER CERTAIN CONDITIONS THEY MAY FLASH. WHEN OPENING, VENT THE CONTAINERS AWAY FROM FACE AND BODY AND OPEN SLOWLY. NEVER OPEN CONTAINERS IN A FLAMMABLE ATMO SPHERE. AVOID CONTACT WITH WATER/LIQUIDS

====== Ex

LIF

posure Controls/Personal Protection =========

Respiratory Protection:NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WHERE EVER CONCENTRATIONS OF PHOSPHINE GAS ARE UNKNOWN. IN OTHER SITUATIONS, OTHER NIOSH-APPROVED RESPIRATORS MAY BE USED WHICH ARE KNOWN TO OFFER PRO TECTION FOR ESTABLISHED LEVELS Ventilation: LOCAL VENTILATION IS ADEQUATE. EXHAUST FANS MAY BE USED TO SPEED THE AERATION OF SILOS, WAREHOUSES, SHIPHOLDS, CONTAINERS Protective Gloves:COTTON Eye Protection:NONE NORMALLY REQUIRED. Other Protective Equipment: EYE WASH STATION, QUICK DRENCH SHOWER AND **IMPERVIOUS CLOTHING** Work Hygienic Practices: DO NOT BREATHE GAS OR DUST. WASH THOROUGHLY AFTER HANDLING. WHEN DEACTIVATING, WEAR SELF-CONTAINED BREATHING APPARATUS. Supplemental Safety and Health METALS SUCH AS COPPER, BRASS AND PRECIOUS METALS SUCH AS GOLD AND SILVER ARE SUSCEPTIBLE TO CORROSION BY PHOSPHINE. THUS SMALL

ELECTRIC MOTORS, SMOKE DETECTORS, BRASS SPRINKLER HEADS, FORK

TS, BATT ERY CHARGERS, AND OTHER ELECTRONIC EQUIPMENT, PHOTOGRAPHIC FILM, SOME INORGANIC PIGMENTS SHOULD BE PROTECTED OR REMOVED.

HCC:F8 Boiling Pt:B.P. Text:>1832F,>100 Melt/Freeze Pt:M.P/F.P Text:>1832F Vapor Pres:0 Spec Gravity:2.85 Solubility in Water:REACTS WITH WATER Appearance and Odor:GREENISH GRAY COLOR. HYDROGEN PHOSPHIDE HAS GARLIC OR DECAYING FISH ODOR

================== Stability and Reactivity Data

Stability Indicator/Materials to Avoid:YES WATER, ACIDS, OXIDIZING AGENTS Stability Condition to Avoid:MOISTURE Hazardous Decomposition Products:HYDROGEN PHOSPHIDE (PHOSPHINE) GAS UPON CONTACT WITH WATER OR MOISTURE.

Waste Disposal Methods:THIRTY SIX HOURS AFTER DEACTIVATION,THE SLURRY IS SAFE FOR DISPOSAL. THIS SLURRY MAY BE POURED INTO A STORM SEWER OR OUT ONTO GROUND IF PERMITTED BY LOCAL, ST ATE AND FEDERAL RULES AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of t his information to their particular situation.