

BORDEN CHEMICAL, DIVISION OF BORDEN, INC -- CASCOREZ CV-833 -- 8040-00-753-4962

=====
Product Identification
=====

Product ID:CASCOREZ CV-833

MSDS Date:04/20/1988

FSC:8040

NIIN:00-753-4962

MSDS Number: BRQPR

=== Responsible Party ===

Company Name:BORDEN CHEMICAL, DIVISION OF BORDEN, INC

Address:180 E BROAD STREET

City:COLUMBUS

State:OH

ZIP:43215

Country:US

Info Phone Num:614-431-6600

Emergency Ph

one Num:614-431-6600

CAGE:GO996

=== Contractor Identification ===

Company Name:BORDEN CHEMICAL CO

Address:180 E BROAD ST

Box:City:COLUMBUS

State:OH

ZIP:43215-3705

Country:US

Phone:614-225-6124

CAGE:86142

Company Name:BORDEN CHEMICAL, DIVISION OF BORDEN, INC.

CAGE:GO996

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

=====
Composition/Information on Ingredients
=====

Ingred Name:NONE KNOWN TO BORDEN

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Health Hazards Acute and Chronic:INHALATION: NOT EXPECTED TO BE HARMFUL UNDER NORMAL CONDITIONS OF USE. HOWEVER, IF ALLOWED TO BECOME AIRBORNE, MAY CAUSE IRRITATION OF NOSE, THROAT AND LUNGS. SKIN: MAY CAUSE IRRITATION ON PROLONGED O R REPEATED CONTACT. EYES: MAY CAUSE IRRITATION ON PROLONGED OR REPEATED CONTACT.

=====
===== First A
id Measures =====

First Aid:INGESTION: IF ACCIDENTLY SWALLOWED, DILUTE BY DRINKING LARGE QUANTITIES OF WATER. IMMEDIATELY CONTACT POISON CONTROL CENTER OR HOSPITAL EMERGENCY ROOM FOR ANY OTHER ADDITIONAL TREATMENT DIRECTIONS. IN HALATION: REMOVE TO FRESH AIR. SKIN: INCASE OF IRRITATION, FLUSH WITH WATER. EYE: FLUSH THOROUGHLY WITH WATER. IF IRRITATION PERSISTS, CALL A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash P
oint:NONE
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CO2
Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL.
Unusual Fire/Explosion Hazard:WILL NOT BURN UNLESS WATER HAS EVAPORATED.

=====
===== Accidental Release Measures =====

Spill Release Procedures:LARGE QUANTITIES: ENCLOSE WITH DIKING MATERIAL TO PREVENT SEEPAGE INTO NATURAL BODIES OF WATER, THEN CONSULT BORDEN, INC. SMALL QUANTITIES: SOAK UP WITH ABSORBENT MATERIAL AN
D
REMOVE TO A CHEMICAL DIS POSAL AREA.

=====
===== Handling and Storage =====

Handling and Storage Precautions:INHALATION: AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN AND EYES.
Other Precautions:HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES. STORE IN COOL, DRY PLACE. DO NOT STORE IN BARE METAL DRUMS OR CANS. HARMED BY FREEZING. CANNOT BE MADE USEABLE AFTER FREEZING. L

LIMITED STORAGE LIFE, SEE PRODUCT SPECS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL PROTECTION NECESSARY.

Ventilation:IF AIRBORNE CONTAMINANTS, PROVIDE SUFFICIENT VENT TO KEEP
AIR CONTAMINANT CONCENTRATION LEVELS BELOW ACCEPTABLE CRITERIA

Protective Gloves:NO SPECIAL PROTECTION NECESSARY

Eye Protection:NO SPECIAL PROTECTION NECESSARY

Other Protective Equipment:NO SPECIAL PROTECTION NECESSARY

Supplemental Safety and Health

=====

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:17.5

Vapor Density:0.62

Spec Gravity:1.08 - 1.10

pH:4 - 5

Evaporation Rate & Reference:AS WATER,