View NSN Online: https://aerobasegroup.kr/nsn/6810-00-264-6635 MALLINCKRODT INC -- POTASSIUM IODIDE -- 6810-00-264-6635 ============= Product Identification ======================== Product ID:POTASSIUM IODIDE MSDS Date:10/18/1985 FSC:6810 NIIN:00-264-6635 MSDS Number: BRRJW === Responsible Party === Company Name: MALLINCKRODT INC Box:5439 City:ST LOUIS State:MO ZIP:63147 Country:US Info Phone Num:314-982-5000 Emergency Phone Num:314-982-5000 CAGE:37940 === Contractor Identification === Company Name: MALLINCKRODT INC Address:675 MCDONNELL BLVD Box:5840 City:ST. LOUIS State:MO ZIP:63134 Country:US Phone:314-539-1600 CAGE:37940 ======= Composition/Information on Ingredients ======== Ingred Name:POTASSIUM IODIDE CAS:7681-11-0 RTECS #:TT2975000 Ingred Name: NONHAZARDOUS INGREDIENTS

========= Hazards Identification ===============

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of

Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHAL: INHAL OF DUST MAY CAUSE IRRIT OF RESP TRACT. INGEST: LARGE DOSES MAY CAUSE GI UPSET AND WEAKNESS. SKIN: MAY CAUSE MILD IRRIT AND REDDENING ON PROLONGED CONTACT. EYE: CAN BE IRRITATING TO EYES, W/REDNESS, PAIN. CHRONIC: CHRONIC INGEST OF IODIDES MAY PRODUCE "IODISM", WHICH MAY BE (EFTS OF OVEREXP) Explanation of Carcinogenicity: NOT RELEVANT Effects of Overexposure: HLTH HAZ: MANINFESTED BY SKIN RASH, RUNNING NOSE, HEADACHE AND IRRITATION OF MUC MEMB. WEAKNESS, ANEMIA, LOSS OF WEIGHT, AND GENERAL DEPRESSION MAY ALSO OCCUR. Medical Cond Aggravated by Exposure: NO INFORMATION FOUND. First Aid:INHAL: REMOVE TO FRESH AIR. GET MED ATTN FOR ANY BRTHG DFCLTY. INGEST: GIVE LG QTY OF WATER TO SWALLOW, THEN INDUCE VOMIT BY INSERTING FINGER TO BACK OF THROAT. CALL A PHYS. SKIN: WASH **EXPOSED AREA WITH S** OAP & WATER. GET MED ADVICE IF IRRIT DEVELOPS. EYE: WASH THORO W/RUNNING WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ADVICE IF IRRITATION DEVELOPS. Extinguishing Media: USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. Fire Fighting Procedures: NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard: NOT CONSIDERED TO BE A FIRE AND EXPLOSION HAZARD. ======= A ccidental Release Measures ========== Spill Release Procedures: VENT AREA OF LEAK/SPILL. CLEAN-UP PERS MAY REQ RESP PROT FROM DUST. SPILLS: SWEEP UP & CONTAINERIZE FOR RECLAMATION OR DISP. VACUUMING OR WET SWEEPING MAY BE USED TO AVOID

DUST DISPERSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

STORED IN A COOL, DRY, WELL VENTI

============= Handling and Storage ==========================

Handling and Storage Precautions: KEEP IN A TIGHTLY CLOSED CONTAINER,

Other Precautions: NONE SPECIFIED BY MANUFACTURER. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: FOR CNDTNS OF USE WHERE EXPOS TO DUST IS APPARENT, A NIOSH/MSHA APPRVD DUST/MIST RESP MAY BE WORN. FOR EMER, A NIOSH/MSHA APROVED SCBA MAY BE NECESSARY. Ventilation: IN GEN, DILUT VENT IS A SATIS HLTH HAZ CTL FOR THIS SUBSTANCE. HOWVER, IF CNDTNS OF USE CREATE DISCOMFORT (SUPP DA TA) Protective Gloves: IMPERVIOUS GLOVES. Eye Protection: CHEMICAL WORKERS GOGGLES. Other Protective Equipment: LAB COAT, APRON OR COVERFALLS. MAINTAIN EYE WASH FOUNTAIN AND QUICK-DRENCK FACILITIES IN WORK AREA. Work Hygienic Practices: CONTACT LENSES SHOULD NOT BE WORN WHEN WORKING WITH THIS MATERIAL. Supplemental Safety and Health SOL IN H\*20: 140 GRAMS/100 GM IN WATER. VENT: TO WORKER, A LOCAL EXHAUST SYSTEM SHOULD BE CONSIDERED. ========= Physical/Chemical Properties == Boiling Pt:B.P. Text:2588F,1420C Melt/Freeze Pt:M.P/F.P Text:1333F,723C Vapor Pres:1@745C Solubility in Water:SUPP DATA Appearance and Odor: WHITE CRYSTALIS, ODORLESS. ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES DIAZONIUM SALTS; DIISOPROPYL PEROXYDICARBONATE; OXIDANTS; BROMINE & CHLORINE TRIFLUORIDES, FLUORINE PERCHLORATES. Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: OXIDES OF CONTAINED METAL AND HALOGEN, POSSIBLY ALSO FREE, OR IONIC HALOGEN. ======= Disposal Considerations ============

LATED AREA. PROTECT FROM PHYSICAL DAMAGE AND DIRECT SUNLIGHT.

Waste Disposal Methods: WHATEVER CANNOT BE SAVED FOR RECLAMATION MAY BE DELIVERED TO AN APPROVED WASTE DISPOSAL FACILITY. ENSURE COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of De

fense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.