

WATERBURY COMPANIES INC, COMME -- OZIUM GLYCOL-IZED AIR SANITIZER-ALL SIZE & FR

=====
MSDS Safety Information
=====

FSC: 6840
NIIN: 00-405-8608
MSDS Date: 08/12/1998
MSDS Num: BRSSW
Product ID: OZIUM GLYCOL-IZED AIR SANITIZER-ALL SIZE & FRAGR.,53-015 CWD
MFN: 02
Responsible Party
Cage: 0XTV1
Name: WATERBURY COMPANIES INC, COMMERCIAL PRODUCTS DIV
Address: 100 CALHOUN ST
Box: 640
City: INDEPENDENCE LA 70443
Info Phone Number: 504-878-6751/203-597-1812
Emergency Phone Number: 504-878-6751
Resp. Party Other MSDS No.: 53010CWD

=====
Item Description Information
=====

Item Manager: S9G
Item Name: DEODORANT,GENERAL PURPOSE
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: CN
Quantitative Expression: 10000000035OZ

UI Container Qty: 0
Type of Container: CAN, AEROSOL

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) UNKNOWN
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NT

P: NO
IARC: NO
OSHA: NO

Effects of Exposure: ACUTE AND CHRONIC - OVEREXPOSURE TO ISOPROPANOL (OR ITS COMPONENTS) HAS APPARENTLY BEEN FOUND TO CAUSE THE FOLLOWING EFFECTS IN LABORATORY ANIMALS: LIVER ABNORMALITIES, KIDNEY DAMAGE AND CENTRAL NERVOUS SYSTEM EFFECTS. DERMATITIS.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: CENTRAL NERVOUS SYSTEM EFFECTS OF ISOPROPYL ALCOHOL (OR ITS COMPONENTS) INCLUDES HEADACHE, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA AND HEADACH

E. NASAL AND RESPIRATORY IRRITATION, MILD SKIN IRRITATION, DE AFTTING, DERMATITIS, EYE IRRITATION. IF SWALLOWED, GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid: IF IN EYE-IRRIGATE WITH PLENTY OF WATER FOR 15 MIN. IF ON SKIN OR CLOTHING-REMOVE CONTAMINATED CLOTHING AND WASH WITH SOAP AND WATER BEFORE REUSE. WASH AFFECTED AREAS WITH SOAP AND WATER FOR 15 MIN. IF INHALED-REMOVE TO FRESH AIR. IF SWALLOWED-CALL A PHYSICIAN OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

=====
Handling and Disposal
=====

Spill Release Procedures: IF CONTAINER IS RUPTURED OR BEGINS TO LEAK, PLACE IN A WELL-VENTILATED AREA FREE OF SPARKS AND IGNITION SOURCES. ANY REMAINING LIQUID SHOULD BE COLLECTED WITH ABSORBENT MEDIA. DISPOSE OF UNUSABLE CONCENTRATE AND ABSORBENT MEDIA IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Waste Disposal Methods: DO NOT REUSE EMPTY CONTAINER. THIS CONTAINER MAY BE RECYCLED. BEFORE OFFERING FOR RECYCLE, EMPTY THE CAN ACCORDING TO THE LABEL. (DO NOT PUNCTURE!) IF RECYCLING IS NOT AVAILABLE, WRAP THE CONTAINER AND DISCARD IN THE TRASH. ANY REMAINING OR COLLECTED LIQUID FROM PUNCTURE CANS SHOULD BE DISPOSED OF IN A SAFE MANNER AT AN APPROVED FACILITY.

Handling And Storage Precautions: STORE IN A COOL DRY AREA AWAY FROM HEAT OR OPEN FLAMES. EXPOSURE TO TEMPERATURES ABOVE 130 DEG. F MAY CAUSE BURSTING.

Other Precautions: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ LABEL. DO NOT SPRAY ON PAINT OR LACQUERED SURFACES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: FLAMMABL AEROSOL

Extinguishing Media: CARBON DIOXIDE (CO2), DRY CHEMICAL, FOAM.

Fire Fighting Procedures: SELF CONTAINED AIR SUPPLY SUGGESTED. KEEP CONTAINER COOL TO AVOID BURSTING.

Unusual Fire/Explosion Hazard: EXPOSURE TO TEMPERATURES ABOVE 130 DEG. F MAY CAUSE BURSTING.

Control Measures

Respiratory Protection

: NOT REQUIRED. USE IN WELL-VENTILATED AREA.

Ventilation: UNDER NORMAL CONDITIONS, ROOM VENTILATION IS GENERALLY ADEQUATE. USE MECHANICAL (EXPLOSION PROOF) WHERE EXCESSIVE AMOUNTS ARE RELEASED.

Protective Gloves: DISPOSABLE FOR PROLONGED/REPEATED CONTACT.

Eye Protection: NOT REQUIRED (AVOID EYE CONTACT)

Other Protective Equipment: NONE APPLICABLE

Work Hygienic Practices: TO PREVENT ACCIDENTAL SPRAYING KEEP PROTECTIVE CAP IN PLACE WHEN NOT IN USE.

Supplemental Safety and Health: EPA REGISTRATION NUMBER: 51838-02-9444; EPA EST NO. 9444-LA-1

Physical/Chemical Properties

HCC: V3

Vapor Pres: 5171MMHG

Spec Gravity: 0.8 (H2O=1)

Evaporation Rate & Reference: N/A(BUTYL ACETATE=1)

Solubility in Water: ESSENTIALLY COMPLETE

Appearance and Odor: GOLEN TO YELLOW AEROSOL SPRAY - PERFUMED AND DISTINCT ODOR

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: EXCESSIVE STORAGE TEMPERATURES.

Materials To Avoid: STRONG ACIDS SUCH AS SULFURIC, NITRIC, HYDROCHLORIC OR OTHER CHEMICALLY DE-HYDRATING COMPOUNDS

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OTHER UNIDENTIFIED ORGANIC VAPORS AND MISTS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE KNOWN.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

Transport Information: DOT REGULATIONS: REGULATED ONLY WHEN OFFERED FOR
TRANSPORTATION OR TRANSPORTED BY AIRCRAFT. PROPER S
HIPPING NAME: WHEN

TRANSPORTED BY GROUND VESSEL, THIS PRODUCT IS EXEMPT FROM SHIPPING PAPER
REQUIREMENTS OF THE US DOT-USE "DEODERANT OR DISINFECTANTS, N.O.S." AS THE
SHIPPING DESCRIPTION. WHEN TRANSPORTED BY AIRCRAFT, PROPER SHIPPING NAME IS
"CONSUMER COMMODITY". HAZARD CLASS: ORM-D. NATIONAL MOTOR FREIGHT
CLASSIFICATION # AND LTL CLASS: 57100 SUB 3 CLASS 60.

=====
Regulatory Information
=====

=====
Sara Title III Information: THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL
SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY
PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT (EPCRA) OF 1986 AND OF 40 CFR 372:
GLYCOL ETHERS 4 %.

=====
Other Information
=====

=====
Transportation Information
=====

=====
Responsible Party Cage: 0XTV1
Trans ID NO: 70868
Product ID: OZIUM GLYCOL-IZED AIR SANITIZER-ALL SIZE & FRAGR.,53-015 CWD
MSDS Prepared Date: 08/12/1998
Review Date: 06/15/2000
MFN: 2
Tech Entry NOS Shipping Nm: CONTAINS ISOPROPANOL, PROPANE, N-BUTANE.
Net Unit Weight: 0.23 LB
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: CN
Container QTY: 0
Type Of Container: CAN, AEROSOL
Additional Data: FLAMMABLE PER FLAME PROJECTION TEST, PER MSDS.
=====

=====
Detail DOT Information
=====

DOT PSN Code: DTJ
Symbols: D
DOT Proper Shipping Name: CONSUMER COMMODITY
Hazard Class: ORM-D
Label: NONE
Non Bulk Pack: 156,306
Bulk Pack: NONE
Max Qty Pass: 30KGGROSS
Max Qty Cargo: 30KGGROSS
Vessel Stow Req: A
=====

=====
Detail IMO Information
=====

IMO PSN Code: AKD
IMO Proper Shipping Name: AEROSOLS
IMDG Page Number: 2102
UN Number: 1950
UN Hazard Class: 2(T)
IMO Packaging Group: -
Subsidiary Risk Label: T
EMS Number: 2-13
MED First Aid Guide NUM: 620
=====

=====
Detail IATA Information
=====

IATA PSN Code: ALS
IATA UN ID Num: 1950
IATA Proper Shipping Name: AEROSOLS, FLAMMABLE
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
IATA UN Class: 2.1
IATA Label: FLAMMABLE GAS
Packaging Note Passenger: 203
Max Quant Pass: 75KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 203
=====

=====
Detail AFI Information
=====

AFI PSN Code: ALR
AFI Symbols: *
AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S.
AFI PSN Modifier: (EACH NOT EXCEEDING 1L CAPACITY)
AFI Hazard Class: 2.1
AFI UN ID NUM: UN1950
Special Provisions: P4
Back Pack Reference: A6.3
=====

=====

HAZCOM Label

=====

Product ID: LABEL COVERED UNDER EPA REGS - HAZCOM LABEL NOT AUTHORIZED

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.