KAPP ALLOY AND WIRE INC -- TIN-LEAD ALLOY CORE SOLDER -- 3439-00-819-5533

Product ID:TIN-LEAD ALLOY CORE SOLDER MSDS Date:08/01/1993 FSC:3439 NIIN:00-819-5533 MSDS Number: BRSTV === Responsible Party === Company Name: KAPP ALLOY AND WIRE INC Address:ONE KLEIN ST Box:1188 City:OIL CITY State:PA ZIP:16301 Country:US Info Phone Num:814-676-0613 **Emergency Phone Num:81** 4-676-0613 CAGE:44851 === Contractor Identification === Company Name: COORDINATED WESTERN INC Address:2968 TEAGARDEN ST Box:City:SAN LEANDRO State:CA ZIP:94977 Country:US Phone:510-895-8585 CAGE:0U0J2 Company Name: KAPP ALLOY AND WIRE INC Address:1 KLEIN ST Box:City:OIL CITY State:PA ZIP:16301 Country:US Phone:814-676-0613 CAGE:44851

Ingred Name:TIN (SN) CAS:7440-31-5 RTECS #:XP7320000 Other REC Limits:NONE RECOMMENDED OSHA PEL :2 MG/M3 ACGIH TLV:2 MG/M3; 9293

Ingred Name:LEAD (SARA III) CAS:7439-92-1 RTECS #:OF7525000 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9293 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:AZELAIC ACID CAS:123-99-9 RTECS #:CM1980000 Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:UREA CAS:57-13-6 RTECS #:YR6250000 Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHE D.

Ingred Name:ETHYLENEDIAMINE DIHYDROCHLORIDE CAS:333-18-6 RTECS #:KV3850000 Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:ETHYLAMINE HYDROCHLORIDE CAS:557-66-4 Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:SUCCINIMIDE CAS:123-56-8 RTECS #:WN2200000 Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

====== Hazards Identification =====

\_\_\_\_\_

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic: ACUTE- UNLIKELY. CHRONIC- HIGH LEVELS OF AIRBORNE OR INGESTED LEAD MAY RESULT IN ANEMIA, INSOMNIA, WEAKNESS, CONSTIPATION, KIDNEY, NERVOUS SYSTEM AND REPRODUCTIVE EFFECTS. EXPOSURE TO LEAD MAY RESULT IN INJURY TO A DEVELOPING FETUS.

Explanation of Carcinogenicity:CONTAINS LEAD Effects of Overexposure: EYE IRRITATION, ABDO

MINAL PAIN, WEAKNESS,

CONSTIPATION, NAUSEA

Medical Cond Aggravated by Exposure: DISEASES OF THE BLOOD AND BLOOD FORMING ORGANS, KIDNEYS, NERVOUS SYSTEM AND POSSIBLY REPRODUCTIVE SYSTEMS MAY BE AGGRAVATED BY OVEREXPOSURE TO LEAD.

First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. INHALED: REMOVE TO FRESH AIR. PROVIDE

CPR/OXYGEN IF NEEDED.

ORAL: I F CONSCIOUS, INDUCE VOMITING. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NOTE: OCCASIONAL BLOOD TESTING FOR LEAD LEVEL SHOULD BE ROUTINE FOR INDIVIDUALS WHO ARE CHRONICALLY EXPOSED TO LEAD.

Flash Point:NONE

Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE. DO NOT USE WATER ON FIRE WHERE MOLTEN METALS IS PRESENT. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL

FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard: MOLTEN METALS PRODUCE FUME OR VAPOR THAT IS TOXIC. REACTS VIOLENTLY WITH OXIDIZING AGENTS.

Spill Release Procedures: COLLECT AND USE. IF CONTAMINATED OR IN SMALL PARTICLES, VACUUM OR COLLECT MATERIAL. NEVER USE ANY METHOD WHICH GENERATE DUST. DO NOT USE FORCED AIR F

OR CLEANING. WEAR NIOSH-APPROVED DUST MASK IF DUSTY CONDITION. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions: KEEP AWAY FROM INCOMPATIBLE MATERIALS. AVOID ACCIDENTAL INGESTION. FOOD AND DRINK SHOULD NOT BE CONSUMED IN AREAS WHERE METAL EXPOSURES ARE POSSIBLE.

Other Precautions:READ WARNING LABELS. KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY. DO NOT GENERATE DUST. DO NOT BREATHE DUS T

OR FUMES. AVOID CONTACT WITH DUST OR FUMES.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:REQUIRED IF TLV'S ARE NOT BEING MAINTAINED. USE NIOSH APPROVED RESPIRATOR FOR LEAD DUST/FUME (HIGH EFFICIENCY FILTERS) IF TLVS ARE EXCEEDED. Ventilation:LOCAL DUST PICK UP AND ADEQUATE VENTILATION

Protective Gloves: HEAT RESISTANT DURING SOLDERING Eye Protection: FACE SHIELD/GOGGLES DURING SOLDERING

Other Protective Equipment: INSTALL EYE WASH STATIO

N.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING.

Supplemental Safety and Health

HCC:N1

NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:3191F (PB) Spec Gravity:8.9 (60SN/40PB) Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:INSOLUBLE Appearance and Odor:SILVERY, METALLIC - NO ODOR

====== St

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS (E.G. CHLORINE TRIFLUORIDE, HYDROGEN PEROXIDE), SODIUM AZIDE, AMMONIA & ACETYLENE Stability Condition to Avoid:NONE Hazardous Decomposition Products:LEAD OXIDE FUME AND OR LEAD PARTICULTE MAY BE EVOLVED.

Waste Disposal Methods:NEVER DISPOSE OF IN TRASH. HOLD FOR RECYCLING OR DISPOSE OF IN ACCORDANCE WI TH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.