View NSN Online: https://aerobasegroup.kr/nsn/4235-01-379-8443

Product ID:ABSORBENT GP (ALL PURPOSE), ABSORBENT W PN# MSDS Date:10/01/1992 FSC:9330 NIIN:01-379-8443 MSDS Number: BRSXZ === Responsible Party === Company Name: ABSORPTION CORP Address:1051 HILTON AVE City:BELLINGHAM State:WA ZIP:98225 Country:US Info Phone Num:206-734-7415 Emergenc y Phone Num:206-734-7415 CAGE:0GCG4 === Contractor Identification === Company Name: ABSORPTION CORP Address:1051 HILTON AVE Box:City:BELLINGHAM State:WA ZIP:98225 Country:US Phone:360-734-7415 CAGE:0GCG4 

Ingred Name:CELLULOSE CAS:9004-34-6 RTECS #:FJ5691460 Fraction by Wt: 100% % Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9293

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE EXPECTED. Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure:NONE EXPECTED. POSSIBLE EYE IRRITATION FROM MECHANICAL EXPOSURE. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
==== =================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
======================================
Flash Point Method:OC Flash Point:500F,260C Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY OR FOG. Fire Fighting Procedures:TREAT AS FIRE OR WOOD Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======================================
Spill Release Procedures:MATERIAL IS NON-LIQUID IN ITS UNALTERED STATE. SWEEP UP AND COLLECT Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:UNLIMITED SHELF LIFE. STORE IN DRY AREA. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
========= Exposure Controls/Personal Protection ====================================

Respiratory P

===

rotection:NORMAL SAFETY WEAR Ventilation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:NORMAL Eye Protection:NORMAL SAFETY WEAR Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health PRODUCT IS A SORBENT MATERIAL. ONCE IT ABSORBS MATERIAL TREAT IT IN ACCORDANCE WITH FIRST AID PRACTICES APPLICABLE TO CONTAMINANTS ABSORBED, IE, SOLVENTS, PAINTS, FUELS, LUBRICANTS AND OTHER CHEMICALS .

HCC:N1 Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:0.1 Evaporation Rate & amp; Reference:NIL Solubility in Water:NOT GIVEN Appearance and Odor:LIGHT GREY GRANULAR, NO ODOR Percent Volatiles by Volume:NIL

Stability Indicator/M aterials to Avoid:YES INORGANIC ACIDS AND CAUSTIC SOLUTIONS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this inf

ormation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.