View NSN Online: https://aerobasegroup.kr/nsn/9130-01-031-5816

## LA GLORIA OIL & GAS COMPANY -- TURBINE FUEL, AVIATION, JP-8

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_\_

FSC: 9130

NIIN: 01-031-5816 MSDS Date: 06/10/1993 MSDS Num: BRTGN

Product ID: TURBINE FUEL, AVIATION, JP-8

MFN: 01

Responsible Party Cage: MO636

Name: LA GLORIA OIL & COMPANY

Box: 840

City: TYLER TX 75710

Info P

hone Number: 903-535-2244

Emergency Phone Number: 903-535-2244

Review Ind: Y Published: Y

\_\_\_\_\_\_

**Contractor Summary** 

\_\_\_\_\_

Cage: MO636

Name: LA GLORIA OIL & DIC GAS COMPANY

Address: UNKNOWN

Box: 840

City: TYLER TX 75710 Phone: 903-535-2244

Cage: 3K472

Name: LA GLORIA OIL AND GAS CO

Address: 1702 E COMMERCE

City: TYLER TX 75710 Phone: 214-535-2244

\_\_\_\_\_\_

===

Item Description Information

\_\_\_\_\_\_

Item Name: TURBINE FUEL, AVIATION

Unit of Issue: GL UI Container Qtv: X

\_\_\_\_\_

Ingredients

\_\_\_\_\_\_

Name: PETROLEUM MIDDLE DISTILLATE

% Wt: 100 %

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

\_\_\_\_\_

Health Hazards Data

===

-----

LD50 LC50 Mixture: NOT SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: IT MAY CAUSE IRRITATION TO EYES, LUNGS OR SKIN AFTER

PROLONGED EXPOSURE.

Explanation Of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY

CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Signs And Symptions Of Overexposure: EYE IRRITATION, RESPIRATORY

IRRITATION,

SKIN IRRITATION.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL AID. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH LARGE AMOUNTS OF SOAP AND WATER. IF IRRITATION PERSISTS GET MEDICAL AID. INHALATION: REMOVE TO FRE SH AIR. IF BREATHING HAS STOPPED ADMINISTER ARTIFICIAL RESPIRATION. GET MEDICAL AID.

INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL AID.

\_\_\_\_\_

=========

Handling and Disposal

\_\_\_\_\_

Spill Release Procedures: CONTAIN SPILL. REMOVE AS MUCH AS POSSIBLE BY

VACUUMING OR SOAK UP USING ABSORBENT MATERIALS. KEEP AWAY FROM HEAT OR FLAME.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING

ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN

ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Н

andling And Storage Precautions: KEEP AWAY FROM HEAT OR FLAME.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

\_\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: TCC Flash Point Text: 122F,50C Autoignition Temp Text: 425F

Lower Limits: 0.9 % Upper Limits: 6.0 %

Extinguishing Media: FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Procedures: DO NOT USE STRAIGHT

WATER STREAM ON FIRE AS IT WILL SCATTER FIRE.

Unusual Fire/Explosion Hazard: DO NOT ENTER CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING RESPIRATORY PROTECTION. VAPOR MAY EXPLODE.

\_\_\_\_\_

**Control Measures** 

\_\_\_\_\_

Respiratory Protection: NORMALLY NOT REQUIRED. NIOSH APPROVED ORGANIC VAPOR

RESPIRATOR TO PREVENT INHALATION WHEN IN CONFINED AREAS.

Ventilation: MECHANICAL EXPLOSION PROO

F IN ENCLOSED AREAS.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEMICAL SPLASH GOGGLES OR FACE SHIELD

Other Protective Equipment: PROTECTIVE CLOTHING AS NECESSARY TO PREVENT SKIN

CONTACT.

Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND

BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

\_\_\_\_\_\_

Physical/Chemical Properties

\_\_\_\_\_

==========

HCC: F4

B.P. Text: 330F,166C M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN

Vapor Pres: 2 Vapor Density: 4.2 Spec Gravity: 0.825

Evaporation Rate & Evaporation R

Solubility in Water: SLIGHT

Appearance and Odor: CLEAR LIQUID, PETROLEUM ODOR

Percent Volatiles by Volume: 100 %

Corrosion Rate: UNKNOWN

\_\_\_\_\_\_

Reactivity Data

\_\_\_\_\_

Stability Indicator: YES Stability Condition To

Avoid: KEEP AWAY FROM HEAT OR FLAME.

Materials To Avoid: NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: CARBON MONOXIDE

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

\_\_\_\_\_\_

**Toxicological Information** 

\_\_\_\_\_

\_\_\_\_\_\_

**Ecological Information** 

\_\_\_\_\_

========
======================================
======================================
======================================
======================================
Responsible Party Cage: MO636 Trans ID NO: 100427 Product ID: TURBINE FUEL, AVIATION, JP-8 MSDS Prepared Date: 06/10/1993 Review Date: 11/05/1993 MFN: 1 Net Unit Weight: BULK Multiple KIT Number: 0 Review IND: Y Unit Of Issue: GL Container QTY: X Additional Data: FILM OR SHEEN UPON THE WATER SURFACE OR DISCOLORATION OF THE WATER OR ADJOINING SHORELINE IS REPORTA BLE TO THE NATIONAL RESPONSE CENTER AT 1-800-424-8802.
Detail DOT Information
DOT PSN Code: GOA  DOT Proper Shipping Name: FUEL, AVIATION, TURBINE ENGINE  Hazard Class: 3  UN ID Num: UN1863  DOT Packaging Group: III

Hazard Class: 3
UN ID Num: UN1863
DOT Packaging Group: III
Label: FLAMMABLE LIQUID
Special Provision: B1,T1
Packaging Exception: 150
Non Bulk Pack: 203

Bulk Pack: 242
Max Qty Pass: 60 L
Max Qty Cargo: 220 L
Vessel Stow Req: A

**Detail IMO Information** 

IMO PSN Code: HNV IMO Proper Shipping Name: FUEL, AVIATION, TURBINE ENGINE IMDG Page Number: 3271 UN Number: 1863 UN Hazard Class: 3.2 IMO Packaging Group: I/II Subsidiary Risk Label: -EMS Number: 3-07 MED First Aid Guide NUM: 311 \_\_\_\_\_\_ Detail IATA Information \_\_\_\_\_\_ IATA PSN MF IATA UN ID Num: 1863 IATA Proper Shipping Name: FUEL, AVIATION, TURBINE ENGINE IATA UN Class: 3 IATA Label: FLAMMABLE LIQUID UN Packing Group: III Packing Note Passenger: 309 Max Quant Pass: 60L Max Quant Cargo: 220L Packaging Note Cargo: 310 \_\_\_\_\_ Detail AFI Information \_\_\_\_\_\_ AFI PSN MF AFI Proper Shipping Name: FUEL, AVIATION, TURBINE ENGINE AFI Hazard Class: 3 AFI UN ID NUM: UN1863 AFI Packing Group: III Special Provisions: P5 Back Pack Reference: A7.3 \_\_\_\_\_\_ HAZCOM Label \_\_\_\_\_\_

Product ID: TURBINE FUEL, AVIATION, JP-8

Cage: MO636 Assigned IND: Y

Company Name: LA GLORIA OIL & COMPANY

Street: UNKNOWN

PO Box: 840 City: TYLER TX Zipcode: 75710

Health Emergency Phone: 903-535-2244

Label Required IND: Y

Date Of Label Review: 11/05/1993

Status Code: C

MFG Label NO: NONE Label Date: 11/05/1993 Year Procured: 1993 Origination Code: F Eye Protection IND: YES

Skin Protection IND: YES Signal Word: WARNING Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Moderate Reactivity Hazard: None

Hazard And Precautions: KEEP AWAY FROM HEAT OR FLAME. FIRST AID: EYES: FLUSH WITH WATER FOR 15 MINUTES, GET MEDICAL AID, SKIN: REMOVE CONTAMINATED CLOTHING, WASH WITH LARGE AMOUNTS OF SOAP AND WATER, IF IRRITATION PERSISTS G ET MEDICAL AID. INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED

ADMINISTER ARTIFICIAL RESPIRATION. GET MEDIC

AL AID. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL AID.

\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Def ense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other governme nt situation.