View NSN Online: https://aerobasegroup.com/nsn/8040-01-378-0235

## LOCTITE CORP AUTOMOTIVE & CONS -- PERMATEX INDIAN HEAD GASKET SHELLAC COMPOUND

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_

FSC: 8040

NIIN: 01-378-0235 MSDS Date: 04/10/1992 MSDS Num: BRWVP

Product ID: PERMATEX INDIAN HEAD GASKET SHELLAC COMPOUND

MFN: 01

Responsible Party Cage: 08028

Name: LOCTITE CORP AUTOMOTIVE & amp; CONSUMER GROUP

Addres

s: 4450 CRANWOOD PKY

City: CLEVELAND OH 44128-4004

Info Phone Number: 800-321-9188 OR 216-663-3614(FAX)

Emergency Phone Number: 216-663-3011

Preparer's Name: JEAN TOBBE

Review Ind: Y Published: Y

\_\_\_\_\_

Preparer Co. when other than Responsible Party Co.

\_\_\_\_\_

Cage: 08028

Name: LOCTITE CORP AUTOMOTIVE AND CONSUMER GROUP

Address: 4450 CRANWOOD COURT City: CLEVELAND OH 44128-4004

\_\_\_\_\_

\_\_\_\_\_

Contractor Summary

\_\_\_\_\_

Cage: 08028

Name: LOCTITE CORP AUTOMOTIVE AND CONSUMER GROUP

Address: 4450 CRANWOOD COURT City: CLEVELAND OH 44128-4004

Phone: 216-663-3011

\_\_\_\_\_\_

Item Description Information

\_\_\_\_\_\_

Item Manager: GSA

Item Name: GASKET SHELLAC COMPOUND

Unit of Issue: BX

Quantitative Expression: 0000000001

2EA

UI Container Qty: 0

\_\_\_\_\_\_

Ingredients

Cas: 8050-09-7

Name: ROSIN ACID \*93-1\*

% Wt: 55-60

-----

Cas: 67-63-0

RTECS #: NT8050000

Name: ISOPROPANOL (ISOPROPYL ALCOHOL), 2-PROPANOL, DIMETHYL CARBINOL

% Wt: 35-40

Other REC Limits: 400 PPM

OSHA PEL: 400 PPM ACGIH TLV: 400 PPM

Cas: 68439-93-0

Name: CASTOR OIL, POLYMD., OXIDIZED

% Wt: 3-5

OSHA PEL: 15 MG/CUM ACGIH TLV: 10 MG/CUM

\_\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: IRRITATING TO EYES, NOSE & THROAT. GASTROINTESTINAL,

LUNG, NERVOUS SYSTEM, & EPRODUCTIVE EFFECTS.

**Explanation Of Carcinogenicity: NONE** 

Signs And Symptions Of Overexposure: INHALA

TION: HEADACHE, DIZZINESS & amp;

NAUSEA.

Medical Cond Aggravated By Exposure: SKIN, EYE & DISORDERS First Aid: INGESTION: DON'T INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR.

SKIN: FLUSH W/PLENTY OF SOAP & DESCRIPTION OF WATER FOR

AT LEAST 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

\_\_\_\_\_

Handling and Disposal

Spill Release Procedures: REMOVE S

**OURCES OF IGNITION. MAINTAIN ADEQUATE** 

VENTILATION. SCRAPE UP AS MUCH AS POSSIBLE & DE STORE IN A CLOSED CONTAINER UNTIL DISPOSAL. RESIDUES MAY BE CLEANED W/ISOPROPYL ALCOHOL.

Waste Disposal Methods: INCINERATE FOLLOWING EPA & DOCAL REGULATIONS. Handling And Storage Precautions: DON'T STORE NEAR HEAT, SPARKS OR FLAME.

Other Precautions: AVOID PROLONGED BREATHING OF VAPORS & DNTACT W/EYES.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_\_

Flash Point Method: TCC Flash Point Text: 50F Lower Limits: 2% Upper Limits: 13%

Extinguishing Media: CO2, DRY CHEMICAL, FOAM

\_\_\_\_\_

Control Measures

\_\_\_\_\_

Ventilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV

Protective Gloves: RUBBER OR PLASTIC

Eye Protection: SAFETY GLASSES OR GOGGLES

\_\_\_\_\_

=========

Physical/Chemical Properties

\_\_\_\_\_\_

B.P. Text: 180F Vapor Pres: 33 Vapor Density: 2.07 Spec Gravity: 1.1

Solubility in Water: SLIGHT

Appearance and Odor: BROWN VISCOUS LIQUID W/ALCOHOLIC ODOR.

\_\_\_\_\_

Reactivity Data

\_\_\_\_\_\_

Stability Indicator: YES

Stability Condition To Avoid: HEAT, SPARKS, FLAME OR OTHER IGNITION SOURCES

Materials To A

void: STRONG OXIDIZERS

Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS

Hazardous Polymerization Indicator: NO

\_\_\_\_\_\_

Toxicological Information

\_\_\_\_\_

\_\_\_\_\_

**Ecological Information** 

\_\_\_\_\_\_

\_\_\_\_\_\_

**MSDS** Transport Information

=======================================
======================================
Other Information
======================================
======================================
C ompany Name: LOCTITE CORP AUTOMOTIVE AND CONSUMER GROUP Street: 4450 CRANWOOD COURT City: CLEVELAND OH Zipcode: 44128-4004
Health Emergency Phone: 216-663-3011 Label Required IND: Y Date Of Label Review: 09/14/1993
Status Code: C Label Date: 09/14/1993 Origination Code: F Eye Protection IND: YES
Skin Protection IND: YES Signal Word: DANGER Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Severe
Reactivity Hazard: Slight Hazard And Precautions: IRRITATING TO EYES, NOSE & DR.; THROAT.
GASTROINTESTINAL, LUNG, NERVOUS SYSTEM, & REPRODUCTIVE EFFECTS. CARCINOGEN: ACRYLONITRILE.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any pe

rson or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.