

SHELL OIL COMPANY -- ALVANIA GREASE 2,71012 -- 9150-01-074-8163

=====  
Product Identification  
=====

Product ID:ALVANIA GREASE 2,71012

MSDS Date:11/03/1988

FSC:9150

NIIN:01-074-8163

MSDS Number: BSCYQ

=== Responsible Party ===

Company Name:SHELL OIL COMPANY

Address:HEALTH, SAFETY AND ENVIRONMENT

Box:4320

City:HOUSTON

State:TX

ZIP:77210

Country:US

Info Phone Num:713-241-4819

Emergency Phone Num:713-

473-9461/800-424-9300(CHEMTREC)

CAGE:54527

=== Contractor Identification ===

Company Name:DYNATECH SCIENTIFIC INC

Address:1401 27TH ST

Box:640164

City:KENNER

State:LA

ZIP:70064

Country:US

Phone:504-465-9604

CAGE:0VL27

Company Name:SHELL OIL COMPANY

Address:Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENT REFINED PETROLEUM DISTILLATES (MIXTURE OF  
INGREDIENTS 4 AND 5)

Fra

ction by Wt: 87%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 AS OIL MISTS  
ACGIH TLV:5 MG/M3 AS OIL MISTS

Ingred Name:LITHIUM HYDROXY STEARATE  
Fraction by Wt: 10%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:OTHER COMPONENTS  
Fraction by Wt: 3%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:DISTILLATES, ACID-TREATED HEAVY NAPHTHENIC  
CAS:64742-18-3  
RTECS #:PY8032000  
Fraction by Wt: SEE # 1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 AS OIL MISTS  
ACGIH TLV:5 MG/M3 AS OIL MISTS

Ingred Name:SOL.REF.HYDROTREATED HEAVY PARAFFINIC DIST.  
CAS:64742-54-7  
Fraction by Wt: SEE # 1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5000 MG/KG.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE- MAY CAUSE MILD EYE AND SKIN  
IRRITATION. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE VARIOUS SKIN  
DISORDERS SUCH AS DERMATITIS, OIL ACNE OR FOLLICULITIS. INHALATION  
OF VAPORS OR MIST MAY CAUSE MILD UPPER RESPIRATORY TRACT  
IRRITATION. SLIGHTLY TOXIC IF SWALLOWED. CHRONIC- UNKNOWN. TARGET  
ORGANS:EYES, SKIN, LUNGS.  
Effects of Overexposure:SLIGHT EYE, SKIN AND RESPIRATORY TRACT  
IRRITATION  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN  
DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE EXCESS. WASH SKIN WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING.IN GENERAL, NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. HOWEVER, GET MEDICAL ADVICE.

=====  
Fire Fighting Measure  
S =====

Flash Point Method:PMCC

Flash Point:415F,213C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT & REIGNITE

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CARBON MONOXIDE AND CARBON DIOXIDE MAY BE FORMED.

=====  
Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS GREASE. CLEAN AREA WITH APPROPRIATE CLEANER.

Neutralizing Agent:NOT RELEVANT

=====  
Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE AWAY FROM HEAT, FLAME & STRONG OXIDANTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING.

=====  
Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL RESPIRATORY PROTECTION IS NORMALLY REQUIRED. HOWEVER, IF WORKING IN A CONFINED AREA OR MISTING IS OCCURING, USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.

Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

FOR OTHER SHELL CODES, SEE PNI A, B, C, D, SAME NSN.

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:NOT KNOWN

Vapor Pres:NOT KNOWN

Evaporation Rate & Reference:NOT KNOWN

Solubili

ty in Water:INSOLUBLE

Appearance and Odor:AMBER, SMOOTH - SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXCESSIVE HEAT, OPEN FLAME

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND/OR OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE

IN COMPLIANCE WITH ALL

APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. RCRA

EMERGENCY NUMBER: 800-424-9346.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.