View NSN Online: https://aerobasegroup.kr/nsn/6635-01-375-7977

MINE SAFETY APPLIANCES CO -- MSA 458480 TUBE VENTILATION SMOKE, PKG 12 -- 6635-01-375-7977

============= Product Identification ==================

Product ID:MSA 458480 TUBE VENTILATION SMOKE, PKG 12

MSDS Date:06/17/1993

FSC:6635

NIIN:01-375-7977

MSDS Number: BSDDC === Responsible Party ===

Company Name: MINE SAFETY APPLIANCES CO

Box:426

City:PITTSBURG

State:PA ZIP:15230 Country:US

Info Phone Num:412-967-3000

Emergency

Phone Num:412-967-3000

CAGE:3J685

=== Contractor Identification ===

Company Name: MINE SAFETY APPLIANCES CO

Box:City:PITTSBURG

State:PA ZIP:15230 Country:US

Phone:412-967-3000

CAGE:3J685

======= Composition/Information on Ingredients ========

Ingred Name: AMPOULE 1 (CONTAINING INGREDIENTS 2 & 3)

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: ACETIC ACID (SARA III) LD50 (ORAL, RAT): 3310 MG/KG

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 50% OSHA PEL:10 PPM

ACGIH TLV:10 PPM; 15 STEL

Ε

PA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: SILICA GEL

CAS:63231-67-4 RTECS #:VV7340000 Fraction by Wt: 50% OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name: AMPOULE 2 (CONTAINING INGREDIENTS 5 & 6)

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:1,2-ETHANEDIAMINE; (1,2 DIAMINOETHANE); (ETHYLENEDIAMINE)

(MFR CAS # 107-15-4) LD50 (ORAL, RAT): 1160 MG/KG

CAS:107-15-3

RTECS #:KH8575000 Fraction by Wt: 50% OSHA PEL:N/K ACGIH TLV:10 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name :PUMICE

CAS:1332-09-8 Fraction by Wt: 50% OSHA PEL:N/K

ACGIH TLV:10 MG/M3

Ingred Name: UEL: ING 2:19.9%; ING 5: 14.4%

RTECS #:9999999ZZ

Ingred Name:FIRST AID PROC:MED ATTN IMMED. NOTE:AS SMOKE PUFF GENERATION IS UNDER MANUAL CTL OF USER BY ACTUATION OF SQUEEZE (ING 9)

RTECS #:9999999ZZ

Ingred Name:ING 8:BULB, OVEREXP IS UNLIKELY UNDER INTENDED CONDITIONS OF USE.

RTECS #:9999999ZZ

Ingred Name:SPILL PROC:BOTH AMPOULES W/IN TUBE ARE CRUSHED. IF BOTH CRUSHED, PLACE TUBE W/CONTENT

S INTO BUCKET SO TUBE IS (ING 11) RTECS #:9999992Z

Ingred Name:ING 10:IMMERSED. IF TUBE CONTAINS UNBROKEN AMPOULE, CRUSH IT(W/IN TUBE) & IMMERSE TUBE & CONTENTS IN BUCKET. IF (ING 12) RTECS #:9999992Z

Ingred Name:ING 11:UNBROKEN AMPOULE HAS BEEN RELS FROM TUBE, REPLACE IT IN TUBE, CRUSH IT (W/IN TUBE) & IMMERSE TUBE WITH (ING 13) RTECS #:9999992Z

Ingred Name:ING 12:CONTENTS IN BUCKET. IN ALL CASES LET TUBE SOAK OVERNIGHT. PUT ON RUB GLOVES & SPLASHPROOF GOGG. FILTER (ING 14) RT

ECS #:9999992Z

Ingred Name:ING 13:SOLIDS FROM WATER & DISPOSE TO TRASH. FILTERED WATER CAN BE RELEASED TO THE DRAIN.

RTECS #:9999999ZZ

Ingred Name:OTHER PROT EQUIP:EQUIP NOT INDICATED UNDER ANTIC CNDTN OF USE.

RTECS #:9999999ZZ

=========== Hazards Identification ===============

LD50 LC50 Mixture: SEE INGREDIENTS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACETIC ACID: IR

RITATION OF EYES,

MUCOUS MEMBRANES, SKIN. SPLASHES PRODUCE EYE AND SKIN BURNS. INGESTION OF 1 CM3 GLACIAL ACETIC ACID PRODUCED PERFORATION OF THE ESOPHAGUS. TARGET ORGANS:EYES, NOSE, TH ROAT, SKIN. ETHYLENEDIAMINE: IRRITATIONOF EYE, MUCOUS MEMBRANES, SKIN. TARGET

ORGANS:EYES, NOSE, (EFTS OF OVEREXP) Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure: HLTH HAZ: THROAT, SKIN, LIVER, KIDNEYS.

Medical Cond Aggravated by Exposure: NO INFORMATION.

==== First Aid Measures ==========

First Aid:SKIN:FLUSH W/COPIOUS AMTS WATER. CALL MD. INHAL:REMOVE FROM EXPOS. IF BRTHG DFCLT, ADMIN O*2. GET MED ATTN IMMED. IF BRTHG STOPPED, GIVE ARTF RESP. GET MED ATTN IMMED. EYES:REMOVE FROM EXPOS. F LUSH W/WATER FOR @ LEAST 15 MIN HOLDINGEYES OPEN & RAISING LIDS TO FLUSH UNDERLID AREAS. SEE MD IMMED. INGEST:IF TUBE CONTENTS INGEST & IF CONSCIOUS, GIVE 2 GLASSES WATER TO DILUTE CHEM. GET (ING 8)

= Fire Fighting Measures ==========

Flash Point:SUPDAT Lower Limits:SUPDAT Upper Limits:ING 7

Extinguishing Media: AS NEEDED FOR SURROUNDING FIRE.

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:AMPOULES MAY RUPTURE & EMIT TOX FUMES UNDER FIRE CNDTNS. COMPONENTS ARE SORBED ON INERT SOLID. TOTAL AMT COMBUST/FLAM MATL