

DOW CORNING CORP -- 340 HEAT SINK COMPOUND -- 6850-00-927-9461
===== Product Identification =====

Product ID:340 HEAT SINK COMPOUND

MSDS Date:04/25/1990

FSC:6850

NIIN:00-927-9461

MSDS Number: BSFJH

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-5900

P

reparer's Name:JACK L. SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

===== Composition/Information on Ingredients =====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

==

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES: TEMPORARY DISCOMFORT.

SKIN: NO KNOWN ADVERSE EFFECTS. INHALATION: NO INJURY LIKELY.

INGESTION: NO INJURY EXPECTED. CHRONIC: SKIN IRRITATION. DIGESTIVE DISCOMFORT.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS

CURRENTLY CLASSIFIED AS CARCINOGENIC BY

NTP, IARC OR OSHA.

Effects of Overexposure:EYES: TEMPORARY DISCOMFORT WITH MILD REDNESS

AND DRYNESS SIMILAR TO WINDBURN. SKIN: IRRITATION ON PROLONGED OR

REPEATED CONTACT. INHALATION: NO IRRITATION EXPECTED. INGESTION: NO

IRRITATION EXPECTED. SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT.

Medical Cond Aggravated by Exposure:MAY ENHANCE ALLERGIC CONDITIONS ON

CERTAIN INDIVIDUALS.

=====
First Aid Measures
=====

First Aid:EYES:

FLUSH IMMEDIATELY WITH WATER. SKIN: WIPE OFF AND WASH

WITH WATER. INHALATION: NO FIRST AID SHOULD BE NEEDED. INGESTION:

NO FIRST AID SHOULD BE NEEDED.

=====
Fire Fighting Measures
=====

Flash Point Method:OC

Flash Point:>250F,>121C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE CLOTHING AND

EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.

Unusual Fi

re/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:MOP, WIPE OR SOAK WITH ABSORBENT MATERIAL AND

PLACE IN APPROPRIATE DISPOSAL CONTAINER. WASH AREA WITH SOAP AND WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE REASONABLE CARE AND CAUTION.

Other Precautions:THESE PRECAUTIONS ARE F

OR ROOM TEMPERATURE HANDLING.

USE AT ELEVATED TEMPERATURES, OR AEROSOL/SPRAY APPLICATIONS, MAY REQUIRE ADDED PRECAUTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.

Ventilation:MECHANICAL (GENERAL) VENTILATION RECOMMENDED.

Protective Gloves:NONE NORMALLY NEEDED.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH AT MEALTIME AND AT END OF SHIFT.

Suppl

emental Safety and Health

NO INJURY FROM DUSTS SHOULD OCCUR DURING REASONABLE USE. IF USE CREATES RESPIRABLE PARTICLES, SOME RESPIRATORY SYSTEM INJURY MAY OCCUR.

TRACES OF FORMALDEHYDE (CARCINOGEN) MAY FORM IF HEATED IN AIR ABOVE 300F(149C). PROVIDE VENTILATION TO CONTROL VAPOR EXPOSURE WHEN HANDLING AT ELEVATED TEMPERATURES.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pr

es: