

LUBRICATING SPECIALITIES CO -- VV-L-800C AM 1

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-231-6689
MSDS Date: 08/08/1991
MSDS Num: BSFNK
Product ID: VV-L-800C AM 1
MFN: 01
Responsible Party
Cage: 2X842
Name: LUBRICATING SPECIALITIES CO
Address: 8015 PARAMOUNT BLVD
City: RICO RIVERA CA 906
60-4811
Info Phone Number: 213-928-3311
Emergency Phone Number: 800-424-9300(CHEMTREC)
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 2X842
Name: LUBRICATING SPECIALTIES CO
Address: 8015 PARAMOUNT BLVD
City: PICO RIVERA CA 90660-4811
Phone: 800-424-9300
Cage: 1DL10
Name: NAUGHTON ENERGY CORP
Address: RT 940
Box: 709
City: POCONO PINES PA 18350-0709
Phone: 570-646-0422

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LUBRICATING OIL,GENERAL PURPOSE
Specification Number: VV-L-800
Unit of Issue: QT
UI Container Qty: G
Type of Container: CAN

=====
Ingredients
=====

Cas: 64742-46-7
RTECS #: JN9379645
Name: HYDROTREATED MIDDLE PETROLEUM DISTILLATE
% Wt: <

;90

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 5 MG/M3 (OIL MIST)

ACGIH TLV: 5 MG/M3 (OIL MIST)

=====
Health Hazards Data
=====

LD50 LC50 Mixture: TLV IS 5 MG/M3 AS OIL MIST.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE- NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS BY EYE OR SKIN CONTACT, OR BY INGEST

ION EXCEPT IN VERY SENSITIVE INDIVIDUALS. NO

SIGNIFICANT ADVERSE HEALTH EFFECTS ARE EXPECTED TO OCCUR ON SHORT TERM EXPOSURE BY INHALATION. CHRONIC- PROLONGED OR REPEATED CONTACT MAY CAUSE MILD SKIN IRRITATION AND INFLAMMATION.

Signs And Symptoms Of Overexposure: MAY CAUSE EYE AND SKIN IRRITATION.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:REMOVE EXCES

S. WASH SKIN WITH SOAP &

WATER. REMOVE CONTAMINATED CLOTHING & SHOES. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

=====
Handling and Disposal
=====

Spill Release Procedures: STOP FLOW. WIPE OR MOP UP OR ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPRIATE CONTAINER FOR DISPOSAL.

Neutralizing Agent:

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS.

Handling And Storage Precautions: STORE IN COOL PLACE AWAY FROM FLAMES OR OTHER SOURCES OF IGNITION & STRONG OXIDANTS. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. USE PROPER FOOTWEAR

Other Precautions: WASH HANDS WITH SOAP AND WATER BEFORE EATING, DRINKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DO NOT

GENERATE MISTS OR VAPORS. AVOID CONTACT WITH EYES AND SKIN. DO NOT BREATHE VAPORS OR MISTS.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point Text: >212F,>100C

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT FLOATS & MAY REIGNITE

Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT

PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: SLIGHTLY COMBUSTIBLE. WHEN HEATED ABOVE FLASH POINT, WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN IN OPEN/BE EXPLODED IN CONFINED SPACES BY SOURCES OF IGNITION

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: ADEQUATE TO MAINTAIN

ATMOSPHERE BELOW TLV.

Protective Gloves: IMPERVIOUS (RUBBER) RECOMMENDED

Eye Protection: SAFETY GOGGLES RECOMMENDED

Other Protective Equipment: EYE WASH STATION, CHEMICALLY RESISTANT BOOTS AND APRONS RECOMMENDED

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health: THIS PRODUCT DEFINED AS NON-HAZARDOUS EXCEPT AS STATED IN THE INGREDIENTS. DISCLOSURE OF OTHER NON-HAZ

ARDOUS INGREDIENTS IN

THIS PRODUCT IS AVAILABLE TO PHYSICIAN OR NURSE IN EVENT OF MEDICAL EMERGENCY.

=====
Physical/Chemical Properties
=====

HCC: V6

B.P. Text: >482F,>250C

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: <0.1 @ 20C

Vapor Density: >1 (AIR=1)

Spec Gravity: 0.878

Solubility in Water: SLIGHT

Appearance and Odor: BROWN OILY LIQUID, PETROLEUM ODOR

Percent Volat

iles by Volume: NIL
Corrosion Rate: UNKNOWN

=====
Reactivity Data

=====
Stability Indicator: YES
Stability Condition To Avoid: HEATING ABOVE FLASH POINT
Materials To Avoid: STRONG OXIDIZING AGENTS
Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE MAY FORM.
Hazardous Polymerization Indicator: NO

=====
Toxicological Information

=

=====
Ecological Information

=====
MSDS Transport Information

=====
Regulatory Information

=====
Other Information

=====
Transportation Information

=====
Responsible Party Cage: 2X842
Trans ID NO: 58311
Product ID: VV-L-800C AM 1
MSDS Prepared Date: 08/08/1991
Review Date: 01/13/1994
MFN: 1
Net Unit Weight: 36.7 LBS
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: QT
Container QTY: G
Type Of Container: CAN

====

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: VV-L-800C AM 1

Cage: 2X842

Company Name: LUBRICATING SPECIALTIES CO

Street: 8015 PARAMOUNT BLVD

City: PICO RIVERA CA

Zipcode: 90660-4811

Health Emergency Phone: 310-928-3311/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 01/13/1994

Status Code: C

Label Date: 01/13/1994

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire

Hazard: None

Reactivity Hazard: None

Hazard And Precautions: ACUTE- NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS BY EYE OR SKIN CONTACT, OR BY INGESTION EXCEPT IN VERY SENSITIVE INDIVIDUALS. NO SIGNIFICANT ADVERSE HEALTH EFFECTS ARE EXPECTED TO OCCUR ON SHORT TERM EXPOSURE BY INHALATION. CHRONIC- PROLONGED OR REPEATED CONTACT MAY CAUSE MILD SKIN IRRITATION AND INFLAMMATION. STORE IN COOL PLACE AWAY FROM FLAMES OR OTHER SOURCES OF IGNITION & STRONG OXIDANT S. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. USE PROPER FOOTWEAR

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.