

INLAND TECHNOLOGY INC -- AERO-STRIP -- 6850-01-381-3640

=====
Product Identification
=====

Product ID:AERO-STRIP
MSDS Date:01/03/1995
FSC:6850
NIIN:01-381-3640
MSDS Number: BSGMC
=== Responsible Party ===
Company Name:INLAND TECHNOLOGY INC
Address:401 EAST 27TH ST
City:TACOMA
State:WA
ZIP:98421
Country:US
Info Phone Num:206-922-8932
Emergency Phone Num:206-922-8932
CAGE:0K209
=== Contractor Identification ===
Address:401 E 27TH STREET
Box:City:TACOMA
State:WA
ZIP:98421-1203
Country:US
Phone:800-552-3100/253-383-1177
CAGE:0K209

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE (2-PROPANOL,
1-METHOXY ACETATE)
CAS:108-65-6
RTECS #:AI8295000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:1-METHYLPYRROLIDONE
CAS:872-50-4
RTECS #:UY5790000
Other REC Limits:NONE RECOMMENDED

Ingred

Name:D-LIMONENE

CAS:5989-27-5

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-LIQUID CONTACTING THE EYE MAY CAUSE EYE IRRITATION. LOW ORDER ACUTE ORAL AND DERMAL TOXICITY. INHALATION OF VAPOR CAN CAUSE IRRITATION TO NOSE, THROAT AND UPPER RESPIRATORY TRACT. CHRONIC-PROLONGED OR REPEATED SKIN EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING AND DERMATITIS.

Explanation of Carcinogenicity:NONE KNOWN.

Effects of Overexposure:AT HIGH DOSE LEVELS N-METHYLPYRROLIDONE WAS FOUND TO BE EMBRYOTOXIC TO RATS AND MICE.

Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS.

=====
===== First Aid Measures =====

First Aid:EYES-IF EYE CONTACT OCCURS, FLUSH WITH WATER FOR AT LEAST 15 MIN OR UNTIL IRRITATION SUBSIDE

S. IF IRRITATION PERSISTS, CALL

DOCTOR. SKIN-IN CASE OF SKIN CONTACT, REMOVE ANY CONTAMINATED CLOTHING & WASH SKIN THOROUGHLY WITH SOAP & WATER. INHALATION-IF OVERCOME BY VAPOR, REMOVE FROM EXPOSED AREA & CALL PHYSICIAN IMMEDIATELY. INGESTION-DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:132F,56C

Lower Limits:0.6

Upper Limits:13

Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:USE AIR SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AND CONFINED SPACES OR AS OTHERWISE NEEDED.

Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF AND ELIMINATE ALL IGNITABLE SOURCES. CONTAIN AND COLLECT MATERIAL. ABSORB RESIDUE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:USE AND STORE AWAY FROM HEAT, SPARKS AND OPEN FLAMES. KEEP CONTAINER SEALED WHEN NOT IN USE.

Other Precautions:READ AND UNDERSTAND ALL CAUTIONS, LABELS AND MSDS BEFORE USING ANY CHEMICAL PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:USE MECHANICAL VENTILATION WHENEVER PRODUCT IS USED IN CONFINED SPACE, IS HEATED ABOVE AMBIENT TEMPERATURE OR IS AGITATE

Protective Gloves:USE CHEMICAL RESISTANT GLOVES, IF NEEDED

Eye Protection:SPLASH GOGGLES/FACE SHIELD.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:MINIMIZE BREATHING OF VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT SKIN

Supplemental Safety and Health

WASH CONTAMINATED CLOTHING BEFORE RESUE. KEEP ALL CHEMICALS OUT OF THE REACH OF CHILDREN. NO SMOKING.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:302F

,150C

Vapor Pres:4

Spec Gravity:0.93

Evaporation Rate & Reference: