View NSN Online: https://aerobasegroup.kr/nsn/6550-01-199-3288

## ALBAN SCIENTIFIC INC -- PERMAFIX FORMALIN 10% BUFFERED -- 6550-01-199-3288

Product ID:PERMAFIX FORMALIN 10% BUFFERED

MSDS Date:06/01/1993

FSC:6550

NIIN:01-199-3288

MSDS Number: BSHNT === Responsible Party ===

Company Name: ALBAN SCIENTIFIC INC

Address:3501 SOUTH BROADWAY

City:ST LOUIS

State:MO ZIP:63118 Country:US

Info Phone Num:314-772-4114 Emergency Phone Num:31

4-772-4114 CAGE:04680

=== Contractor Identification ===

Company Name: ALBAN SCIENTIFIC INC

Address:3501 SOUTH BROADWAY

Box:City:ST LOUIS

State:MO ZIP:63118 Country:US

Phone:314-772-4114

CAGE:04680

====== Composition/Information on Ingredients ========

Ingred Name:FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000 Fraction by Wt: 37% %

Other REC Limits: NONE RECOMMENDED

OSHA PEL:SEE 1910.1048 ACGIH TLV:C 0.3 PPM; A2; 9394

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:METH

YL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 12-15% % Other REC Limits: NONE RECOMMENDED OSHA PEL:S,200PPM ACGIH TLV:S,200PPM/250STEL; 94 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: MATRIX Other REC Limits: NONE RECOMMENDED LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic: SEVERE IRRITATION AND INFLAMMATION OF THE MOUTH, THROAT, STOMACH. SEVERE STOMACH PAINS, LOSS OF CONSCIOUSNESS, DEATH. HIHGLY IRRITATING TO UPPER RESPIRATORY TRACT AND EYES. MAY CAUSE SEVERE RESPIRATOR Y TRACT INJURY LEADING TO PULMONARY EDEMA AND PNEUMONITIS. FORMALIN IS A SKIN IRRITATNT AND SENSITIZER. EYE IRRITATION Explanation of Carcinogenicity: CONTAINS F [50-00-0] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN. Effects of Overexposure: IRRITATION/INFLAMMATION OF MOUTH, THROAT, STOMACH, SKIN, EYES, UPPER RESPIRATORY TRACT. TEARING OF EYES. BURNING OF NOSE AND THROAT, COUGH, DEATH, PERMANENT CORNEAL CLOUDING AND LOSS OF VISION. Medical Cond Aggravated by Exposure: INDIVIDUALS WITH PRE-EXISTING

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING
DISEASE IN OR A HISTORY OF AILMENTS INVOLVING THE PANCREAS, SKIN,
CNS. OR RESPIRATORY TRACT ARE AT A GREATER THAN NORMAL RISK WHEN

EXPOSED TO THIS MATERIAL.

First Aid:INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DILUTE, INACTIVATE OR ABSORB THE INGESTED MATERIAL. DO NOT INDUCE VOMITING. CALL

PHYSICIAN.
======================================
Flash Point:141F,61C Lower Limits:6-7 % Upper Limits:36-73 % Extinguishing Media:USE DRY CHEMICAL, "ALCOHOL FOAM", CARBON DIOXIDE, WATER IN FLOODING AMOUNTS AS FOG Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCES TO A SOURCE OF IGNTION AND FLASHBACK.
========== Accidental Release Measures ===========
Spill Release Procedures:ELIMINATE IGNITION SOURCES. AVOID EYE AND SKIN CONTACT. PLACE LEAKING CONTAINERS IN WELL VENTILATED AREA. IF FIRE POTENTIAL EXISTS, BLANKET SPILL WITH FOAM OR USE WATER SPRAY TO DISPERSE VAPORS.  Neutralizing Agent:NEUTRALIZE WITH AMMONIUM HYDROXIDE
======================================
Handling and Storage Precautions:STORE IN A COOL, WELL VENTILATED AREA. KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINERS CLOSED. AVOID BREATHING VAPOR. AVOID CONTACT WITH EYES.  Other Precautions:WASH CLOTHING THOROUGHLY IF EXPOSED. DO NOT ENTER STORAGE AREA UNLESS WELL VENTILATED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE FULL FACE NIOSH APPROVED FORMALDEHYDE OR ACID GAS CARTRIDGE OR CANNISTER RESPIRATOR WITHIN U SE LIMITATIONS  OF THESE DEVICES; IN ALL OTHER SITUATIONS, USE SELF CONTAINERD BREATHING APPARATUS.  Ventilation:LOCAL EXHAUST IS RECOMMENDED WHEN APPROPRIATE TO CONTROL
EXPOSURE.  Protective Gloves: RUBBER

Eye Protection: SAFETY GOGGLES

Other Protective Equipment:IMPERVIOUS BODY COVERING AND BOOTS.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

\_\_\_\_\_

==== Physical/Chemical Properties ==========
HCC:F4
Boiling Pt:B.P. Text:50.0F,10.0C
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN
Vapor Pres:67-88
Vapor Density:> 1
Spec Gravity:< 1
Evaporation Rate & Description R
Solubility in Water:NOT GIVEN
Appearance and Odor:CLEAR, COLORLESS, MOBILE LIQUID, STRONG, PUNGENT, CHARACTERISTIC ODOR
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES
CAUSTIC SODA, SLDA ASH AND OTHER
ALKALIS, SODIUM, POTASSIUM, AND OTHER ALKALI METALS, HYDROGEN PEROXIDE, STRONG OXIDIZER
Stability Condition to Avoid:HEAT, SPARKS, FLAMES
Hazardous Decomposition Products:CARBON MONOXIDE

======= Disposal Considerations ===========

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with thi

s information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.