View NSN Online: https://aerobasegroup.kr/nsn/8030-00-800-6549 GE SILICONES -- DBT -- 8030-00-800-6549 Product ID:DBT MSDS Date:10/30/1992 FSC:8030 NIIN:00-800-6549 Kit Part:Y MSDS Number: BSHTT === Responsible Party === Company Name: GE SILICONES Address: 260 HUDSON RIVER ROAD City:WATERFORD State:NY ZIP:12188 Country:US Info Phone Num:518-237-3330 Emergency Phone Num:518-237-3330 Preparer's Name: DA POLSINELLI CAGE:GESIL ___ Contractor Identification === Company Name: GE SILICONES Address:260 HUDSON RIVER ROAD City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330 CAGE:GESIL Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT Address: 260 HUDSON RIVER RD Box:City:WATERFORD State:NY ZIP:12188 Country:US Phone:518-237-3330/800-332-3390 CAGE:01139

Company Name:XTO INC Address:110 WRENTHAM DR

Box:City:LIVERPOOL

State:NY

ZIP:13088-4524 Country:US

Phone:315-451-7807

CAGE:9S954

====== Composit

ion/Information on Ingredients ======== Ingred Name: DIBUTYLTIN DILAURATE CAS:77-58-7 RTECS #:WH7000000 Fraction by Wt: 80 - 99% Other REC Limits: NONE SPECIFIED OSHA PEL:0.1 MG/M3 ACGIH TLV:0.1 MG/M3 Ingred Name: VOC (EPA METHOD 24): 27 G/L RTECS #:9999999VO Other REC Limits: NONE SPECIFIED =========== Hazards Identification ========================== LD50 LC50 Mixture:ORAL 1470 MG/KG; DERMAL >2000 MG/KG Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carcin ogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INGESTION: HARMFUL IF SWALLOWED. SKIN CONTACT: CAUSES MODERATE SKIN IRRITATION. INHALATION: CAUSES SEVERE EYE IRRITATION. EYE CONTACT: CAUSES SEVERE EYE IRRITATION. **SUBCHRONIC** (TARGET ORGAN) EFFECTS: CENTRAL NERVOUS SYSTEM DAMAGE, CUMULATIVE SYSTEMIC TOXICITY. Explanation of Carcinogenicity: THIS PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Medical Cond Aggravated by Exposure: CENTRAL NERVOUS SYSTEM DISORDERS First Aid:INGESTION: IF SWALLOWED, INDUCE VOMITING IMMED (2 GLASSES

First Aid:INGESTION: IF SWALLOWED, INDUCE VOMITING IMMED (2 GLASSES WATER/STICKING FINGERS DOWN THROAT). NEVER GIVE ANYTHING TO UNCONSCIOUS PERSON. GET MED AID. SKIN: REMOVE CONTAMINATED CLOTHING, LAUNDER BEFOR E REUSE. WASH WITH SOAP & WATER. GET MED AID IF IRRIT PERSISTS. EYES: IN CASE OF CONTACT/SUSPECTED CONTACT, IMMED

