

GE SILICONES -- DBT -- 8030-00-800-6549

===== Product Identification =====

Product ID:DBT

MSDS Date:10/30/1992

FSC:8030

NIIN:00-800-6549

Kit Part:Y

MSDS Number: BSHTT

=== Responsible Party ===

Company Name:GE SILICONES

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-237-3330

Preparer's Name:DA POLSINELLI

CAGE:GESIL

===

Contractor Identification ===

Company Name:GE SILICONES

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330

CAGE:GESIL

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:XTO INC

Address:110 WRENTHAM DR

Box:City:LIVERPOOL

State:NY

ZIP:13088-4524

Country:US

Phone:315-451-7807

CAGE:9S954

===== Composit

ion/Information on Ingredients =====

Ingred Name:DIBUTYLTIN DILAURATE  
CAS:77-58-7  
RTECS #:WH7000000  
Fraction by Wt: 80 - 99%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:0.1 MG/M3  
ACGIH TLV:0.1 MG/M3

Ingred Name:VOC (EPA METHOD 24): 27 G/L  
RTECS #:9999999VO  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL 1470 MG/KG; DERMAL >2000 MG/KG  
Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INGESTION: HARMFUL IF SWALLOWED. SKIN CONTACT: CAUSES MODERATE SKIN IRRITATION. INHALATION: CAUSES SEVERE EYE IRRITATION. EYE CONTACT: CAUSES SEVERE EYE IRRITATION. SUBCHRONIC (TARGET ORGAN) EFFECTS: CENTRAL NERVOUS SYSTEM DAMAGE, CUMULATIVE SYSTEMIC TOXICITY.

Explanation of Carcinogenicity:THIS PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED

CARCINOGEN.

Medical Cond Aggravated by Exposure:CENTRAL NERVOUS SYSTEM DISORDERS

===== First Aid Measures =====

First Aid:INGESTION: IF SWALLOWED, INDUCE VOMITING IMMEDIATELY (2 GLASSES WATER/STICKING FINGERS DOWN THROAT). NEVER GIVE ANYTHING TO UNCONSCIOUS PERSON. GET MEDICAL AID. SKIN: REMOVE CONTAMINATED CLOTHING, LAUNDRY BEFORE REUSE. WASH WITH SOAP & WATER. GET MEDICAL AID IF IRRITATION PERSISTS. EYES: IN CASE OF CONTACT/SUSPECTED CONTACT, IMMEDIATELY

FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES & GET MED  
AID IMMEDIATELY AFTER FLUSHING.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC

Flash Point:455F,235C

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA

Fire Fighting Procedures:WEAR RESPIRATORY PROTECTION IF IN A CONFINED  
AREA.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WIPE, SCRAPE, OR SOAK UP IN AN INERT MATERIAL  
AND PUT IN A CONTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE  
EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION. WARN  
OTHER WORKERS OF SPILL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.  
AVOID CONTACT WITH SKIN AND EYES. WASH HANDS BEFORE EATING AND  
SMOKING.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE KNOWN

Ventilation:USE ONLY IN WELL VENTILATED AREA.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GLASSES, MONOGOGGLES

Other Protective Equipment:SHOWERS, EYEWASH STATIONS.

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:400F,204C

Melt/Freeze Pt:M.P/F.P Text:65.0F,18.3C

Vapor Pres:NEGL

Vapor Density:21.8

Spec Gravity:1.035 (WATER=1)

Evaporation Rate & Reference: