

HAZ-MAT RESPONSE TECHNOLOGIES -- RUBBERIZER (TM), BOOMS, PILLOWS, PARTICULATE --
9330-01-381-1756

===== Product Identification =====

Product ID:RUBBERIZER (TM), BOOMS, PILLOWS, PARTICULATE

MSDS Date:07/01/1990

FSC:9330

NIIN:01-381-1756

MSDS Number: BSKXH

=== Responsible Party ===

Company Name:HAZ-MAT RESPONSE TECHNOLOGIES

Address:5841 BOX CANYON ROAD

City:LA JOLLA

State:CA

ZIP:92037

Country:US

Inf

o Phone Num:619-459-3383

Emergency Phone Num:619-459-3383

Preparer's Name:PHILIP W. STAGG

CAGE:0GFG5

=== Contractor Identification ===

Company Name:HAZ-MAT RESPONSE TECHNOLOGIES

Address:5841 BOX CANYON RD

Box:City:LA JOLLA

State:CA

ZIP:92037

Country:US

Phone:619-459-3383

CAGE:0GFG5

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS

Fraction by Wt: 100% %

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification ===

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:RESPIRATORY CONDITIONS AND EYE IRRITATION ARE
POSSIBLE AND SKIN IRRITATION AS WITH EXPOSURE TO ANY FINE OR GRAINY
MATERIAL.
Medical Cond Aggravated by Exposure:RESPIRATORY CONDITIONS AND EYE
IRRITATION AND SKIN CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.

===== First Aid Measures =====

First Aid:FLUSH AFFECTED AREAS THOROUGHLY WITH WATER AND CONSULT A
PHYSICIAN IF IRRITATION PERSISTS.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:325F,163C
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:CARBON DIOXIDE, LOW PRESSURE WATER AND DRY CHEMICAL
Fire Fighting Procedures:USE OF LOW PRESSURE WATER IS ADVISED, HIGH
PRESSURE WATER MAY GENERATE AIRBORNE DUST RESULTING IN A N
EXPLOSION HAZARD.
Unusual Fire/Explosion Hazard:DUST AND AIR MIXTURES MAY BE EXPLOSIVE IN
THE PRESENCE OF SPARKS OR ANY IGNITION SOURCE. THIS IS A SIMILAR
HAZARD TO THAT OF ANY ORGANIC DUST.

===== Accidental Release Measures =====
=====

Spill Release Procedures:IF NOT CONTAMINATED, IT MAY BE SWEEPED UP AND
RETURNED TO ITS CONTAINER. IF CONTAMINATED, DISPOSE OF PROPERLY.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:PRODUCT SHOULD BE STORED AWAY FROM
EXCESSIVE HEAT AND/OR IGNITION SOURCES. PREFERRABLE LONG TERM
STORAGE BELOW 125F.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Co

ntrols/Personal Protection =====

Respiratory Protection:RESPIRATOR FOR AIRBORNE PARTICLES.
Ventilation:LOCAL EXHAUST SHOULD BE SUFFICIENT
Protective Gloves:RUBBER OR PLASTIC
Eye Protection:GOGGLES FOR DUST PROTECTION
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.
Supplemental Safety and Health
WORKING PROCEDURES SHOULD MINIMIZE FOGGING AFFECT.

=====
== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NOT GIVEN
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN
Vapor Pres:NOT GIVEN
Vapor Density:NOT GIVEN
Spec Gravity:0.89
Evaporation Rate & Reference:NOT GIVEN
Solubility in Water:INSOLUBLE
Appearance and Odor:WHITE, GRAINY MATERIAL, MILD, SWEET ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
DO NOT ALLOW CONTACT WITH STRONG OXIDIZING AGENTS, IE CONCEN
TRATED
NITRIC AND SULFURIC ACIDS, ETC.
Stability Condition to Avoid:IGNITION SOURCES, EXCESSIVE HEAT.
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE
OXIDES OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER
OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL
REGULATIONS.

=====
Disclaimer

(provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.