

ECOLAB INC -- OASIS 299 -- 7930-01-379-5363

===== Product Identification =====

Product ID:OASIS 299
MSDS Date:03/08/1994
FSC:7930
NIIN:01-379-5363
MSDS Number: BSPTM
=== Responsible Party ===
Company Name:ECOLAB INC
Address:370 WABASHA ST ECOLAB CENTER
City:ST PAUL
State:MN
ZIP:55102-1307
Country:US
Info Phone Num:612-293-2233/800-352-5326
Emergency Phone Num:800-328-0026/800-352-5326
CAGE:0DAC4

=

== Contractor Identification ==

Company Name:ECOLAB INC
Address:8811 E HAMPDEN AVE BLDG 4 B
City:DENVER
State:CO
ZIP:80231
Country:US
Phone:612-293-2233
CAGE:0DAC4
Company Name:ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC.
Address:ECOLAB CENTER
Box:City:ST PAUL
State:MN
ZIP:55102
Country:US
Phone:800-352-5326
CAGE:85884

===== Composition/Information on Ingredients =====

Ingred Name:PHOSPHORIC ACID
CAS:7664-38-2
RTECS #:TB6300000
Fraction by Wt: 15%
Other REC Limits:1

MG/CUM
OSHA PEL:1 MG/CUM
ACGIH TLV:1 MG/CUM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN/EYES: SEVERE IRRITATION &
POSSIBLE CHEMICAL BURNS. INGESTION: HARMFUL. CAN CAUSE CHEMICAL
BURNS OF MOUTH, THROAT & STOMACH. INHALATION: IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, CHEMICAL BURNS, BURNING TASTE,
SNEEZING, COUGHING, DIFFICULTY BREATHING.
Medical Condition Aggravated by Exposure:ASTHMA & OTHER LUNG PROBLEMS.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/PLENTY OF COOL RUNNING WATER, REMOVE CONTACT
LENSES & CONTINUE FLUSHING FOR 15 MINS. SKIN: FLUSH W/PLENTY OF
COOL RUNNING WATER FOR 15 MINS. INGESTION: RINSE MOUTH AT ONCE.
DRINK 1-2 LARGE GLASSES OF WATER/MILK. DON'T
INDUCE VOMITING.
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION:
REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Fire Fighting Procedures:PRODUCT DOES NOT SUPPORT COMBUSTION.
Unusual Fire/Explosion Hazard:CAN REACT VIOLENTLY W/ALKALINE
MATERIAL/METALS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SMALL: RINSE TO DRAIN WHERE POSSIBLE.
LARGE:
DIKE/DAM, PUMP TO CONTAINERS/SOAK UP ON INERT ABSORBENT. FLUSH
RESIDUE TO SANITARY SEWER. RINSE AREA THOROUGHLY.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN.
Other Precautions:AVOID CONTACT W/USED SOLUTIONS & BREATHING OF
MISTS/VAPORS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:REQUIRED
Protective Gloves:RUBBER/PROTECTIVE CUFF/GAUNTLET TYPE

E
Eye Protection:CHEMICAL SPASH GOGGLES.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES
BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F

Spec Gravity:1.119-1.123

pH:1-1.5

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR MAGENTA LIQUID W/FRESH FRUITY SCENT.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ALKAL

INE MATERIALS/METALS, CHLORINATED DETERGENTS/SANITIZERS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL
REGULATIONS. UNUSED PRODUCT AS A WASTE IS CORROSIVE. D002

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this in
formation to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.