

LASTING PAINTS, INC -- TT-P-19D LTX WHITE FL26-190

=====
MSDS Safety Information
=====

FSC: 8010
NIIN: 00-823-7962
MSDS Date: 02/12/1993
MSDS Num: BSRZK
Product ID: TT-P-19D LTX WHITE FL26-190
MFN: 01
Responsible Party
Cage: GO423
Name: LASTING PAINTS, INC
Address: 200 SOUTH FRANKLINTOWN ROAD
City: BALTI
MORE MD 21223
Info Phone Number: 410-947-6300
Emergency Phone Number: 410-947-6306
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 35178
Name: LASTING PAINTS INC.
Address: 200 S FRANKLINTOWN RD
City: BALTIMORE MD 21223-2038
Phone: UNKNOWN
Cage: GO423
Name: LASTING PAINTS, INC.
Address: 200 S FRANKLINTOWN ROAD
City: BALTIMORE MD 21223
Phone: 410-947-6300/800-368-2205

=====
Item Description Information
=====

Item Manager: GSA
Item Name: PAINT,LATEX
Unit of Issue: GL
UI Container Qty: 4

=====
Ingredients
=====

Name: NO HAZARDOUS MATERIALS PRESENT
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
=====

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES

Effects of Exposure: INHALATION: MAY CAUSE HEADACHE AND NAUSEA. SKIN CONTACT: POSSIBLE PRIMARY IRRITATION (MATERIAL IS SLIGHTLY ALKALINE). EYE CONTACT: PRIMARY IRRITATION.

Medical Cond Aggravated By Exposure: NONE KNOWN

First Aid: INHALATION: REMOVE TO FRESH AIR. SPLASH (SKIN): REMOVE WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. SPLASH (EYES): FLUSH IMMEDIATELY WITH

LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN. INGESTION: DRINK 1 OR 2 GLASSES OF WATER TO DILUTE. DO NOT INDUCE VOMITING. CONSULT PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. TREAT SYMPTOMATICALLY.

=====

Handling and Disposal

=====

Spill Release Procedures: SCOOP OR MOP UP SPILLS. ABSORB WITH SAND, VERMICULITE ETC. TRANSFER TO CONTAINERS FOR DISCARDING. WEAR PROPER PROTECTIVE GEAR.

Waste Disposal Methods: DISPOSE OF IN CLOSED CONTAINERS. DO NOT INCINERATE. BURY IN LANDFILL WHERE PERMITTED. DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP MATERIAL FROM FREEZING. KEEP CLOSURE TIGHT AND CONTAINER UPRIGHT TO PREVENT LEAKAGE. DO NOT STORE ABOVE 100 F.

Other Precautions: DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. DO NOT GET INTO EYES. USE ADEQUATE VENTILATION.

=====

Fire and Explosion Hazard Information

=====

Unusual Fire/Explosion Hazard: MAY SPLATTER IF HEATED ABOVE 212 F. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

=====

Control Measures

=====

Respiratory Protection: APPROVED MECHANICAL FILTER RESPIRATOR TO REMOVE SOLID AIRBORNE PARTICLES OF OVERSPRAY DURING SPRAY APPLICATION.

Ventilation: USE WITH ADEQUATE VENTILATION. PROVIDE EXHAUST SYSTEM WHEN USED IN ENCLOSED AREAS.

Protective Gloves: RUBBER FOR LONG OR REPEATED CONTACT.

Eye Protection: PROTECTIVE GOGGLES OR SAFETY GLASSES

Other Protective Equipment: EYE BATH

Work Hygienic Practices: WASH HANDS BEFORE EATING, SMOKING, OR USING WASH ROOM.

=====

Physical/Chemical Properties

=====

=====
B.P. Text: 212 TO 472F
Vapor Density: > AIR
Spec Gravity: 11.28 LB/GL
Evaporation Rate & Reference: SLOWER THAN ETHER
Percent Volatiles by Volume: 58.52
=====

Reactivity Data

=====
Stability Indicator: YES
Stability Condition To Avoid: NONE KNOWN
Materials To Avoid: NONE REASONABLY FORESEEABLE
Hazardous Decomposition Products: BURNING OF DRIED COATING CAN PRODUCE
CARBON
DIOXIDE AND CARBON MONOXIDE.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NONE KNOWN
=====

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

=====
Responsible Party Cage: GO423
Trans ID NO: 87083
Produ
ct ID: TT-P-19D LTX WHITE FL26-190
MSDS Prepared Date: 02/12/1993
Review Date: 11/16/1993
MFN: 1
Net Unit Weight: 11.28 LBS
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY: 4
=====

Detail DOT Information

=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: TT-P-19D LTX WHITE FL26-190
Cage: GO423
Assigned IND: Y
Company Name: LASTING PAINTS, INC.
Street: 200 S FRANKLINTOWN ROAD
City: BALTIMORE MD
Zipcode: 21223
Health Emergency Phone: 410-947-6306
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code:
C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: INHALATION: MAY CAUSE HEADACHE AND NAUSEA. SKIN
CONTACT: POSSIBLE PRIMARY IRRITATION (MATERIAL IS SLIGHTLY ALKALINE). EYE
CONTACT: PRIMARY IRRITATION.
N/K
=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner

whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.