

HURON INDUSTRIES, INC. -- MIL-L-3572A GRADE B

=====  
MSDS Safety Information  
=====

FSC: 6150  
NIIN: 00-261-7906  
MSDS Date: 07/21/1993  
MSDS Num: BSSHR  
Product ID: MIL-L-3572A GRADE B  
MFN: 01  
Responsible Party  
Cage: 03432  
Name: HURON INDUSTRIES, INC.  
Address: 2301 16TH STREET  
Box: 104  
City: PORT HURON MI  
I 48060-0104  
Info Phone Number: 313-984-4213  
Emergency Phone Number: 313-984-4213/800-424-9300(CHEMTREC)  
Preparer's Name: JOHN BOUKAMP  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: 03432  
Name: HURON INDUSTRIES INC  
Address: 2301 16TH ST  
Box: 610104  
City: PORT HURON MI 48061-0104

=====  
Contractor Summary  
=====

Cage: 03432  
Name: HURON INDUSTRIES INC  
Address: 2301 16TH ST  
Box: 610104  
City: PORT HURON MI 48061-0104  
Phone: 810-984-4213

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: LUBRICATING OIL, COLLOIDAL GRAPHITE  
Specification Number: MIL-L-3572A  
Type/Grade/Class: GR B  
Unit of Issue: BT  
UI Container

Qty: 2 OZ.

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: TLV FOR OIL MIST=5MG/M3

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure:

ACUTE:EYES/SKIN: MAY CAUSE IRRITATION. CHRONIC: REPEATED  
OR PORLONGES SKIN CONTACT WILL CAUSE IRRITATION.

Signs And Symptions Of Overexposure: SKIN/EYES:REDNESS, DISCOMFORT.

Medical Cond Aggravated By Exposure: PER MFG'S MSDS N/A.

First Aid: EYES:FLUS W/LG AMT OF WATER. SEE DOCTOR IF IRRIT DEVELOPS. SKIN:WASH  
W/SOAP & WATER. CONTACT DOCTOR IF IRRITATION DEVELOPS.

=====  
Handling and Disposal  
=====

=====  
Spill Release Procedures: RECOVER FREE LIQUID. ADD ABSORBENT TO SPILL AREA.  
KEEP OUT OF STREAMS AND WATERWAYS.

Waste Disposal Methods: INCINERATE OR BURY IN LANDFILL AREA IN ACCORDANCE WITH  
FEDERAL/STATE/LOCAL REGULATIONS.

Handling And Storage Precautions: STORE AWAY FROM HEAT AND OPEN FLAMES. KEEP  
COVERED WHEN NOT IN USE.

Other Precautions: MAY CAUSE BLACK STAINS ON FABRICS WHICH ARE DIFFICULT TO  
REMOVE.

=====  
Fire and Explosion

Hazard Information  
=====

Flash Point Method: COC

Flash Point Text: 340F,171C

Extinguishing Media: FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY OR FOG.

Fire Fighting Procedures: USE AIR-SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREAS.  
COOL HEAT-EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard: DO NOT SORE OR MIX WITH STRONG OXIDANTS.  
=====

=====  
Control Measures  
=====

Respiratory Protection: AIR-SUPPLIED EQUIPMENT IF EXPOSED TO HOT FUMES.  
Ventilation: LOCAL EXHAUST IF NEEDED TO REMOVE HOT FUMES.  
Protective Gloves: OIL-RESISTANT.  
Eye Protection: GOGGLES IF SPLASHING LIKELY.  
Other Protective Equipment: OIL-RESISTANT FOR PROTECTION OF PERSONAL CLOTHING.  
EYE WASH, SAFETY SHOWER.  
Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING & BEFORE  
EAT/DRINK/SMOKE.

Physical  
/Chemical Properties

HCC: N1  
M.P/F.P Text: UNK  
Decomp Text: UNK  
Spec Gravity: 0.95  
Solubility in Water: IMMISCIBLE  
Appearance and Odor: BLACK LIQUID WITHA PETROLEUM ODOR.

Reactivity Data

Stability Indicator: YES  
Stability Condition To Avoid: N/A.  
Materials To Avoid: STRONG OXIDANTS.  
Hazardous Decomposition Products: PER MFG'S MS  
DS N/A.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: N/A.

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 03432  
Trans ID NO: 62305  
Product ID: MIL-L-3572A GRADE B  
MSDS Prep

Procured Date: 07/21/1993  
Review Date: 02/28/1994  
MFN: 1  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: BT  
Container QTY: 2 OZ.

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: MIL-L-3572A GRADE B  
Cage: 03432  
Company Name: HURON INDUSTRIES INC  
Street: 2301 16TH ST  
PO Box: 610104  
City: PORT HURON MI  
Zipcode: 48061-0104  
Health Emergency Phone: 313-984-4213  
Label Required IND: Y  
Date Of Label Review: 02/28/1994  
Status Code: C  
Label Date: 02/28/1994  
Year Procured: 1994  
Origination Code: G  
Chronic Hazard I

ND: Y  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: CAUTION  
Respiratory Protection IND: YES  
Health Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None

Hazard And Precautions: SOLID PIGMENT (GRAPHITE) IN OIL-LUBRICATING OIL MIL-L-3572A GRB. IRRITANT. CUTANEOUS HAZARDS SKIN DAMAGE RASHES IRRITATION DEFATTING OF SKIN. EYE HAZARDS, IMPAIRED VISION CONJUNCTIVITIS CORNEAL DAMAGE. TARGET ORGANS: EYES/SKIN. FIRST AID: EYES:FLUS W/LG AMT OF WATER. SE

E  
DOCTOR IF IRRIT DEVELOPS. SKIN:WASH W/SOAP & WATER. CONTACT DOCTOR IF IRRITATION DEVELOPS. STORE AWAY FROM HEAT & OPEN FLAMES. KEEP COVERED WHEN NOT IN USE. GOGGLES IF SPLASHING LIKELY. OIL RESISTANT GLOVES TO AVOID SKIN CONTACT. AIR SUPPLIED EQUIPMENT IF EXPOSED TO HOT FUMES. LOCAL EXHAUST IF NEEDED TO REMOVE HOT FUMES. DISPOSE OF IAW FED/STATE/LOCAL REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.