

BF GOODRICH THE ADHESIVE PRODUCTS DIV -- A-1177-B-2 -- 8040-01-212-6310

=====
Product Identification
=====

Product ID:A-1177-B-2

MSDS Date:02/05/1989

FSC:8040

NIIN:01-212-6310

MSDS Number: BSSKY

=== Responsible Party ===

Company Name:BF GOODRICH THE ADHESIVE PRODUCTS DIV

Address:500 MAIN ST

City:AKRON

State:OH

ZIP:44318

Country:US

Info Phone Num:216-374-2824

Emergency Phone Num:216-374-2824

CAGE:

1HS43

=== Contractor Identification ===

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

Box:City:AKRON

State:OH

ZIP:44311-1081

Country:US

Phone:330-374-2786 / 330-374-2900

CAGE:1HS43

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYMIDE

Fraction by Wt: 50%

Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

A

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:EYE IRRITANT, PROLONGED OR REPEATED CONTACT MAY CAUSE MODERATE IRRITATION; MAY CAUSE ALLERGENIC REACTION AND SENSITIZATION IN SOME INDIVIDUALS.
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:SKIN:-PROLONGED OR REPEATED CONTACT MAY CAUSE MODERATE IRRITATION; MAY CAUSE ALLERGENIC REACTION AND SENSITIZATION IN SOME INDIVIDUALS. EYE:- MODERATE TO SEVERE IRRITATION.
Medical Cond Aggravated by Exposure:SKIN RASHES

=====
===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH AREA W/PLENTY OF SOAP AND WATER; SEE A PHYSICIAN IF IRRITATION DEVELOPS. EYE: FLUSH W/H2O FOR 15 MIN. SEE PHYSICIAN IF IRRITATION DEVELOPS. INGESTION: INDUCE VOMITING AND CONSULT A PHYSICIAN INHALATION: REMOVE VICTIM TO FRESH AIR. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:365F,185C
Lower Limits:N/D
Upper Limits:N/D
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL
Fire Fighting Procedures:DO NOT ENTER CONFINED SPACE W/OUT PROPER PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED SCBA
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
===== Accidental Release Measures =====

Spill Release Procedures:AVOID SKIN AND EYE CONTACT, SCRAPE UP AND PLACE IN CONTAINER
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED SKIN AND EYE CONTACT, FOR INDUSTRIAL USE ONLY, KEEP OUT OF REACH OF CHILDREN. STORE IN A COOL DRY PLACE, AWAY FROM SOURCES OF HEAT.
Other Precautions:CONSULT YOUR OCCUPATIONAL SAFETY AND HEALTH

EALTH

SPECIALIST TO INSURE THAT SUGGESTED HANDLING PROCEDURES WILL BE ADEQUATE AND IN COMPLIANCE W/ APPLICABLE LAWS AND REGULATIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED. CONTACT LOCAL SAFETY/INDUSTRIAL HYGIENE OFFICE TO DETERMINE IF RESPIRATORY PROTECTION IS REQUIRED

Ventilation:LOCAL EXHAUST MAY BE NEEDED IF MATERIAL IS HEATED.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL SAFETY GLASSES/GOGGLE

S

Other Protective Equipment:NONE NORMALLY NEEDED

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

THIS IS PART B OF A TWO PART KIT. SEE P/N IND A OF THE SAMENSN, FOR ADDITIONAL INFORMATION.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:0F,-18C

Melt/Freeze Pt:M.P/F.P Text:N/D

Decomp Temp:Decomp Text:N/D

Vapor Pres:N/D

Vapor Density:> THAN AIR

Spec Gravity:1.422

pH:N/D

Evaporation Rate & Reference:N-BUTYL ACETATE

Solubility in Water:NOT SPECIFIED

Appearance and Odor:TAN PASTE AMINE ODOR

Percent Volatiles by Volume:0.0%

Corrosion Rate:N/D

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EPOXY RESINS

Stability Condition to Avoid:AVOID MIXING W/LARGE AMOUNTS OF EPOXY. NO MORE THAN TWO POUNDS.

Hazardous Decomposition Products:CARBON DIOXIDE, C

ARBON MONOXIDE,
AMMONIA, OTHERS POSSIBLE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH ALL
APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. COORDINATE WITH
SUPPORTING INSTALLATION AND/OR MACOM ENVIRONMENTAL OFFICE PRIOR TO
DISPOSAL

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United
States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.