

HULS AMERICA INC -- MIL-L-23699D,TURBINE LUBRICANT,0409021 -- 9150-00-681-5999

=====
Product Identification
=====

Product ID:MIL-L-23699D,TURBINE LUBRICANT,0409021

MSDS Date:02/25/1994

FSC:9150

NIIN:00-681-5999

MSDS Number: BSVYV

=== Responsible Party ===

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854

Country:US

Info Phone Num:201-763-7173/201-980-68

00

Emergency Phone Num:201-763-7173

Preparer's Name:P.A.PARKER

CAGE:63182

=== Contractor Identification ===

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08855

Country:US

Phone:201-763-7173

CAGE:63182

=====
Composition/Information on Ingredients
=====

Ingred Name:TRICRESYL PHOSPHATE

CAS:1330-78-5

RTECS #:TD0175000

Fraction by Wt: =/232C

Extinguishing Media:WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE.

Fire Fighting Procedures:BURNING

PRODUCES TOXIC FUMES. WEAR

SELF-CONTAINED BREATHING APPARATUS AND FULL TURN-OUT GEAR TO FIGHT FIRE. AVOID SPREADING LIQUID AND FIRE BY WATER FLOODING.

Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT BUILDS UP PRESSURE IN CLOSED CONTAINERS. COOL CONTAINERS WITH WATER SPRAY.

===== Accidental Release Measures =====

Spill Release Procedures:COVER SPILL WITH AN INERT, ABSORBENT MATERIAL AND REMOVE TO DISPOSAL CONTAINER. DO NOT CONTAMINATE ANY LAKES, S

TREAMS, PONDS, OR UNDERGROUND WATER SUPPLY. OBEY ALL RELEVANT FEDERAL, STATE AND LOCAL LA WS AND REGUATIONS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN, CLOTHING. AVOID BREATHING MIST OR VAPOR. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION.

Other Precautions:WASH AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF PRODUCT OVERHEATED, USE APPROPRIATE NIOSH/MSHA APPROVED RESPIRATORY PROTECTIVE EQUIPMENT.

Ventilation:BOTH MECHANICAL (GENERAL) AND LOCAL EXHAUST VENTILATION RECOMMENDED AS NEEDED TO KEEP VAPORS/MISTS BELOW PEL/TLV LIMITS.

Protective Gloves:IMPERMEABLE GLOVES TO MINIMIZE CONTACT.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:PROVIDE EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRIN

KING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>520F,>271C

Vapor Density:>AIR

Spec Gravity:1.0

Evaporation Rate & Reference:NOT VOLATILE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR LIQUID. MILD ODOR.

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials

to Avoid: YES

STRONG OXIDANTS.

Hazardous Decomposition Products: BURNING WILL PRODUCE TOXIC FUMES.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT CONTAMINATE ANY LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY.

=====

Disclaimer (provided with this information by the compiling agencies):

This inf

ormation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.