

LUBRICATING SPECIALITIES CO -- MIL-H-6083E(1);A0700

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-935-9808
MSDS Date: 06/04/1993
MSDS Num: BSYKK
Product ID: MIL-H-6083E(1);A0700
MFN: 03
Responsible Party
Cage: 2X769
Name: LUBRICATING SPECIALITIES CO
Address: 8015 PARAMOUNT BLVD
City: RICO RIVERA
CA 90660-4888
Info Phone Number: 213-928-3311
Emergency Phone Number: 213-928-3311 800-424-9300(CHEMTREC)
Preparer's Name: RICHARD J. EBERHARDT
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 1DL10
Name: NAUGHTON ENERGY CORP
Address: RT 940
Box: 709
City: POCONO PINES PA 18350-0709
Phone: 570-646-0422
Cage: 2X769
Name: TECHNOLUBE PRODUCT COMPANY
Address: 8015 PARAMOUNT BLVD.
City:
PICO RIVERA CA 90660-4811
Phone: 562 776-4000 GEN: 562-776-4000

=====
Item Description Information
=====

Item Manager: S9G
Item Name: HYDRAULIC FLUID,PETROLEUM BASE
Specification Number: MIL-H-6083
Type/Grade/Class: OHT SYMBOL
Unit of Issue: GL
UI Container Qty: 6
Type of Container: CAN

=====
Ingredients
=====

=====

Cas: 64742-46-7

RTECS #: JN9379645

Name: HYDROTREATED MIDDLE PETROLEUM DISTILLATE

% Wt: < 85%

Other REC Limits: 5 MG/M3 AS OIL MIST

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

Name: NON HAZARDOUS INGREDIENTS--WILL BE DISCLOSED IN EMERGENCY, CALL
800-424-9300(CHEMTREC).

% Wt: BALANCE

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED

=====

Health Hazard

s Data

=====

LD50 LC50 Mixture: TLV 5 MG/M3 AS OIL MIST

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE
IRRITATION.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:NOT EXPECTED TO CAUSE
SHORT TERM EFFECTS.MAY CAUSE RESPIRATORY IRRITATION.

Explanation Of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE
IDENTIFI

ED AS CARCINOGENS BY NTP,IARC OR OSHA.

Signs And Symptoms Of Overexposure: SKIN:IRRITATION,INFLAMMATION.

Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN AILMENTS
MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid: SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND
WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE
OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING. GET
PROMPT QUALIFIED MEDICAL ATTENTION.

=====

=====
Handling and Disposal
=====

Spill Release Procedures: STOP LEAK.SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGN

ITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOOR. PROPER FOOTWEAR REQUIRED.

Other Precautions: WASH OR TAKE A SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDRER BEFORE REUSE. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: PMCC

Flash Point Text: >199F,>93C

Lower Limits: NOT GIVEN

Upper Limits:

NOT GIVEN

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard: SLIGHTLY COMBUSTIBLE WHEN HEATED ABOVE FLASHPOINT WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN IN OPEN OR BE EXPLOSIVE IN CONFINED SPACE IF IGNITION SOURCE.

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL.

Protective Gloves: IMPERVIOUS,NON-SLIPPING

Eye Protection: CHEMICAL SPLASH GOGGLES

Other Protective Equipment: CHEMICALLY RESISTANT BOOTS AND APRONS RECOMMENDED.PROVIDE LOCAL EYE WASH AND QUICK DRENCH SHOWER.

Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRI

NKING OR SMOKING.

Supplemental Safety and Health: NONE

=====
Physical/Chemical Properties
=====

HCC: V4

B.P. Text: >392F,>200C

Decomp Text: UNKNOWN

Vapor Pres: < 0.01

Vapor Density: > 1

Spec Gravity: 0.876

Solubility in Water: NEGLIGIBLE

Appearance and Odor: RED, OILY LIQUID, PETROLEUM ODOR

Percent Volatiles by Volume: NIL

Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: DO NOT HEAT ABOVE FLASHPOINT.

Materials To Avoid: STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE AND ASPHYXIANTS

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Inf

ormation

=====
=====
Transportation Information
=====

Responsible Party Cage: 2X769
Trans ID NO: 93675
Product ID: MIL-H-6083E(1);A0700
MSDS Prepared Date: 06/04/1993
Review Date: 12/31/1994
MFN: 3
Net Unit Weight: 7.3 POUNDS
AF MMAC Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY: 6
Type Of Container: CAN

Additional

Data: FILM OR SHEEN UPON THE WATER SURFACE OR DISCOLORATION OF THE
WATER OR ADJOINING SHORELINE IS REPORTABLE TO THE NATIONAL RESPONSE CENTER
AT 1-800-424-8802.

=====
=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: MIL-H-6083E(1);A0700

Cage: 2X769

Company Name: TECHNOLUBE PRODUCT COMPANY

Street: 8015 PARAMOUNT BLVD.

City: PICO RIVERA CA

Zipcode: 90660-4811

Health Emergency Phone: 213-928-3311

Label Required IND: Y

Date Of Label Review: 12/31/1994

Status Code: C

MFG Label NO: UNKNOWN

Label Date: 12/31/
1994

Year Procured: 1995

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: EYES:MAY CAUSE IRRITATION.SKIN:MAY CAUSE

IRRITATION.INGEST:MAY CAUSE GI TRACT IRRITATION.INHAL:NOT EXPECTED TO CAUSE
SHORT TERM EFFECTS.MAY CAUSE RESPIRATORY IRRITATION. AVOID STORAGE NEAR OPEN
FLAME OR OTHER SOURCES OF IGNITION. EXCESSIVEMIST
ING MAY CAUSE SLIPPERY

FLOOR. PROPER FOOTWEAR REQUIRED. FIRST AID: SKIN:REMOVE CONTAMINATED

CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MI

NUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF

NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of t
he Department of Defense.

The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United S

tates of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.