

MERIAM INSTRUMENTS CO., THE -- DOW CORNING 200 FLUID -- 6850-00-781-3015
===== Product Identification =====

Product ID:DOW CORNING 200 FLUID

MSDS Date:09/01/1988

FSC:6850

NIIN:00-781-3015

MSDS Number: BTGFM

=== Responsible Party ===

Company Name:MERIAM INSTRUMENTS CO., THE

Address:10920 MADISON AVE.

City:CLEVELAND

State:OH

ZIP:44102-2526

Country:US

Info Phone Num:216-281-1100

Emergency Phone Num:

216-281-1100

Preparer's Name:ILLEGIBLE

CAGE:39739

=== Contractor Identification ===

Company Name:MERIAM INSTRUMENT CO, DIV OF THE SCOTT & FETZER CO

Address:10920 MADISON AVE

Box:City:CLEVELAND

State:OH

ZIP:44102-2526

Country:US

Phone:216-281-1100

CAGE:39739

===== Composition/Information on Ingredients =====

Ingred Name:SILICONE

Fraction by Wt: 100% %

Other REC Limits:NONE RECOMME

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPE

CIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP
OR OSHA AS A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOXIN.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:POSSIBLY SOME ALLERGIES

=====
===== First Aid Measures =====
=====

First Aid:EYES: FLUSH WITH WATER. CONTACT PHYSICIAN IF IRRITATION
PERSISTS. SKIN: FLUSH WITH WATER. CONTACT PHYSICIAN IF IRRITATION
PERSISTS.

=====
===== Fire Fighting Measures =====

Flash Point:>325F,>163C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING
FIRE.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
FULL FACE-PIECE SELF-CONTAINED BREATHING
APPARATUS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT TO CLEAN UP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. STORE IN
WELL-VENTILATED AREA.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal

Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.

Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties

=====

HCC:N1

Boiling Pt:B.P. Text:300F,149C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:< 5

Vapor Density:NOT GIVEN

Spec Gravity:0.87

Evaporation Rate & Reference:< 1 (NO REFERENCE GIVEN)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS, ALMOST ODORLESS LIQUID

Percent Volatiles by Volume:< 5%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS

Stability Condition to Avoid:NONE SPEC

IFIED BY MANUFACTURER.

Hazardous Decomposition Products:SILICON DIOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the De

partment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.