View NSN Online: https://aerobasegroup.kr/nsn/6850-01-085-2356

Product ID:HYDROFLUOR MSDS Date:01/17/1994 FSC:6850 NIIN:01-085-2356 **MSDS Number: BTHJS** === Responsible Party === **Company Name:NATIONAL DIAGNOSTICS INC** Address:1013-1017 KENNEDY BLVD City:MANVILLE State:NJ ZIP:08835 Country:US Info Phone Num:404-699-2121 Emergency Phone Num:404-699-2121/800-424-9300(CHEMT REC) CAGE:58215 === Contractor Identification === Company Name:NATIONAL DIAGNOSTICS INC Address:1013-1017 KENNEDY BLVD Box:City:MANVILLE State:NJ ZIP:08835 Country:US CAGE:58215

Ingred Name:AROMATIC HYDROCARBONS Fraction by Wt: 70% % Other REC Limits:100 PPM PER MFR

Ingred Name:NONIONIC SURFACTANTS Fraction by Wt: 30% % Other REC Limits:NONE RECOMMENDED

L

D50 LC50 Mixture:LD50 ORAL (RAT) = 4.8 G/KG
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITATION OF MUCOUS MEMBRANES,
EXCITEMENT, DEPRESSION. MAY CAUSE MILD MACROCYTIC ANEMIA, BUT NOT
LEUKOPENIA.
Explanation of Carcinogenicity: THIS PRODUCT IS NOT LISTED BY IARC, NTP
OR OSHA AS A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOXIN.
Effects of Overexposure: IRRITATION OF MUCOUS MEMBRANES, EXCITEM
DÉPRESSION, MILD MACROCYTIC ANEMIA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:THROROUGHLY WASH EXPSOED AREA WITH SOAP AND WATER. IF
INGESTED, DO NOT INDUCE VOMITING. KEEP WARM, QUIET AND GET MEDICAL ATTENTION.
======================================
Fleeb Deint Method: TCC
Flash Point Method:TCC
Flash Point:124F,51C Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN Extin
guishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard: VAPORS ARE HEAVIER THAN AIR AND MAY
TRAVEL ALONG GROUND OR BE MOVED BY VENTILATION AND IGNITED BY
FLAME. NEVER USE WELDING TORCH ON DRUMS.
======================================
Spill Release Procedures: COVER WITH ABSORBENT MATERIAL TO CONFINE SPILL
AN
D SWEEP OR SHOVEL INTO CONTAINER. AVOID BREATHING VAPORS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions: AVOID EXCESSIVE HEAT, SPARKS AND OPEN
FLAME. KEEP CONTAINERS CLOSED.
Other Precautions: ALL HAZARD PRECAUTIONS GIVEN IN THIS DATA SHEET APPLY
TO EMPTY CONTAINERS AS WELL. AVOID BREATHING VAPORS.
======================================

Respiratory Prot

ection:SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE. Ventilation: USE UNDER HOOD. USE ONLY WITH ADEQUATE VENTILATION. NO SMOKING OR OPEN LIGHT. Protective Gloves:WEAR IMPERVIOUS RUBBER GLOVES Eye Protection: WEAR SAFETY GLASSES OR GOGGLES Other Protective Equipment: TO PREVENT REPEATED OR PROLONGED CONTACT, WEAR IMPERVIOUS CLOTHING. Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health HCC:F4 Boiling Pt:B.P. Text:360F,182C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:2.0 Vapor Density:4.8 Spec Gravity:0.92 Evaporation Rate & amp; Reference: < 0.1 (BUTYL ACETATE=1) Solubility in Water: GELS W/SMALL AMOUNTS Appearance and Odor: CLEAR, COLORLESS LIQUID; SLIGHT AROMATIC ODOR Percent Volatiles by Volume:70 % 

Stability Indicator/Materials to Av oid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:AVOID EXCESSIVE HEAT, SPARKS AND OPEN FLAMES Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE AND

VARIOUS HYDROCARBONS.

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (pro

vided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.