

AEROSPACE LUBRICANTS INC. -- TRIBOLUBE-2 -- 9150-00-267-7188

===== Product Identification =====

Product ID:TRIBOLUBE-2

MSDS Date:10/20/1998

FSC:9150

NIIN:00-267-7188

MSDS Number: BTQYK

=== Responsible Party ===

Company Name:AEROSPACE LUBRICANTS INC.

Address:1505 DELASHMUT AVE

City:COLUMBUS

State:OH

ZIP:43212-2641

Country:US

Info Phone Num:614-291-3045

Emergency Phone Num:614-291-3045

CAGE:66164

==

= Contractor Identification ===

Company Name:AEROSPACE LUBRICANTS INC.

Address:1600 GEORGESVILLE RD

Box:City:COLUMBUS

State:OH

ZIP:43228

Country:US

Phone:614-878-3600

CAGE:66164

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

Contract Num:SP0450-01-M-C801

CAGE:66172

===== Composition/Information on Ingredients =====

Ingred Name:NO HAZARDOUS COMPONENTS WERE KNOWINGLY INCORPORATED INTO

THIS LUBRICANT.  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: NONE. CHRONIC: NONE.  
Explanation of Carcinogenicity:NOT CARCINOGENIC.  
Effects of Overexposure:PROLONGED AND REPEATED CONTACT WITH SKIN MAY  
CAUSE SKIN IRRITATION. DECOMPOSITION PRODUCTS AT HIGH TEMPERATURES  
ABOVE 250C MAY CAUSE "POLYMER FEVER."  
Medical Cond Aggravated by Exposure:NO KNOWN MEDICAL CONDITIONS THAT  
MIGHT BE AGGRAVATED BY EXPOSURE.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR IF NECESSARY SEEK MEDICAL  
ATTENTION. EYES-FLUSH WITH WATER, GET MEDICAL ATTENTION.  
SKIN-WIPE OFF AND WASH WITH SOAP AND WATER. INGESTION: NO KNOWN  
ADVERSE EFFECTS ARE KNOWN, CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Autoignition Temp:>315.6C, 600.F  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY.  
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND  
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING  
CHEMICALS. DECOMPOSITION AT TEMPERATURES ABOVE 290C MAY CAUSE THE  
EXPLOSION OF TOXIC GASOUS FLUORINE COMPOUNDS  
Unusual Fire/Explosion Hazard:TOXIC FLUORINE GASES ARE BY-PRODUCT OF  
COMBUSTION..

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP WITH PROPER TOOLS, WIPE UP WITH  
ABSORBENT CLOTH OR PAPER TOWEL, APPLY NON-SKID MATERIAL TO FLOOR.  
COLLECT WASTE MATERIAL FOR SALVAGE OR DISPOSAL

===== Handling and Storage =====

Handling and Storage Precautions:USE REASONABLE CARE. DO NOT STORE  
ABOVE 250F OR NEAR FLAMMABLES.  
Other Precautions:DECOMPOSITION PRODUCTS FORMED AT HIGH TEMPERATURES  
ABOVE 250C MAY CAUSE POLYMER FEVER.

===

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNLESS PRODUCT IS BEING USED AS A MIST.

Ventilation:MECHANICAL (GENERAL): RECOMMENDED.

Protective Gloves:PLASTIC DISPOSABLE.

Eye Protection:SAFETY GLASSES RECOMMENDED.

Other Protective Equipment:PLASTIC APRON, FABRIC LABORATORY COAT RECOMMENDED.

Work Hygienic Practices:DO NOT CONTAMINATE SMOKING MATERIALS; WASH HANDS/OR CONTAMINATED AREA AFTER EXPOSURE.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:>260.C, 500.F

Melt/Freeze Pt:>287.8C, 550.F

Vapor Pres: