

DAUBERT CHEMICAL CO -- NOX RUST 207 (FORMERLY NOX RUST X 425) -- 8030-00-244-1297

=====
Product Identification
=====

Product ID:NOX RUST 207 (FORMERLY NOX RUST X 425)

MSDS Date:05/01/1992

FSC:8030

NIIN:00-244-1297

MSDS Number: BTRTW

=== Responsible Party ===

Company Name:DAUBERT CHEMICAL CO

Address:4700 S CENTRAL AVE

City:CHICAGO

State:IL

ZIP:60638-1531

Country:US

Info Phone Num:708-496-7350

Emer

gency Phone Num:708-496-7350/800-424-9300(CHEMTREC)

Preparer's Name:J. KUKSUK

CAGE:7X108

=== Contractor Identification ===

Company Name:DAUBERT CHEMICAL CO

Address:4700 S CENTRAL AVE

Box:City:CHICAGO

State:IL

ZIP:60638-1531

Country:US

Phone:708-496-7350

CAGE:7X108

Company Name:RALRUBE INC.

Address:36977 FOX GLEN

Box:City:FARMINGTON HILLS

State:MI

ZIP:48331

Country:US

Phone:248-661-0260, FAX 248-661-3941

CAGE:6X798

=====
Composition/Information on Ingredients
=====

Ingred Name

:NAPHTHA, MEDIUM ALIPHATIC (TOTAL PERCENTAGE OF INGREDIENTS
1, 2, AND 3 : 38-43)

CAS:64742-88-7

Fraction by Wt: SEE ING

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:HYDROTREATED LIGHT PETROLEUM DISTILLATE

CAS:64742-47-8

Fraction by Wt: SEE # 1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MISTS

ACGIH TLV:5 MG/M3 AS OIL MISTS

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: SEE # 1%

Other RE

C Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9394

Ingred Name:LEAD SOAP OF OXIDIZED PETROLEUM FRACTION

CAS:67674-14-0

Fraction by Wt: 30 - 35%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 MICROGRAMS/M3.

ACGIH TLV:0.15 MG/M3 AS PB.

Ingred Name:SOLVENT REFINED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM
(TOTAL PERCENTAGE OF INGREDIENTS 5 AND/OR 6: 15-20)

CAS:64741-96-4

RTECS #:PY8040000

Fraction by Wt: SEE # 5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MISTS

ACGI

H TLV:5 MG/M3 AS OIL MISTS

Ingred Name:HYDROTREATED HEAVY NAPHTHENIC DISTILLATE,
PETROLEUM/LUBRICATING OIL BASE STOCK

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: SEE # 5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 OIL MIST

ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:ASPHALT (PETROLEUM)

CAS:8052-42-4

RTECS #:CI9900000

Fraction by Wt: 1 - 3%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:5 MG/M3; (FUME);9394

Ingred Name:CALCIUM HYDROXIDE

CAS:1305-62-0

300F,>149C

Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN

Vapor Pres:3.4 @ 68F

Vapor Density:>1

Spec Gravity:0.896

Viscosity:NOT KNOWN

Evaporation Rate & Reference: