

MOBIL OIL CO -- MOBIL AERO OIL 80 -- 9150-00-019-5701

=====  
Product Identification  
=====

Product ID:MOBIL AERO OIL 80

MSDS Date:09/01/1993

FSC:9150

NIIN:00-019-5701

MSDS Number: BTSCM

=== Responsible Party ===

Company Name:MOBIL OIL CO

Address:6406 GRADE LN

Box:21358

City:LOUISVILLE

State:KY

ZIP:40221

Country:US

Info Phone Num:800-662-4525

Emergency Phone Num:809-737-4411, CHEMTREC 800-424-9300

C

AGE:2N254

=== Contractor Identification ===

Company Name:MOBIL OIL CO

Address:6406 GRADE LN

Box:1031

City:LOUISVILLE

State:KY

ZIP:40221

Country:US

Phone:800-662-4525

CAGE:2N254

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY  
PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: >95.0%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:SOLVENT,DEWAXED RESIDUAL OIL (PETRO

LEUM)  
CAS:64742-62-7  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ACRYLATE POLYMER  
Fraction by Wt: 2000 MG/KG  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NO SIGNIFICANT EFFECTS EXPECTED. EMAY  
CAUSE MILD EYE IRRITATION.  
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS  
LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:MILD EYE IRRITATION.  
Medical Cond  
Aggravated by Exposure:NONE

=====  
===== First Aid Measures =====

First Aid:INGEST: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. SKIN:  
FLUSH WITH SOAP & WATER. REMOVE AND LAUNDRER CONTAMINATED CLOTHING.  
EYE: FLUSH WITH PLENTY OF WATER FOR ATLEAST 15 MINUTES. GET MEDICAL  
ATTE NTION. INHALE: REMOVE TO FRESH AIR.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>435F,>224C  
Lower Limits:0.6%  
Upper  
Limits:7.0%  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. PROTECT F

