

GOAL CHEMICAL SEALANTS CORP -- GC-1300 TYPE II CLASS 1,2,3 -- 8030-00-297-6677

=====
Product Identification
=====

Product ID:GC-1300 TYPE II CLASS 1,2,3
MSDS Date:07/18/1986
FSC:8030
NIIN:00-297-6677
Kit Part:Y
MSDS Number: BTTGW
=== Responsible Party ===
Company Name:GOAL CHEMICAL SEALANTS CORP
Address:3137 E 26TH ST
City:LOS ANGELES
State:CA
ZIP:90023-4206
Country:US
Info Phone Num:213-269-0461

Emergency Phone Num:213-269-0461
CAGE:04011
=== Contractor Identification ===
Company Name:GOAL CHEMICAL SEALANTS CORP
Address:3137 E 26TH ST
Box:City:LOS ANGELES
State:CA
ZIP:90023-4206
Country:US
Phone:213-269-0461
CAGE:04011

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 2%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9394
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:100

0 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES-CAN CAUSE SEVERE IRRITATION,
BLURRED VISION. SKIN-MODERATE IRRITATION, DEFATTING AND DERMATITIS.
INGESTION-GASTRO INTESTINAL IRRITATION, VOMITING AND DIARRHEA.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:REDDENING OF THE EYES, WITH IRRITATION.
DEFATTING AND DRYNESS OF SKIN. SHORTNESS OF BREATH OR NAUSEA.
Medical Conditions Aggravated by Exposure:LIVER OR KIDNEY PROBLEMS. ASTHMA.

=====
===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER. GET MEDICAL ATTENTION. SKIN-WASH WITH
SOAP AND WATER. INGESTION-GET MEDICAL ATTENTION. DO NOT INDUCE
VOMITING.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:170F,77C
Lower Limits:1
Upper
Limits:8
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. SCRAPE UP AND
RETURN TO CONTAINER. CLEAN AREA WITH SOAP AND WATER.

=====
===== Handling and Storage =====

Handling and Storage

age Precautions:STORE IN AREA FOR COMBUSTIBLE
MATERIALS. KEEP DRY AND AWAY FROM HEAT SOURCES.
Other Precautions:DO NOT SMOKE, EAT OR DRINK IN AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH APPROVED REGULATOR WITH ORGANIC
FILTER IF TLV IS EXCEEDED.
Ventilation:LOCAL EXHAUST: HOOD. MECHANICAL(GENERAL): FAN.
Protective Gloves:NITRILE.
Eye Protection:SAFETY GLASSES WITH SPLASH SHIELD.
Other Protective Equipment:NONE SPECIFIED BY
MANUFACTURER.
Work Hygienic Practices:TRAIN EMPLOYEES ON HANDLING PROCEDURES BEFORE
THEY WORK WITH THIS PRODUCT.
Supplemental Safety and Health
THIS IS A MULTIPLE PRT KIT.

===== Physical/Chemical Properties =====

HCC:V4
Boiling Pt:B.P. Text:230F,110C
Melt/Freeze Pt:M.P/F.P Text:LIQUID @ RT
Vapor Pres:22 MMHG
Vapor Density:3.2
Spec Gravity:1.62
Evaporation Rate & Reference:2.0 (BUTYL ACETATE=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:WHITE PASTE -
MERCAPTAN ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT WITH STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CO2, CO, SO2, HCHO, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT, OR DESTROY BY LIQUID
INCINERATION. DISPOSE ACCORDING TO LOCAL, STATE AND FEDERAL

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.