View NSN Online: https://aerobasegroup.kr/nsn/8030-01-013-0627

## HENRY W W CO -- #208 WET SURFACE PLASTIC ROOF CEMENT -- 8030-01-013-0627

Product ID:#208 WET SURFACE PLASTIC ROOF CEMENT

MSDS Date:09/21/1987

FSC:8030

NIIN:01-013-0627 MSDS Number: BTTJL === Responsible Party ===

Company Name: HENRY W W CO

Address:5608 SOTO ST City:HUNTINGTON PARK

State:CA

ZIP:90255-2629 Country:US

Info Phone Num:213-583-4961 / FAX 213-582-8451

Em

ergency Phone Num:213-583-4961 Preparer's Name:GEORGE MARCINA

CAGE:11761

=== Contractor Identification === Company Name: HENRY W W CO

Box:3001

City:LANCASTER

State:PA ZIP:17604 Country:US

Phone:717-396-2328;717-396-2935

CAGE:11761

======= Composition/Information on Ingredients ========

Ingred Name:NAPHTHA, LIGHT ALIPHATIC (PETROLEUM) (THIS MATERIAL CONTAINS UP TO 5 VOL.% BENZENE AND 20 VOL.% N-HEXANE)

CAS:64742-89-8

Fraction by Wt: 15-20%

Other REC Limits: NONE RECOMMENDED

Ingr

| ed Name:ASBESTOS (FRIABLE) (SARA III) CAS:1332-21-4 RTECS #:CI6425000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED OSHA PEL:SEE 1910.1001 ACGIH TLV:0.2 - 2 FIBER/CC; 94 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB   |
|---|
| ======================================  |
| Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity:CONTAI NS A [1332-21-4] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN. Effects of Overexposure:VAPORS ABOVE TLV MAY ASPHYXIATE. FRESH AIR USUALLY RESULT IN COMPLETE RECOVERY IF NORMAL RESPIRATION HAS NOT |
| STOPPED.  |
| ======================================  |
| First Aid:REMOVE PERSON TO FRESH AIR. ARTIFICIAL RESPIRATION IF NEEDED. WASH SKIN WITH SOAP AND WATER. WASH EYE WITH WATER FOR AT LEAST 15 MINUTES. DO NOT INDUCE VOMITING!! CALL PHYSICIAN!!   |
| ======================================  |
| Flash Point:120F,49C<br>Lower Limits:1<br>Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.<br>Fire Fighting Procedures:NONE<br>Unusual Fire/Explosion Hazard:NONE  |
| ======== Accidental Release Measures ==========   |
| Spill Release Procedures:EXTINGUISH ALL SOURCES OF IGNITION IN THE AREA. CLEAN UP SPILLS AS SOON AS POSSIBLE.   |
| ========== Handling and Storage ===========   |
| Handli  |
|   |
|   |
|   |

| ng and Storage Precautions:STORE AWAY FROM HEAT AND SOURCES OF IGNITION. Other Precautions:NONE.  |
|---|
| ====== Exposure Controls/Personal Protection ========   |
| Respiratory Protection:NONE NORMALLY NEEDED. Ventilation:USE SUPPLIED AIR SYSTEM IF VAPOR CONCENTRATION EXCEEDS TLV. Protective Gloves:ONLY TO PREVENT SOILED & STICKY HANDS. Eye Protection:NONE NORMALLY NEEDED. Other Protective Equipment:NONE. Work Hygienic Practices:CLEAN SKIN WITH SOAP AND WATERLESS CLEANER. FLUSH EYES WI TH WATER. DO NOT USE SOLVENTS. Supplemental Safety and Health NONE. |
| ========== Physical/Chemical Properties ============  |
| HCC:T7 Boiling Pt:B.P. Text:310-400F Vapor Density:>AIR Evaporation Rate & Deference: SLOWER THAN ETHER Appearance and Odor: NONE SPECIFIED BY MANUFACTURER. Percent Volatiles by Volume: 30  |
| ========= Stability and Reactivity Data ===========   |
| Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE   |
| Hazardous Decomposition Products:SMOKE AND OXIDES OF CARBON.  |
| ========= Disposal Considerations ============  |
| Waste Disposal Methods:ABSORB SPILLED MATERIAL WITH CLAY. DIATOMACEOUS EARTH OR OTHER NON-FLAMMABLE ABSORBENT MATERIAL.   |
| Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department   |

of Defense. The United Stat

es of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.